

## MEMORANDUM

---

**To:** Shaun Gilbert, Dauntless Development  
**From:** Adam Poll, Senior Air Quality Specialist, Dudek  
**Subject:** Air Quality and Greenhouse Gas Emissions Technical Memorandum for the Garden Street Hotel Project  
**Date:** November 22, 2023  
**cc:** Matt Valerio, Dudek  
**Attachment(s):** A, CalEEMod Emissions Outputs  
B, AERMOD and HARP2 Outputs

---

Dudek is pleased to submit this air quality and greenhouse gas (GHG) emissions assessment to assist Dauntless Development (applicant) with initial environmental planning requirements for the Garden Street Hotel Project (project).

This memorandum estimates criteria air pollutant and GHG emissions and evaluates potential impacts from construction and operation of the project in accordance with the California Environmental Quality Act (CEQA) Guidelines.

The contents and organization of this memorandum are as follows:

- Section 1, Project Description
- Section 2, General Analysis and Methodology
- Section 3, Air Quality Assessment
- Section 4, Greenhouse Gas Emissions Assessment
- Section 5, Energy Assessment
- Section 6, Conclusions
- Section 7, References Cited

## 1 Project Description

The proposed project consists of the construction of a new 250-room hotel, parking and onsite amenities. There would be 130 extended stay rooms and 120 lifestyle rooms for guests. Six additional affordable housing units (5 studios and 1 two-bedroom) are included onsite as part of the project. Parking onsite will be available in an underground 238-space structure and an additional 29 spaces at-grade (total 267 spaces). The total building square footage will be approximately 288,719 square feet gross/264,271 square feet net. Five existing structures totaling 15,300 square feet will be demolished. The entitlements requested from the City include approval by the Historic Landmarks Commission and Planning Commission for a Coastal Development Permit, Development Plan, subsequent Public Works and Building Permits.

As described, the hotel will be divided between two types of visitor accommodations: 130 extended stay rooms and 120 lifestyle rooms.

## 2 General Analysis and Methodology

### 2.1 Construction

Emissions from the construction phase of the proposed project were estimated using the California Emissions Estimator Model (CalEEMod), Version 2022.1.1.20 (CAPCOA 2022).

As described in Section 1, Project Description, the proposed project would develop a 250-room hotel and 238-space parking garage with 29 parking spaces at-grade. For the purposes of modeling, it was assumed that construction of the proposed project would commence in January 2024<sup>1</sup> and would last approximately 15 months, ending in March 2025. The analysis contained herein is based on the following subset area schedule assumptions (duration of phases is approximate):

- Demolition – 1 month
- Site Preparation – 2 weeks
- Grading – 1 month
- Building Construction – 13 months
- Paving – 2 months
- Architectural Coating – 1 month

The majority of the phases listed above would occur concurrently and would not occur sequentially in isolation. The estimated construction duration was provided by the applicant. Detailed construction equipment modeling assumptions are provided in Attachment A, CalEEMod Emissions Outputs.

The construction equipment mix used for estimating the construction emissions of the proposed project is based on information provided by the project applicant and is shown in Table 1.

**Table 1. Construction Scenario Assumptions**

Construction Phase	One-Way Vehicle Trips			Equipment		
	Average Daily Worker Trips	Average Daily Vendor Truck Trips	Total Haul Truck Trips	Equipment Type	Quantity	Usage Hours
Demolition	16	4	76	Concrete/Industrial Saws	1	8
				Excavators	3	8
				Rubber Tired Dozers	2	8

<sup>1</sup> The analysis assumes a construction start date of January 2024, which represents the earliest date construction would initiate. Assuming the earliest start date for construction represents the worst-case scenario for criteria air pollutant emissions because equipment and vehicle emission factors for later years would be slightly less due to more stringent standards for in-use off-road equipment and heavy-duty trucks, as well as fleet turnover replacing older equipment and vehicles in later years.

**Table 1. Construction Scenario Assumptions**

Construction Phase	One-Way Vehicle Trips			Equipment		
	Average Daily Worker Trips	Average Daily Vendor Truck Trips	Total Haul Truck Trips	Equipment Type	Quantity	Usage Hours
Site preparation	18	4	0	Rubber Tired Dozers	3	8
				Tractors/Loaders/Backhoes	4	8
Grading	20	4	3,762	Excavators	2	8
				Graders	1	8
				Rubber Tired Dozers	1	8
				Scrapers	2	8
				Tractors/Loaders/Backhoes	2	8
Building construction	198	78	0	Cranes	1	7
				Forklifts	3	8
				Generator Sets	1	8
				Tractors/Loaders/Backhoes	3	7
				Welders	1	8
Paving	16	4	0	Pavers	2	8
				Paving Equipment	2	8
				Rollers	2	8
Architectural coating	40	4	0	Air Compressors	1	6

**Note:** See Attachment A for details.

For the analysis, it was assumed that heavy construction equipment would be operating 5 days per week (22 days per month) during proposed project construction. Construction worker and vendor trips were based on CalEEMod default assumptions and rounded up to the nearest whole number to account for whole round trips.

During demolition, the project would remove the existing structures onsite estimated to be 16,700 gross square feet, or 15,300 net square feet. During the grading phase, project construction would include 25,500 cubic yards of cut, 0 cubic yards of fill, and 25,500 cubic yards of export. It is anticipated that earth movement would be primarily, if not completely, accomplished using off-road equipment (e.g., scrapers and excavators). The CalEEMod default equipment type, quantity, and daily usage was utilized during construction. The applicant has committed to Tier 4 Interim for equipment over 50 horsepower and electric for less than 50 horsepower.

The project would be required to comply with Santa Barbara County Air Pollution Control District (SBCAPCD) Rule 345 to control dust emissions generated during any dust-generating activities. Standard construction practices that would be employed to reduce fugitive dust emissions include watering of the active dust areas two times per day, with additional watering depending on weather conditions. The project would be required to comply with SBCAPCD Rule 323.1 for use of architectural coatings.

A detailed depiction of the construction schedule—including information regarding phases and equipment used during each phase—is included in Attachment A of this report. The information contained in Attachment A was used as CalEEMod model inputs.

## 2.2 Operation

Emissions from the operational phase of the proposed project were estimated using CalEEMod. Operational year 2025 was assumed as it would be the first full year following completion of proposed construction.

### Area Sources

CalEEMod was used to estimate operational emissions from area sources, including emissions from consumer product use, architectural coatings, and landscape maintenance equipment. Emissions associated with natural gas usage in space heating and water heating are calculated in the building energy use module of CalEEMod, as described in the following text.

Consumer products are chemically formulated products used by household and institutional consumers, including detergents; cleaning compounds; polishes; floor finishes; cosmetics; personal care products; home, lawn, and garden products; disinfectants; sanitizers; aerosol paints; and automotive specialty products. Other paint products, furniture coatings, or architectural coatings are not considered consumer products (CAPCOA 2022). Consumer product volatile organic compound (VOC) emissions for the building is estimated in CalEEMod based on the floor area of building and on the default factor of pounds of VOC per building square foot per day. Consumer products associated with the parking lot and other asphalt surfaces include degreasers, which were estimated based on the square footage of the parking lot and the default factor of pounds of VOC per square foot per day. The CalEEMod default values for consumer products were assumed.

VOC off-gassing emissions result from evaporation of solvents contained in surface coatings such as in paints and primers used during building maintenance. CalEEMod calculates the VOC evaporative emissions from the application of surface coatings based on the VOC emission factor, building square footage, assumed fraction of surface area, and reapplication rate. The VOC emissions factor is based on the VOC content of the surface coatings, and SBCAPCD's Rule 323.1 (Architectural Coatings) governs the VOC content for interior and exterior coatings. This rule requires manufacturers, distributors, and end users of architectural and industrial maintenance coatings to reduce VOC emissions from the use of these coatings, primarily by placing limits on the VOC content of various coating categories (SBCAPCD 2014). The proposed project would use architectural coatings that would not exceed 50 grams per liter for interior applications and 100 grams per liter for exterior applications consistent with SBCAPCD Rule 323.1. The model default reapplication rate of 10% of area per year is assumed. Consistent with CalEEMod defaults, it is assumed that the surface area for painting equals 2.7 times the floor square footage, with 75% assumed for interior coating and 25% assumed for exterior surface coating (CAPCOA 2022).

Landscape maintenance includes fuel combustion emissions from equipment such as lawn mowers, rototillers, shredders/grinders, blowers, trimmers, chainsaws, and hedge trimmers. The emissions associated with landscape equipment use are estimated based on CalEEMod default values for emission factors (grams per square foot of building space per day), as well as number of summer days (when landscape maintenance would generally be performed, 180 days) and winter days.

### Energy Sources

As represented in CalEEMod, energy sources include GHG emissions associated with building electricity and natural gas usage (non-hearth). Electricity use would contribute indirectly to GHGs, since GHG emissions occur at the site

of the power plant, which is typically off site. The project would not include natural gas service, only electricity will be used. Emissions were calculated by multiplying the energy use by the utility's carbon intensity (pounds of GHGs per megawatt-hour for electricity or 1,000 British thermal units for natural gas) for carbon dioxide (CO<sub>2</sub>) and other GHGs. Annual electricity emissions were estimated in CalEEMod using the emissions factors for Sothern California Edison (SCE), which was conservatively assumed to be the energy source provider for the proposed project, as it had higher greenhouse gas pollutant intensity factors than other local power providers such as Santa Barbara Clean Energy. The project would include an 877-kilowatt solar photovoltaic system.

The proposed project would be subject to the 2022 Title 24 standards, which went into effect on January 1, 2023.

The proposed project would include electric vehicle charging stations in accordance with the California Green Building Standards Code (CALGreen) and 2022 Title 24 standards; however, the electric vehicle charging stations were not quantified in this analysis.

### Mobile Sources

Following the completion of construction activities, the proposed project would generate criteria pollutant emissions from mobile sources (vehicular traffic) as a result of the employees and visitors of the proposed project. CalEEMod default data, including trip characteristics, trip rates, trip lengths, and emissions factors, were used for the model inputs. Project-related traffic was assumed to include a mixture of vehicles in accordance with the associated use, as modeled within the CalEEMod. Emission factors representing the vehicle mix and emissions for 2025 were used to estimate emissions associated with vehicular sources.

### Solid Waste

The proposed project would generate solid waste and would, therefore, result in CO<sub>2</sub> and methane (CH<sub>4</sub>) emissions associated with landfill off-gassing. Solid waste generation was derived from the CalEEMod default rates for each residential land use type. Emission estimates associated with solid waste were estimated using CalEEMod.

### Water Supply and Wastewater

Water supplied to the proposed project would require the use of electricity. Accordingly, the supply, conveyance, treatment, and distribution of water would indirectly result in GHG emissions through use of electricity. Annual water use for the proposed project and GHG emissions associated with the electricity used for water supply were calculated based upon default water use estimates for each land use type, as estimated by CalEEMod and Santa Barbara Clean Energy factors. The proposed project would include low-flow fixtures in the building and water-efficient irrigation systems. The proposed project would be connected to municipal sewer.

## 2.3 Health Risk Assessment

As a precautionary measure, a health risk assessment (HRA) was performed to assess the impact of construction on sensitive receptors proximate to the project site (provided as Attachment B, AERMOD and HARP2 Outputs). This report includes an HRA associated with emissions from construction of the proposed project based on the methodologies prescribed in the Office of Environmental Health Hazard Assessment (OEHHA) document, Air Toxics Hot Spots Program Risk Assessment Guidelines – Guidance Manual for Preparation of Health Risk Assessments (OEHHA 2015). To implement the OEHHA guidelines based on proposed project information, the SBCAPCD has developed a three-tiered

approach where each successive tier is progressively more refined, with fewer conservative assumptions. The SBCAPCD Modeling Guidelines for Health Risk Assessment, Form-15i, provides guidance for performing HRAs within Santa Barbara County (SBCAPCD 2020).

Health effects from carcinogenic air toxics are usually described in terms of cancer risk. The SBCAPCD recommends a carcinogenic (cancer) risk threshold of 10 in one million. Additionally, some toxic air contaminants (TACs) increase non-cancer health risk due to long-term (chronic) exposures. The Chronic Hazard Index is the sum of the individual substance chronic hazard indices for all TACs affecting the same target organ system. The SBCAPCD recommends a Chronic Hazard Index significance threshold of one (project increment). The exhaust from diesel engines is a complex mixture of gases, vapors, and particles, many of which are known human carcinogens. Diesel particulate matter (DPM) has established cancer risk factors and relative exposure values for long-term chronic health hazard impacts. No short-term, acute relative exposure level has been established for DPM; therefore, acute impacts of DPM are not addressed in this assessment. The HRA for the proposed project evaluated the risk to existing residents from diesel emissions from exhaust from on-site construction equipment and diesel haul and vendor trucks during construction.

The dispersion modeling of TACs was performed using the American Meteorological Society/EPA Regulatory Model (AERMOD), which is the model SBCAPCD requires for atmospheric dispersion of emissions. AERMOD is a steady-state Gaussian plume model that incorporates air dispersion based on planetary boundary layer turbulence structure and scaling concepts, including treatment of surface and elevated sources, building downwash, and simple and complex terrain (EPA 2018). For the proposed project, AERMOD (AERMOD View Version 11.2.0) was run with all sources emitting unit emissions (one gram per second) to obtain the “X/Q” values. X/Q is a dispersion factor that is the average effluent concentration normalized by source strength and is used as a way to simplify the representation of emissions from many sources. The X/Q values of ground-level concentrations were determined for construction emissions using AERMOD and the maximum concentrations determined for the one-hour and period-averaging periods. Principal parameters of this modeling are presented in Table 2.

**Table 2. American Meteorological Society/U.S. Environmental Protection Agency Regulatory Model Principal Parameters**

Parameter	Details
Meteorological Data	The latest 3-year meteorological data (2012–2016) for the Santa Barbara Airport Station from SBCAPCD were downloaded and then input to AERMOD.
Urban versus Rural Option	Urban areas typically have more surface roughness, as well as structures and low-albedo surfaces that absorb more sunlight—and thus more heat—relative to rural areas. Based on the SBCAPCD guidelines, the urban dispersion option was selected due to the proposed project’s proximity to development.
Terrain Characteristics	The terrain in the vicinity of the modeled project site is generally flat. The elevation of the modeled site is approximately four feet above sea level.
Elevation Data	Digital elevation data were imported into AERMOD, and elevations were assigned to the emission sources and receptors. Digital elevation data were obtained through AERMOD View in the U.S. Geological Survey’s National Elevation Dataset format with a 30-meter resolution.
Source Release Characterizations	The plume height and width was assumed to be 6.8 meters and 8.6 meters, respectively, with a release height of 3.4 meters for construction equipment. These were modeled using a series of line volume sources to cover the site.

**Table 2. American Meteorological Society/U.S. Environmental Protection Agency Regulatory Model Principal Parameters**

Parameter	Details
Receptors	Property boundary receptors were also included to determine the point of maximum impact, spaced at 10-meter intervals. A uniform Cartesian grid was placed over the site was spaced at 100 meters out to 2,000 meters from the property boundary and 20 meters spacing centered over the nearest sensitive receptor (residential development). A flagpole height of 1.5 meters was used.

**Notes:** SBCAPCD = Santa Barbara County Air Pollution Control District; AERMOD = American Meteorological Society/U.S. Environmental Protection Agency Regulatory Model.

See Attachment B for additional information.

Dispersion model plot files from AERMOD were then imported into CARB’s Hotspots Analysis and Reporting Program Version 2 to determine health risk, which requires peak 1-hour emission rates and annual-averaged emission rates for all pollutants for each modeling source. For the residential health risk, the HRA assumes exposure would start in the third trimester of pregnancy for a duration of 15 months for construction. The results of the HRA are provided in Section 3.2.3, and detailed results and methodology are provided in Attachment B.

### 3 Air Quality Assessment

The project is located within the South Central Coast Air Basin (SCCAB) and is within the jurisdictional boundaries of the SBCAPCD, which has jurisdiction over Santa Barbara County where the project is located. Criteria air pollutants are defined as pollutants for which the federal and state governments have established ambient air quality standards, or criteria, for outdoor concentrations to protect public health. Criteria air pollutants that are evaluated include VOCs (also referred to as ROCs), oxides of nitrogen (NO<sub>x</sub>), carbon monoxide (CO), sulfur oxides (SO<sub>x</sub>), particulate matter with an aerodynamic diameter less than or equal to 10 microns in size (coarse particulate matter, or PM<sub>10</sub>), and particulate matter with an aerodynamic diameter less than or equal to 2.5 microns in size (fine particulate matter, or PM<sub>2.5</sub>). ROCs and NO<sub>x</sub> are important because they are precursors to ozone (O<sub>3</sub>).

#### 3.1 Thresholds of Significance

The State of California has developed guidelines to address the significance of air quality impacts based on Appendix G of the CEQA Guidelines (14 CCR 15000 et seq.), which provides guidance that a project would have a significant environmental impact if it would:

1. Conflict with or obstruct implementation of the applicable air quality plan.
2. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard.
3. Expose sensitive receptors to substantial pollutant concentrations.
4. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

In addition, Appendix G of the CEQA Guidelines indicates that where available, the significance criteria established by the applicable air district may be relied upon to determine whether the project would have a significant impact on air quality. The SBCAPCD has prepared criteria and thresholds for determining significance under CEQA.

According to the SBCAPCD's *Scope and Content of Air Quality Sections in Environmental Documents* (SBCAPCD 2017), a project would have a significant air quality effect on the environment if operation of the project would:

- Emit (from all project sources, both stationary and mobile) more than the daily trigger for offsets or air quality impact analysis set in the SBCAPCD New Source Review Rule<sup>2</sup>, for any pollutant (i.e., 240 pounds per day for ROC or NO<sub>x</sub>; and 80 pounds per day for PM<sub>10</sub>);
- Emit 25 pounds per day or more of NO<sub>x</sub> or ROC from motor vehicle trips only;
- Cause or contribute to a violation of any California or National Ambient Air Quality Standard (except ozone);
- Exceed the SBCAPCD health risk public notification thresholds adopted by the SBCAPCD Board for non-cancer risk; and
- Be inconsistent with the latest adopted federal and state air quality plans for Santa Barbara County.

As stated in the SBCAPCD's *Scope and Content of Air Quality Sections in Environmental Documents*, the SBCAPCD does not currently have quantitative thresholds of significance in place for short-term or construction emissions; however, the SBCAPCD uses 25 tons per year for ROC or NO<sub>x</sub> as a guideline for determining the significance of construction impacts (SBCAPCD 2017).

Due to the relatively low background ambient CO levels in Santa Barbara County, localized CO impacts associated with congested intersections are not expected to exceed the CO health-related air quality standards (SBCAPCD 2017). The most stringent ambient air quality standard for CO is the California Ambient Air Quality Standard (CAAQS) at 20 parts per million (ppm) for the 1-hour standard and 9.0 ppm for the 8-hour standard. The Las Flores Canyon monitoring station, located in Capitan, is the closest monitoring station to the project site where CO concentrations are measured. The Las Flores Canyon station reported 1-hour concentrations in ppm of 1, 1.4, and 0.6 and 8-hour concentrations of 0.6, 0.4, and 0.5. during the 2020–2022 monitoring period, which is the most recent CO data available for the Las Flores Canyon station (EPA 2023). As such, CO “hot spots” analyses are not required anymore (SBCAPCD 2017).

The City has also established thresholds based on the state CEQA Guidelines, SBCAPCD impact significance guidelines, and City policies (Charter, Conservation Element, and Master Environmental Assessment). A significant project-specific air quality impact may be identified if any of the following guidelines are exceeded, unless measures are implemented to avoid or lessen the significant effect (City of Santa Barbara 2010):

- Exceeding adopted Clean Air Plan growth projections and emission forecasts
- Exposure of sensitive receptors to substantial pollutant emissions
- Exceeding SBCAPCD health risks public notification thresholds
- Creation of objectionable odors affecting a substantial number of people in violation of SBCAPCD regulations

In addition, a significant citywide project-specific air quality impact may also constitute a considerable contribution to a cumulative impact to the regional air basin.

---

<sup>2</sup> The SBCAPCD New Source Review Rule as it existed at the time the SBCAPCD Environmental Review Guidelines were adopted in October 1995 (SBCAPCD 2017).



## 3.2 Impact Analysis

### 3.2.1 Would the project conflict with or obstruct implementation of the applicable air quality plan?

A project is non-conforming with an air quality plan if it conflicts with or delays implementation of any applicable attainment or maintenance plan. A project is conforming if it complies with all applicable SBCAPCD rules and regulations, complies with all proposed control measures that are not yet adopted from the applicable plan(s), and is consistent with the growth forecasts in the applicable plan(s) (or is directly included in the applicable plan). Zoning changes, specific plans, general plan amendments, and similar land use plan changes that do not increase dwelling unit density, do not increase vehicle trips, and do not increase vehicle miles traveled are also deemed to comply with the applicable air quality plan (SBCAPCD 2017).

Consistency with land use and population forecasts in local and regional plans, including the Clean Air Plan (SBAPCD 2015), is required under CEQA for all projects. SBCAPCD further describes consistency with the Clean Air Plan for projects subject to these guidelines, which means that direct and indirect emissions associated with the project are accounted for in the Clean Air Plan's emissions growth assumptions, and the project is consistent with policies adopted in the Clean Air Plan. The 2022 Ozone Plan was adopted by the District Board in December 2022, and is the most recent applicable air quality plan. The 2022 Ozone Plan is the 3-year update required by the state to show how the SBCAPCD plans to meet the state 1-hour and 8-hour O<sub>3</sub> standard (SBCAPCD 2022). In January 2023, the CARB designated Santa Barbara County as nonattainment-transitional for the state O<sub>3</sub> standards.

The Ozone Plan relies primarily on the land use and population projections provided by the Santa Barbara County Association of Governments and CARB on-road emissions forecast as a basis for vehicle emission forecasting. The General Plan land use designation is HRC-2 – Hotel and Related Commerce II. The project would be consistent with the uses allowed within the HRC-2 zone.

The project would not conflict with or propose to substantially change existing land use or applicable land use policies as designated in the City's General Plan; therefore, the project was included in the 2022 Ozone Plan. Similarly, the project does not have any growth inducing features. As such, the project would not conflict with the applicable air quality plan. Therefore, this impact would be **less than significant**.

### 3.2.2 Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

Air pollution is largely a cumulative impact. The nonattainment status of regional pollutants is a result of past and present development, and SBCAPCD develops and implements plans for future attainment of ambient air quality standards. Based on these considerations, project-level thresholds of significance for criteria pollutants are relevant in the determination of whether a project's individual emissions would have a cumulatively significant impact on air quality.

#### Construction Emissions

Proposed construction activities would result in the temporary addition of pollutants to the local airshed caused by on-site sources (i.e., off-road construction equipment, soil disturbance, and ROC off-gassing) and off-site sources

(i.e., on-road haul trucks, vendor trucks, and worker vehicle trips). Construction emissions can vary substantially from day to day, depending on the level of activity; the specific type of operation; and, for particulate matter, the prevailing weather conditions. Therefore, such emission levels can only be approximately estimated.

The CalEEMod Version 2022.1.1.20 was used to estimate emissions from construction of the project. Internal combustion engines used by construction equipment, trucks, and worker vehicles would result in emissions of ROCs, NO<sub>x</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub>. PM<sub>10</sub> and PM<sub>2.5</sub> emissions would also be generated by entrained dust, which results from the exposure of earth surfaces to wind from the direct disturbance and movement of soil. The project would be required to comply with SBCAPCD Rule 345 to control dust emissions generated during any dust-generating activities. Standard construction practices that would be employed to reduce fugitive dust emissions include watering of the active dust areas two times per day, with additional watering depending on weather conditions. The project would not involve application of architectural coating (e.g., paint and other finishes) during construction. Table 3 presents the estimated annual emissions generated during construction of the project. Details of the emission calculations are provided in Attachment A.

**Table 3. Estimated Annual Construction Criteria Air Pollutant Emissions**

Year	ROC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Tons per year					
2024	1.25	1.54	3.10	0.00	0.27	0.09
2025	0.05	0.47	0.90	0.00	0.05	0.02
<i>Maximum</i>	1.25	1.54	3.10	0.00	0.27	0.09
<i>Threshold</i>	25	25	25	25	25	25
<b>Threshold Exceeded?</b>	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>

**Notes:** ROC = reactive organic compound; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter. See Attachment A for complete results.

As shown in Table 3, the project construction would not exceed the City’s thresholds. Therefore, construction impacts associated with criteria air pollutant emissions would be **less than significant**.

**Operational Emissions**

Table 4 presents the maximum daily emissions associated with the operation of the project after all phases of construction have been completed. Emissions were calculated in accordance with the methodology presented in Section 2.2, Operation. Complete details of the emissions calculations are provided in Attachment A of this document. Emissions represent maximum of summer and winter. “Summer” emissions are representative of the conditions that may occur during the O<sub>3</sub> season (May 1 to October 31), and “winter” emissions are representative of the conditions that may occur during the balance of the year (November 1 to April 30).

**Table 4. Estimated Maximum Daily Operational Criteria Air Pollutant Emissions**

Emission Source	VOC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Pounds per Day					
Area	13.54	0.17	20.27	0.00	0.04	0.03

**Table 4. Estimated Maximum Daily Operational Criteria Air Pollutant Emissions**

Emission Source	VOC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Pounds per Day					
Mobile	8.91	6.49	51.12	0.09	8.12	2.11
<b>Total</b>	<b>22.45</b>	<b>6.66</b>	<b>71.39</b>	<b>0.09</b>	<b>8.16</b>	<b>2.14</b>
<i>Vehicle source emission threshold</i>	25	25	—	—	—	—
<b>Vehicle source emissions threshold exceeded?</b>	<b>No</b>	<b>No</b>	—	—	—	—
<i>Area + vehicle source emissions threshold</i>	240	240	—	—	80	—
<b>Area + vehicle source emissions threshold exceeded?</b>	<b>No</b>	<b>No</b>	—	—	<b>No</b>	—

**Notes:** VOC = volatile organic compound; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter. See Attachment A for complete results.

As shown in Table 4, the project would not exceed any of the SBCAPCD operational criteria pollutant emissions thresholds. Therefore, the project would have a **less than significant** impact during operation.

**Cumulative Analysis**

In considering cumulative impacts from the project, the analysis must specifically evaluate a project’s contribution to the cumulative increase in pollutants for which the SCCAB is designated as nonattainment for the CAAQS and National Ambient Air Quality Standard (NAAQS). If a project’s emissions would exceed SBCAPCD’s significance thresholds, it would be considered to have a cumulatively considerable contribution to nonattainment status in the SCCAB. If a project does not exceed thresholds and is determined to have less than significant project-specific impacts, it may still contribute to a significant cumulative impact on air quality. The basis for analyzing the project’s cumulatively considerable contribution is if the project’s contribution accounts for a significant proportion of the cumulative total emissions (i.e., it represents a “cumulatively considerable contribution” to the cumulative air quality impact) and consistency with SBCAPCD’s 2022 Ozone Plan, which addresses cumulative emissions in the SCCAB.

The SCCAB has been designated as a state nonattainment area for O<sub>3</sub>. In January 2023, CARB redesignated Santa Barbara County as nonattainment-transitional for the state’s 8-hour ozone standard. The status is the result of CARB’s review of monitoring station data from 2021 and 2022, and becomes effective January 1, 2024. Construction of the project would generate VOC and NO<sub>x</sub> emissions (which are precursors to O<sub>3</sub>). As indicated in Table 3, project-generated construction emissions would not exceed SBCAPCD’s emission-based significance thresholds for VOC, NO<sub>x</sub>, CO, SO<sub>2</sub>, PM<sub>10</sub>, or PM<sub>2.5</sub>. The project would also not exceed the SBCAPCD criteria air pollutant emissions during operations.

Cumulative localized impacts would potentially occur if a construction project were to occur concurrently with another off-site project. Construction schedules for potential future projects near the project site are currently unknown; therefore, potential construction impacts associated with two or more simultaneous projects would be

speculative.<sup>3</sup> However, future projects would be subject to CEQA and would require an air quality analysis and, where necessary, mitigation if the project would exceed SBCAPCD's significance thresholds. Criteria air pollutant emissions associated with construction activity of future proposed projects would be reduced through implementation of control measures required by SBCAPCD. Cumulative PM<sub>10</sub> and PM<sub>2.5</sub> emissions would be reduced because all future projects would be subject to SBCAPCD Rule 345, which sets forth general and specific requirements for all construction sites in the SBCAPCD.

Based on the previous considerations, the project would not result in a cumulatively considerable increase in emissions of nonattainment pollutants, and cumulative impacts would be **less than significant**.

### 3.2.3 Would the project expose sensitive receptors to substantial pollutant concentrations?

#### Health Impacts of Toxic Air Contaminants

A substance is considered toxic if it has the potential to cause adverse health effects in humans, including increasing the risk of cancer upon exposure, or acute (immediate) and/or chronic (cumulative) non-cancer health effects. A toxic substance released into the air is considered a TAC. Adverse health effects associated with exposure to TACs may include carcinogenic (i.e., cancer-causing) and noncarcinogenic effects. Noncarcinogenic effects typically affect one or more target organ systems and may be experienced on either short-term (acute) or long-term (chronic) exposure to a given TAC. There are existing residences across the street from the project on Santa Barbara and Cota Streets. A childcare center is also located across the street from the project site on Cota Street.

TACs are identified by federal and state agencies based on a review of available scientific evidence. In the State of California, TACs are identified through a two-step process that was established in 1983 under the Toxic Air Contaminant Identification and Control Act. This two-step process of risk identification and risk management and reduction was designed to protect residents from the health effects of toxic substances in the air. In addition, the California Air Toxics "Hot Spots" Information and Assessment Act, AB 2588, was enacted by the legislature in 1987 to address public concern over the release of TACs into the atmosphere.

Examples include certain aromatic and chlorinated hydrocarbons, certain metals, and asbestos. TACs are generated by a number of sources, including stationary sources such as dry cleaners, gas stations, combustion sources, and laboratories; mobile sources such as automobiles; and area sources such as landfills.

The Project site was found to contain concentrations of total petroleum hydrocarbons, VOCs, soil-VOCs, and metals that are generally acceptable for the development except for localized areas that exceed commercial development screening levels (GeoEnviro Services 2022). Remediation of these localized areas will occur prior to construction. The soils will be excavated and removed from the site. A remediation action plan will be prepared for the site and submitted to the Santa Barbara County Environmental Services to ensure the health of nearby receptors as well as future occupants. The Project must comply with SBCAPCD Rule 345 to control fugitive dust during remediation and construction ensuring no offsite impacts.

---

<sup>3</sup> The CEQA Guidelines state that if a particular impact is too speculative for evaluation, the agency should note its conclusion and terminate discussion of the impact (14 CCR 15145). This discussion is nonetheless provided in an effort to show good-faith analysis and to comply with CEQA's information disclosure requirements.

Project construction would result in emissions of DPM from heavy construction equipment and trucks accessing the site. DPM is characterized as a TAC by the State of California. The OEHHA has identified carcinogenic and chronic noncarcinogenic effects from long-term exposure, but has not identified health effects due to short-term exposure to diesel exhaust. According to OEHHA, HRAs, which determine the exposure of sensitive receptors to toxic emissions, should be based on a 30-year exposure period for the maximally exposed individual resident (MEIR); however, such assessments should be limited to the period/duration of activities associated with the project. The health risk public-notification thresholds adopted by the SBCAPCD Board is 10 excess cancer cases in a million for cancer risk and a hazard index of more than one (1.0) for non-cancer risk. The hazard index of more than 1.0 means that predicted levels of a toxic pollutant are greater than the reference exposure level, which is considered the level below which adverse health effects are not expected.

A HRA was prepared to evaluate impacts to sensitive receptors proximate to the project during construction. Sources evaluated during construction include on-site off-road equipment and diesel vehicles. Detailed HRA methodology is provided in Section 2.3, Health Risk Assessment, and AERMOD and HARP2 modeling output files are provided in Attachment B.

Table 5 provides a summary of the cancer and non-cancer results by emissions source and pollutant for the MEIR, maximally exposed individual worker (MEIW), sensitive receptor, and point of maximum impact (PMI) for the unmitigated construction HRA.

**Table 5. Summary of Health Risk Results – Unmitigated Construction**

Impact Parameter	Units	Receptor Number	UTME (m)	UTMN (m)	Project Impact	Significance Threshold
<b>Cancer</b>						
Off-Site PMI	Per million	902	252960.13	3811629.29	19.7	NA
MEIR	Per million	644	252863.17	3811677.54	6.1	≥10
MEIW	Per million	520	252923.17	3811537.54	0.0	≥10
Sensitive Receptor – *Los Ninos Head Start	Per million	297	252436.61	3811912.76	0.0	≥10
<b>Chronic Non-Cancer</b>						
Off-Site PMI	NA	902	252960.13	3811629.29	0.0	NA
MEIR	NA	644	252863.17	3811677.54	0.0	≥1.0
MEIW	NA	520	252923.17	3811537.54	0.0	≥1.0
Sensitive Receptor – *Los Ninos Head Start	NA	297	252436.61	3811912.76	0.0	≥1.0

Source: Attachment B.

Notes: UTME = Universal Transverse Mercator East; m = meters; UTMN = Universal Transverse Mercator North; PMI = point of maximum impact; MEIR = maximally exposed individual resident; NA = not applicable; MEIW = maximally exposed individual worker.

\* This represents the sensitive receptor with the highest risk.

Results are not actually 0.0, they are less than 0.05 in accordance with Santa Barbara County Air Pollution Control District form 15-i.

As shown in Table 5, the results of the construction HRA show that the unmitigated scenario resulted in cancer risk below the SBCAPCD significance threshold at the MEIR and sensitive receptor locations. The chronic non-cancer health risk results were less than the SBCAPCD significance threshold. Therefore, impacts would be **less than significant**.

During operation, the project would not be a substantial source of TACs. The impact to sensitive receptors would be **less than significant** during operation.

### Health Impacts of Carbon Monoxide

Mobile-source impacts occur on two basic scales of motion. Regionally, project-related travel would add to regional trip generation and increase the VMT within the local airshed and the SCCAB. Locally, project-related traffic would be added to the City's roadway system. If such traffic occurs during periods of poor atmospheric ventilation, consists of a large number of vehicles "cold-started" and operating at pollution-inefficient speeds, and operates on roadways already crowded with non-project traffic, there is a potential for the formation of microscale CO hotspots in the area immediately around points of congested traffic. Because of continued improvement in mobile emissions at a rate faster than the rate of vehicle growth and/or congestion, the potential for CO hotspots in the SCCAB is steadily decreasing.

Projects contributing to adverse traffic impacts may result in the formation of CO hotspots. Due to the relatively low background ambient CO levels in Santa Barbara County, localized CO impacts associated with project traffic alone are not expected to exceed the CO health-related air quality standards. Therefore, CO hotspot analyses are not required anymore (SBCAPCD 2017). Therefore, a CO hotspot analysis is not needed and the proposed project would have a **less than significant** impact.

### Health Impacts of Other Criteria Air Pollutants

Construction and operation of the proposed project would not result in emissions that exceed the SBCAPCD's emission thresholds for any criteria air pollutants. Regarding VOCs, some VOCs are associated with motor vehicles and construction equipment, while others are associated with architectural coatings, the emissions of which would not result in the exceedances of the SBCAPCD's thresholds. Generally, the VOCs in architectural coatings are of relatively low toxicity. Additionally, SBCAPCD Rule 323.1 restricts the VOC content of coatings for both construction and operational applications.

In addition, VOCs and NO<sub>x</sub> are precursors to O<sub>3</sub>, for which the SCCAB is designated as attainment with respect to the NAAQS and nonattainment for the CAAQS. The health effects associated with O<sub>3</sub> are generally associated with reduced lung function. The contribution of VOCs and NO<sub>x</sub> to regional ambient O<sub>3</sub> concentrations is the result of complex photochemistry. The increases in O<sub>3</sub> concentrations in the SCCAB due to O<sub>3</sub> precursor emissions tend to be found downwind from the source location to allow time for the photochemical reactions to occur. However, the potential for exacerbating excessive O<sub>3</sub> concentrations would also depend on the time of year that the VOC emissions would occur, because exceedances of the O<sub>3</sub> ambient air quality standards tend to occur between April and October when solar radiation is highest.

Regarding NO<sub>2</sub>, according to the construction emissions analysis, construction of the proposed project would not contribute to exceedances of the NAAQS and CAAQS for NO<sub>2</sub>. Health impacts from exposure to NO<sub>2</sub> and NO<sub>x</sub> are associated with respiratory irritation, which may be experienced by nearby receptors during the periods of heaviest use of off-road construction equipment. However, these operations would be relatively short term. Additionally, off-road construction equipment would operate at various portions of the site and would not be concentrated in one portion of the site at any one time. Construction of the proposed project would not require any stationary emission sources that would create substantial, localized NO<sub>x</sub> impacts. Therefore, health impacts would be considered **less than significant**.

The VOC and NO<sub>x</sub> emissions, as described previously, would minimally contribute to regional O<sub>3</sub> concentrations and its associated health effects. In addition to O<sub>3</sub>, NO<sub>x</sub> emissions would not contribute to potential exceedances of the

NAAQS and CAAQS for NO<sub>2</sub>. Thus, it is not expected that the proposed project's operational NO<sub>x</sub> emissions would result in exceedances of the NO<sub>2</sub> standards or contribute to the associated health effects. CO tends to be a localized impact associated with congested intersections. The associated CO hotspots were discussed previously as a less than significant impact. Thus, the proposed project's CO emissions would not contribute to significant health effects associated with this pollutant. Likewise, PM<sub>10</sub> and PM<sub>2.5</sub> would not contribute to potential exceedances of the NAAQS and CAAQS for particulate matter, would not obstruct the SCCAB from coming into attainment for these pollutants, and would not contribute to significant health effects associated with particulates.

Based on the preceding considerations, health impacts associated with criteria air pollutants would be **less than significant**.

### Level Of Significance Before Mitigation

Impacts would be **less than significant** without mitigation.

### Mitigation

No mitigation is required.

#### 3.2.4 Would the project create objectionable odors affecting a substantial number of people?

The occurrence and severity of potential odor impacts depends on numerous factors. The nature, frequency, and intensity of the source; the wind speeds and direction; and the sensitivity of receiving location each contribute to the intensity of the impact. Although offensive odors seldom cause physical harm, they can be annoying and cause distress among the public and generate citizen complaints.

Odors would be potentially generated from vehicles and equipment exhaust emissions during construction of the project. Potential odors produced during construction would be attributable to concentrations of unburned hydrocarbons from tailpipes of construction equipment and asphalt pavement application. Such odors would disperse rapidly from the project site and generally occur at magnitudes that would not affect substantial numbers of people. Therefore, impacts associated with odors during construction would be **less than significant**.

Land uses and industrial operations associated with odor complaints include fast food restaurants, bakeries, coffee roasting facilities, agricultural uses, wastewater treatment plants, food-processing plants, chemical plants, composting operations, refineries, landfills, dairies, and fiberglass molding facilities (SBCAPCD 2017). The project would not create any new sources of odor during operation. Therefore, project operations would result in an odor impact that is **less than significant**.

## 4 Greenhouse Gas Emissions Assessment

GHGs are gases that absorb infrared radiation in the atmosphere. The greenhouse effect is a natural process that contributes to regulating the Earth's temperature. Global climate change concerns are focused on whether human activities are leading to an enhancement of the greenhouse effect. Principal GHGs include CO<sub>2</sub>, CH<sub>4</sub>, nitrous oxide (N<sub>2</sub>O), O<sub>3</sub>, and water vapor. If the atmospheric concentrations of GHGs rise, the average temperature of the lower atmosphere will gradually increase. Globally, climate change has the potential to impact numerous environmental resources through uncertain impacts related to future air temperatures and precipitation patterns. Although climate change is driven by

global atmospheric conditions, climate change impacts are felt locally. Climate change is already affecting California. Average temperatures have increased, leading to more extreme hot days and fewer cold nights; shifts in the water cycle have been observed, with less winter precipitation falling as snow, and both snowmelt and rainwater running off earlier in the year; sea levels have risen; and wildland fires are becoming more frequent and intense due to dry seasons that start earlier and end later (CAT 2010).

The effect each GHG has on climate change is measured as a combination of the mass of its emissions and the potential of a gas or aerosol to trap heat in the atmosphere, known as its global warming potential (GWP), which varies among GHGs. Total GHG emissions are expressed as a function of how much warming would be caused by the same mass of CO<sub>2</sub>. Thus, GHG emissions are typically measured in terms of pounds or tons of CO<sub>2</sub> equivalent (CO<sub>2</sub>e). The CO<sub>2</sub>e for a gas is derived by multiplying the mass of the gas by the associated GWP, such that metric tons (MT) of CO<sub>2</sub>e = (MT of a GHG) × (GWP of the GHG). CalEEMod assumes that the GWP for CH<sub>4</sub> is 25, which means that emissions of 1 MT of CH<sub>4</sub> are equivalent to emissions of 25 MT of CO<sub>2</sub>, and the GWP for N<sub>2</sub>O is 298, based on the Intergovernmental Panel on Climate Change's Fourth Assessment Report (IPCC 2007).

## 4.1 Thresholds of Significance

The significance criteria used to evaluate the project's GHG emissions impacts are based on the recommendations provided in Appendix G of the CEQA Guidelines. For the purposes of this GHG emissions analysis, the project would have a significant environmental impact if it would (14 CCR 15000 et seq.):

1. Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment; or
2. Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs.

As stated in CEQA Guidelines Section 15064.4(b)(1)-(3),

a lead agency should consider the following factors, among others, when assessing the significance of impacts from GHG emissions on the environment: (1) the extent to which a project may increase or reduce GHG emissions as compared to the existing environmental setting; (2) whether project emissions exceed a threshold of significance that the lead agency determines applies to the project; and, (3) the extent to which the project complies with regulations or requirements adopted to implement a statewide, regional, or local plan for the reduction or mitigation of greenhouse gas emissions.

Section 15064(h)(3) of the CEQA Guidelines also states that

[a] lead agency may determine that a project's incremental contribution to a cumulative effect is not cumulatively considerable if the project will comply with the requirements in a previously approved plan or mitigation program that provides specific requirements that will avoid or substantially lessen the cumulative problem within the geographic area in which the project is located.

The CEQA Guidelines do not prescribe specific methodologies for performing an assessment, do not establish specific quantitative thresholds of significance, and do not mandate specific mitigation measures. Rather, the CEQA



Guidelines emphasize the lead agency's discretion to determine the appropriate methodologies and thresholds of significance consistent with the manner in which other impact areas are handled in CEQA (CNRA 2009).

The OPR Technical Advisory titled *CEQA and Climate Change: Addressing Climate Change through California Environmental Quality Act Review* states that

public agencies are encouraged but not required to adopt thresholds of significance for environmental impacts. Even in the absence of clearly defined thresholds for GHG emissions, the law requires that such emissions from CEQA projects must be disclosed and mitigated to the extent feasible whenever the lead agency determines that the project contributes to a significant, cumulative climate change impact. (OPR 2008)

Furthermore, the advisory document indicates that "in the absence of regulatory standards for GHG emissions or other scientific data to clearly define what constitutes a 'significant impact,' individual lead agencies may undertake a project-by-project analysis, consistent with available guidance and current CEQA practice."

Global climate change is a cumulative impact; a project participates in this potential impact through its incremental contribution combined with the cumulative increase of all other sources of GHGs. There are currently no established quantitative thresholds for assessing whether the GHG emissions of a project, such as the project, would be considered a cumulatively considerable contribution to global climate change; however, all reasonable efforts should be made to minimize a project's contribution to global climate change. In addition, while GHG impacts are recognized exclusively as cumulative impacts (CAPCOA 2008), GHG emissions impacts must also be evaluated on a project-level under CEQA.

### **City of Santa Barbara**

The City adopted a Climate Action Plan (CAP) with the purpose of reducing the rate of carbon emissions generated within the Santa Barbara community and planning for adaptation of Santa Barbara to climate changes (City of Santa Barbara 2012). The City Council adopted both the CAP and an Environmental Impact Report for the CAP on September 19, 2012, which together meet the requirements of CEQA Guidelines Section 15183.5(b) for use as a GHG streamlining tool. The CAP includes an emissions inventory of the City's government operations and a citywide GHG emissions estimate for the community of Santa Barbara. These GHG emission inventories were conducted for historical years, including 1990, as well as future estimates for 2020 and 2030 to demonstrate compliance with the goal of reducing communitywide GHG emissions to 1990 levels by 2020. Appendix C of the CAP, Initial Guidelines for Individual Project Design and Permitting, provides initial general guidance for including GHG reduction and climate adaptation measures as presented in a chart form. Based on the analysis within the City's CAP and the General Plan Program EIR Addendum, projects within the growth assumptions of the City's General Plan and that meet applicable City regulations for GHG emission reductions (City of Santa Barbara 2022):

- Would be consistent with the City Climate Action Plan and associated policies and regulations for reducing greenhouse gas emissions.
- Would be within the citywide GHG impact assessment in the Climate Action Plan and associated General Plan Program EIR Addendum (2012), which found that total citywide GHG emissions and per capita vehicle emissions would meet State and City reduction targets and would not constitute a significant environmental impact.

- Would be within the City Climate Action Plan adoption finding that less than significant GHG impacts would result from General Plan build out of the City.
- Would not emit more than the screening significance level of 10,000 metric tons per year (MT CO<sub>2</sub>e).

### **Santa Barbara County Air Pollution Control District**

As mentioned previously, the SBCAPCD provides suggested guidance for criteria air pollutant quantitative thresholds for purposes of conducting air quality assessments. That guidance is contained in the SBCAPCD “Scope and Content for Air Quality Sections of Environmental Documents,” but does not include quantitative thresholds for GHG impacts (SBCAPCD 2017). For many years, the City had a practice of using the SBCAPCD recommended thresholds for criteria air pollutants, and those thresholds are included in the City’s CEQA Initial Study Guidelines. In 1979, as part of the City’s Master Environmental Assessment (MEA), the City adopted the air quality thresholds of the predecessor agency of the SBCAPCD for purposes of air quality analysis and attainment (City MEA, Appendix O, Policy D). Since that time, the City has utilized the SBCAPCD air quality thresholds when the City has not adopted its own thresholds.

Recently, the SBCAPCD adopted a quantitative CEQA threshold of significance for GHG emissions from stationary source projects (SBAPCD 2015). On page 12 of the SBAPCD’s Environmental Review Guidelines document, guidance states that a proposed stationary source project would not have a significant GHG impact, if operation of the project would:

- Emit less than the screening significance level of 10,000 MT CO<sub>2</sub>e per year;
- Show compliance with an approved GHG emission reduction plan or GHG mitigation program which avoids or substantially reduces GHG emissions (sources subject to the AB 32 Cap-and-Trade requirements pursuant to Title 17, Article 5 (California Cap on Greenhouse Gas Emissions and Market-based Compliance Mechanisms) would meet the criteria); or
- Show consistency with the AB 32 Scoping Plan GHG emission reduction goals by reducing project emissions 15.3% below Business As Usual (BAU).

### **Threshold of Significance Criteria**

Based off City of Santa Barbara and SBAPCD thresholds, the following criteria are used in this analysis to determine whether the project would have significant GHG and/or climate change impacts:

- Would emit more than the screening significance level of 10,000 metric tons per year (MT CO<sub>2</sub>e).
- Would be consistent with the City Climate Action Plan and associated policies and regulations for reducing greenhouse gas emissions.
- Would be within the citywide GHG impact assessment in the Climate Action Plan and associated General Plan Program EIR Addendum (2012), which found that total citywide GHG emissions and per capita vehicle emissions would meet State and City reduction targets and would not constitute a significant environmental impact.

- Would be within the City Climate Action Plan adoption finding that less than significant GHG impacts would result from General Plan build out of the City.

## 4.2 Impact Analysis

4.2.1 Would the project generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

### Construction Emissions

Construction of the project would result in GHG emissions, which are primarily associated with use of off-road construction equipment, on-road vendor and haul trucks, and worker vehicles. Additionally, the construction GHG emissions are shown annualized over 30 years. Therefore, the total construction GHG emissions were calculated, amortized over 30 years, added to the operational emissions, and then compared to the operational GHG significance threshold of 10,000 MT CO<sub>2e</sub> per year.

CalEEMod was used to estimate GHG emissions during construction. Construction of the project is anticipated to last up to 15 months. On-site sources of GHG emissions include off-road equipment and off-site sources include on-road vehicles (haul trucks, vendor trucks, and worker vehicles). Table 6 presents construction GHG emissions for the project from on-site and off-site emission sources.

**Table 6. Estimated Annual Construction Greenhouse Gas Emissions**

Year	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2e</sub>
	Metric Tons			
2024	610.81	0.03	0.03	620.92
2025	167.79	0.01	0.01	170.51
<b>Total</b>				<b>791.43</b>
<b>Annualized emissions over 30 years (metric tons per year)</b>				<b>26.38</b>

**Notes:** CO<sub>2</sub> = carbon dioxide; CH<sub>4</sub> = methane; N<sub>2</sub>O = nitrous oxide; CO<sub>2e</sub> = carbon dioxide equivalent. Construction emissions were annualized over 30 years. See Attachment A for complete results.

As shown in Table 6, the estimated total GHG emissions during construction of the project would be approximately 791 MT CO<sub>2e</sub>. Estimated project-generated construction emissions amortized over 30 years would be approximately 26 MT CO<sub>2e</sub> per year. As with project-generated construction air quality pollutant emissions, GHG emissions generated during construction of the project would be short term in nature, lasting only for the duration of the construction period, and would not represent a long-term source of GHG emissions. Because there is no separate GHG threshold for construction, the evaluation of significance is determined by adding the amortized construction emissions to the operational emissions and comparing them to the operational threshold.

### Operational Emissions

CalEEMod was used to estimate potential project-generated operational GHG emissions from energy sources (electricity). Operational year 2025 was assumed as the first full year of operation. The estimation of operational

energy emissions was based on the methodology presented in Section 2.2. Table 7 presents the GHG emissions of the project during operation.

**Table 7. Estimated Annual Operation Plus Amortized Construction Greenhouse Gas Emissions**

Emissions Source	CO2	CH4	N2O	CO2e
	Metric Tons per Year			
Area	6.77	0.00	0.00	6.79
Energy	1,513.7	0.09	0.01	1,519.4
Mobile	1,466.2	0.11	0.0	1,496.6
Solid Waste	12.61	1.26	0.00	44.1
Water and Wastewater	11.99	0.01	0.00	13.73
Amortized construction emissions				26.38
<b>Total</b>				<b>3,107</b>
<i>Threshold</i>				<i>10,000</i>
<b>Threshold Exceeded?</b>				No

**Notes:** CO<sub>2</sub> = carbon dioxide; CH<sub>4</sub> = methane; N<sub>2</sub>O = nitrous oxide; CO<sub>2</sub>e = carbon dioxide equivalent. See Attachment A for complete results.

As shown in Table 7, the estimated total GHG emissions during operation of the project would be approximately 3,107 MT CO<sub>2</sub>e, including amortized construction emissions. The project would not exceed the threshold of 10,000 MT CO<sub>2</sub>e per year. Projects below this significance criterion have a minimal contribution to global emissions and are considered to have less than significant impacts. Therefore, operational impacts associated with directly or indirectly generating a significant quantity of GHG emissions would be **less than significant**.

4.2.2 Would the project conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

As discussed in Section 4.1, Thresholds of Significance, although the City has not adopted a quantitative CEQA significance threshold for GHG emissions, the City adopted a CAP that is intended to address the issue of climate change for the City of Santa Barbara in accordance with AB 32, which calls for a reduction in GHG emissions to 1990 levels by 2020 (City of Santa Barbara 2012). The City Council adopted both the CAP and an Environmental Impact Report for the CAP on September 19, 2012, which, together, meet the requirements of CEQA Guidelines Section 15183.5(b) for use as a GHG streamlining tool.

The General Plan land use designation is HRC-2 – Hotel and Related Commerce II. The project would be consistent with the uses allowed within the HRC-2 zone. The proposed project is consistent with the General Plan land use designation and is within the General Plan non-residential/residential growth assumptions through the year 2030. The project would be subject to existing regulations and design guidelines that reduce GHG emissions in the areas of energy efficiency and green building, renewable energy, travel and land use, vegetation, waste management, and water conservation. Project GHG emissions would be part of the citywide emissions identified in the City Climate Action Plan and General Plan Program EIR Addendum, which were determined to comply with State and City emission reduction targets and thereby constitute an incremental cumulative impact and contribution to global climate change.

In addition to the quantitative emissions inventory in the City's CAP, the CAP provides initial general guidance for including GHG reduction and climate adaptation measures. The guidance, included in a list in Appendix C of the CAP (Initial Guidelines for Individual Project Design and Permitting) and in Section 2.3 (Carbon Emissions Reduction Strategies), includes measures for carbon reduction and climate adaptation consistent with the City's General Plan meant for a variety of development projects that are either required or encouraged. The project would comply with all required and applicable CAP measures. The project would further the City's energy efficiency goals listed in Policy ER5, which calls for the City to minimize pollution of air and water and depletion of nonrenewable resources by increasing efficiency, conservation, and converting to renewable energy sources when practicable and financially warranted. The project's operation will not use natural gas service, instead utilizing all-electric development. Furthermore, the project would also comply with voluntary measures related to carbon reduction and renewable energy generation (Policy ER6 of the CAP, excerpted from the City's General Plan) through its incorporation of an 877-kW solar photovoltaic system. As such, the project would not conflict with the City's CAP.

Accordingly, the project would not conflict with the target GHG emission levels in the CAP that are required to meet the goal of AB 32 and SB 32. In addition, when compared against the SBCAPCD 10,000 MT CO<sub>2</sub>e per year screening threshold for industrial stationary sources, the GHG emissions anticipated from the project are below the threshold. Based on these considerations, impacts associated with the potential for the project to conflict with a plan, policy, or regulation adopted for the purpose of reducing GHGs would be **less than significant**.

## 5 Energy Assessment

### 5.1 Background

#### 5.1.1 Electricity

The production of electricity requires the consumption or conversion of energy resources, including water, wind, oil, gas, coal, solar, geothermal, and nuclear resources, into electrical energy. The delivery of electricity involves a number of system components, including power generation facilities, transmission and distribution lines, substations and transformers that lower transmission line power (voltage) to a level appropriate for on-site distribution and use. The electricity generated is distributed through a network of transmission and distribution lines commonly called a power grid. Production of electricity and its conveyance through the power grid occur in response to market demand.

Energy capacity, or electrical power, is generally measured in watts while energy use is measured in watt-hours (Wh). For example, if a light bulb has a capacity rating of 100 watts, the energy required to keep the bulb on for 1 hour would be 100 Wh. If 10 100-watt bulbs were on for 1 hour, the energy required would be 1,000 Wh or 1 kilowatt-hour (kWh). On a utility scale, a generator's capacity is typically rated in megawatts, which is 1 million watts, while energy usage is measured in megawatt-hours (1 million watt-hours) or gigawatt-hours (1 billion watt-hours).

Southern California Edison (SCE) provides electricity to the project site. SCE, a subsidiary of Edison International, serves approximately 180 cities in 11 counties across central and Southern California. SCE reported an annual electrical consumption of approximately 85,869 million kWh in 2022 (CEC 2023a).

## 5.1.2 Natural Gas

Natural gas is a combustible mixture of simple hydrocarbon compounds (primarily methane) that is used as a fuel source. Natural gas consumed in California is obtained from naturally occurring reservoirs, mainly located outside the State, and delivered through high-pressure transmission pipelines. The natural gas transportation system is a nationwide network, and therefore, resource availability is typically not an issue. Natural gas provides almost one-third of the state's total energy requirements and is used in electricity generation, space heating, cooking, water heating, industrial processes, and as a transportation fuel.

The Southern California Gas Company (SoCalGas) provides the City with natural gas service. SoCalGas' service territory encompasses approximately 20,000 square miles and more than 500 communities. In 2022, SoCalGas reported an annual natural gas demand of 5,026 million therms (CEC 2023b).

## 5.1.3 Petroleum

According to the U.S. Energy Information Administration (EIA), California used approximately 605 million barrels of petroleum in 2021, with the majority (511 million barrels) used for the transportation sector (EIA 2023). There are 42 U.S. gallons in a barrel, so in 2021, California used a total annual of approximately 25 billion gallons of petroleum. Petroleum usage in California includes petroleum products such as motor gasoline, distillate fuel, liquefied petroleum gases, and jet fuel. At the federal and state levels, various policies, rules, and regulations have been enacted to improve vehicle fuel efficiency, promote the development and use of alternative fuels, reduce transportation-source air pollutants and GHG emissions, and reduce VMT. Market forces have driven the price of petroleum products steadily upward over time, and technological advances have made use of other energy resources or alternative transportation modes increasingly feasible. According to CARB's Emission Factor (EMFAC) Web Database, Santa Barbara County on-road transportation sources are projected to consume about 168 million gallons of petroleum in 2025 (CARB 2021), which is analyzed as the first year of project operations herein.

## 5.2 Thresholds of Significance

According to Appendix G of the CEQA Guidelines, a project would have a significant effect on the environment with respect to energy if the project would:

- A. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during Project construction or operation.
- B. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency.

The above listed Appendix G energy thresholds are applied herein.

## 5.3 Approach and Methodology

### Construction

Electricity used on a limited basis to power lighting, electronic equipment, and construction activities necessitating electrical power, as well as electricity usage associated with the supply and conveyance of water used for dust

control during construction, is estimated herein. Construction activities typically do not involve the consumption of natural gas, and any use is anticipated to be negligible and is not estimated herein.

Construction of the project would consume energy resources as a result of the use of heavy-duty construction equipment, on-road delivery and haul trucks, and workers commuting to and from the project site. Petroleum emissions associated with the use of construction equipment and vehicles, which were used to calculate gallons of petroleum consumed, were calculated using CalEEMod and are provided in Attachment B. Fuel consumption from construction equipment was estimated by converting the total CO<sub>2</sub> emissions from each construction phase to gallons using the conversion factors for CO<sub>2</sub> to gallons of gasoline or diesel. The conversion factor for gasoline is 8.78 kilograms per MT CO<sub>2</sub> per gallon, and the conversion factor for diesel is 10.21 kilograms per MT CO<sub>2</sub> per gallon (The Climate Registry 2023).

## Operations

Electricity would be needed for building operation, including but not limited to lighting, heating, and cooling, to power appliances and for parking garage lighting. Natural gas would not be consumed during building operation. Petroleum would be consumed by project-generated vehicle trips. Such consumption is a function of total VMT and estimated vehicle fuel economies for the vehicles accessing the project site. Similar to construction worker and vendor trips, fuel consumption was estimated by converting the total CO<sub>2</sub> emissions from project worker and truck trips to gallons using the conversion factors for CO<sub>2</sub> to gallons of gasoline or diesel, respectively.

## 5.4 Impact Analysis

5.4.1 Would the Project result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during Project construction or operation?

### Construction

#### Electricity

Temporary electric power for as-necessary lighting and electronic equipment (such as computers inside temporary construction trailers and HVAC) would be provided by SCE. The amount of electricity used during project construction would be minimal because typical demand stems from the use of electronic equipment, in addition to electrically powered hand tools. As the electricity used for construction activities would be temporary and minimal, impacts related to electricity consumption during project construction are determined to be less than significant. The focus within this section is the energy implications of the construction process, specifically the power cost from on-site electricity consumption during construction of the Project. The 2022 *National Construction Estimator* identifies a typical power cost per 1,000 sf of construction land area per month of \$2.41, which was used to calculate the Project's total construction power cost (Pray 2022).

Construction activities are anticipated to occur over 15 months. As detailed in Table 8, Construction Power Cost, the total electrical cost of the on-site electricity usage during the construction of the Project is estimated to be approximately \$7,137.38 in 2022 dollars.

**Table 8. Construction Power Cost**

Land Use	Power Cost (per 1,000 square feet of construction per month)	Size (1,000 square feet)	Construction Duration (months)	Project Construction Power Cost
Hotel (footprint includes enclosed parking with elevator)	\$2.41	167.13	15	\$6,041.64
Parking Lot	\$2.41	25.55	15	\$887.52
Apartments Midrise	\$2.41	5.76	15	\$208.22
<b>Construction Power Cost in 2022 Dollars</b>				<b>\$7,137.38</b>

Source: Pray 2022.

SCE’s general service rate schedule were used to determine the Project’s electrical usage. As of June 28, 2023, SCE’s general service rate is \$0.13 per kilowatt hours (kWh) of electricity for general services (SCE 2023) and \$0.16 for residential land uses (SCE 2023). By dividing the cost in Table 9 by the SCE rate, the total electricity usage from on-site Project construction related activities is estimated to be approximately 55,134 kWh.

**Table 9. Construction Electricity Usage**

Project Component and Land Use	Cost per kWh	Project Construction Electricity Usage (kWh)
Hotel (footprint includes enclosed parking with elevator)	\$0.13	46,949
Parking Lot	\$0.13	6,897
Apartments Midrise	\$0.16	1,288
<b>Total Construction Electricity Usage (kWh)</b>		<b>55,134</b>

Source: SCE 2023

Note: kWh: kilowatt-hour. Costs per kWh are rounded to the nearest \$0.01.

**Natural Gas**

Natural gas is not anticipated to be required during construction of the proposed project. Fuels used for construction would primarily consist of diesel and gasoline, which are discussed under the subsection “Petroleum”. Any minor amounts of natural gas that may be consumed as a result of construction would be temporary and negligible and would not have an adverse effect on the environment; therefore, impacts are determined to be less than significant.



**Petroleum**

Offroad equipment used during construction of the project would primarily rely on diesel fuel, as would vendor and haul trucks. The applicant has committed to Tier 4 Interim for equipment over 50 horsepower and electric for less than 50 horsepower. In addition, construction workers would travel to and from the project site throughout the duration of construction. It is assumed in this analysis that construction workers would travel in gasoline-powered light-duty vehicles.

The estimated diesel fuel usage from construction equipment, haul trucks, vendor trucks, on-site water trucks, as well as estimated gasoline fuel usage from worker vehicles, is shown in Table 10.

**Table 10. Total Proposed Project Construction Petroleum Demand**

Scenario	Off-Road Equipment (diesel)	Haul Trucks (diesel)	Vendor Trucks (diesel)	On-Site Trucks (diesel)	Worker Vehicles (gasoline)
	Gallons				
Project Construction	37,278.98	1,009.7	17,288.58	0	18,094.81
<b>Total Petroleum Consumed for Project Construction</b>					<b>73,672.06</b>

Source: Attachment B.

In summary, construction associated with the development of the project is estimated to consume a total of approximately 73,672 gallons of petroleum. In 2025, the first year of operation modeled, on-road and off-road fuel consumption is projected to be approximately 169 million gallons of petroleum (CARB 2021, CARB 2023a).

Notably, the project would be subject to CARB’s In-Use Off-Road Diesel Vehicle Regulation that applies to certain off-road diesel engines, vehicles, or equipment greater than 25 horsepower. The regulation (1) imposes limits on idling, requires a written idling policy, and requires a disclosure when selling vehicles; (2) requires all vehicles to be reported to CARB (using the Diesel Off-Road Online Reporting System) and labeled; (3) restricts the adding of older vehicles into fleets starting on January 1, 2014; and (4) requires fleets to reduce their emissions by retiring, replacing, or repowering older engines or installing Verified Diesel Emission Control Strategies (i.e., exhaust retrofits). The fleet must either show that its fleet average index was less than or equal to the calculated fleet average target rate, or that the fleet has met the Best Achievable Control Technology requirements.

Overall, while construction activities would consume petroleum-based fuels, consumption of such resources would be temporary and would cease upon the completion of construction. Further, the petroleum consumed related to construction would be typical of construction projects of similar types and sizes and would not necessitate new petroleum resources beyond what are typically consumed in California. Therefore, because petroleum use during project construction would be temporary and minimal and would not be wasteful or inefficient, impacts are determined to be less than significant.

**Operation**

**Electricity**

Project operation would require electricity for multiple purposes including, but not limited to, building heating and cooling, lighting, and appliances. The project includes an 877-kilowatt solar photovoltaic system, which meets a

portion of the project’s operational electricity demand. As such, upon project implementation, electricity demand at the project site would increase by 6,793,949 kWh per year. In 2022, Santa Barbara County’s electricity demand was 2,804,124,632 kWh (2,804 GWh) (CEC 2023c), meaning the project’s electricity consumption would account for approximately 0.2% of county electricity demand in 2022. Title 24 of the California Code of Regulations serves to enhance and regulate California’s building standards. The most recent amendments to Title 24, Part 6, referred to as the 2022 standards, became effective on January 1, 2023. The applicable Title 24 standards would further ensure that the energy demands would not be inefficient, wasteful, or otherwise unnecessary.

Although electricity consumption would increase at the project site, the project would result in a highly energy efficient building and the additional electricity demand for the proposed project would not be unusual or wasteful as compared to overall local and regional demand for energy resources. For these reasons, electricity consumption of the project would not be considered inefficient or wasteful, and impacts would be less than significant.

**Natural Gas**

The project is not expected to consume any natural gas during its operations. Thus, the natural gas consumption of the project would not be considered inefficient or wasteful, and impacts would be less than significant.

**Petroleum**

During operations, fuel consumption would involve the use of motor vehicles traveling to and from the project site under the project. Fuel demand estimates for the project are provided in Table 11.

**Table 11. Operational Petroleum Demand**

Scenario	Employee Vehicles (gasoline)	Trucks (diesel)
	Gallons	
Project Operations	134,983.65	28,191.55
<b>Total Petroleum Consumed for Project Operations Annually</b>		<b>163,175.19</b>

Source: Attachment B.

As summarized in Table 9, the project would result in an estimated annual increase in fuel demand of approximately 163,175 gallons of fuel. By comparison, California as a whole consumes approximately 25 billion gallons of petroleum per year (EIA 2023). Countywide petroleum use by vehicles is expected to be approximately 167.8 million gallons of petroleum by 2025 (CARB 2021).

Fuel would be provided by current and future commercial vendors. Trip generation and VMT associated with the project are consistent with other uses of similar scale and configuration. That is, the project does not propose uses or operations that would inherently result in excessive and wasteful activities, nor associated excess and wasteful vehicle energy consumption. Enhanced fuel economies realized pursuant to federal and state regulatory actions, and related transition of vehicles to alternative energy sources (e.g., electricity, natural gas, biofuels, hydrogen cells) would likely decrease future gasoline fuel demands per VMT. Therefore, project transportation energy consumption would not be considered inefficient, wasteful, or otherwise unnecessary and impacts would be less than significant.

## Renewable Energy Potential

As part of the project's design process, the applicant considered how the project could potentially increase its reliance on renewable energy sources to meet the project's energy demand. Renewable energy sources that were considered for their potential to be used to power the project, consistent with the California Energy Commission's (CEC's) definition of eligible renewables, include biomass, geothermal, solar, wind, and small hydroelectric facilities.

Given the project's location and the nature of the project, there are considerable site constraints including incompatibility with surrounding land uses for large scale power generation facilities, unknown interconnection feasibility, compatibility with utility provider systems, and no known water or geothermal resources to harness, that would eliminate the potential for biomass, geothermal, wind, and hydroelectric renewable energy to be installed onsite.

The project would comply with all applicable Title 24 code provisions, such as the solar ready building mandatory requirements. Beyond that, the project would commit to installing an on-site solar generation system with a capacity of 877 kW.

In summary, the project includes the onsite renewable energy source (i.e., solar) that was determined to be feasible for the site and does not include the onsite renewable energy sources that were determined to be infeasible.

## Summary

As explained above, the project would use renewable energy onsite as determined to be feasible and would not result in wasteful, inefficient, or unnecessary consumption of energy resources, including electricity, natural gas, or petroleum during project construction or operation. Impacts would be less than significant.

### 5.4.2 Would the Project conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

The project would be subject to and would comply with, at a minimum, the California Building Energy Efficiency Standards (24 CCR Part 6). Part 6 of Title 24 establishes energy efficiency standards for non-residential buildings constructed in California in order to reduce energy demand and consumption. As such, the project would comply with the California code requirements for energy efficiency. Part 11 of Title 24 sets forth voluntary and mandatory energy measures that are applicable to the project under CALGreen. CALGreen institutes mandatory minimum environmental performance standards for all ground-up, new construction of commercial, low-rise residential, high-rise residential, state-owned buildings, schools, and hospitals, as well as certain residential and non-residential additions and alterations. Additionally, energy consumed by the project's operation would be less than or comparable to energy consumed by other industrial uses of similar scale and intensity that are constructed and operating in California. On this basis, the project would not conflict with or obstruct a state or local plan for renewable energy or energy efficiency. This impact would be less than significant.

## 6 Conclusions

The project would not conflict with the SBCAPCD 2022 Ozone Plan or existing zoning designations. Emissions generated during construction of the project would not exceed the SBCAPCD's significance thresholds. The project would not generate criteria air pollutants during long-term operations. The project would also not result in a

cumulatively considerable impact or expose sensitive receptors to substantial pollutant concentrations. The project would also not be a significant source of odors. Therefore, the project would result in a less than significant impact in regards to air quality.

Estimated total GHG emissions generated during operation, including amortized construction emissions, would be below the threshold of 10,000 MT CO<sub>2e</sub> per year. The project would not conflict with the City's CAP. Accordingly, potential cumulative GHG impacts would be less than significant.

The project would not result in wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation, nor would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency. Therefore, project construction and operation would result in less than significant energy impacts.

## 7 References Cited

14 CCR 15000–15387 and Appendices A–L. Guidelines for Implementation of the California Environmental Quality Act, as amended.

CAPCOA (California Air Pollution Control Officers Association). 2008. CEQA & Climate Change: Evaluating and Addressing Greenhouse Gas Emissions from Projects Subject to the California Environmental Quality Act. January 2008.

CAPCOA. 2022. California Emissions Estimator Model (CalEEMod) User's Guide Version 2022.1. Prepared by ICF in collaboration with Sacramento Metropolitan Air Quality Management District, Fehr & Peers, STI, and Ramboll. April 2022. Accessed November 2023. <http://www.caleemod.com/>

CARB (California Air Resources Board). 2020. "iADAM: Air Quality Data Statistics." Accessed October 2018. <https://www.arb.ca.gov/adam/>.

CARB. 2021. Emission Factor Database (EMFAC) 2021, v1.0.2. Accessed November 2023. <https://arb.ca.gov/emfac/emissions-inventory>

CARB. 2023a. Offroad Emissions Inventory (OFFROAD) 2021, v1.0.2. Accessed November 2023. <https://arb.ca.gov/emfac/offroad/emissions-inventory>

CARB. 2023b. Final Statement of Reasons for Rulemaking, Including Summary of Comments and Agency Response. January 26, 2023. Accessed November 2023. <https://ww2.arb.ca.gov/sites/default/files/barcu/regact/2023/sad2023/fsor.pdf>

CAT (Climate Action Team). 2010. Climate Action Team Biennial Report. Sacramento, California. April 2010. Accessed May 2018. <http://www.energy.ca.gov/2010publications/CAT-1000-2010-004/CAT-1000-2010-004.PDF>.

CEC. 2018. 2019 Building Energy Efficiency Standards Fact Sheet. March 2018. [https://www.energy.ca.gov/title24/2019standards/documents/2018\\_Title\\_24\\_2019\\_Building\\_Standards\\_FAQ.pdf](https://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf).

Memorandum

Subject: *Air Quality and Greenhouse Gas Emissions Technical Memorandum for the Garden Street Hotel Project*

---

CEC. 2023a. Electricity Consumption By Entity. Accessed November 2023. <http://www.ecdms.energy.ca.gov/elecbyutil.aspx>.

CEC. 2023b. Gas Consumption By Entity. Accessed November 2023.  
<http://www.ecdms.energy.ca.gov/gasbyutil.aspx>

CEC. 2023c. Electricity Consumption By County. Accessed November 2023. <http://www.ecdms.energy.ca.gov/elecbycounty.aspx>.

City of Santa Barbara. 2010. Plan Santa Barbara Program EIR. September 2010.

City of Santa Barbara. 2012. Climate Action Plan. September. <https://www.santabarbaraca.gov/civicax/filebank/blobdload.aspx?BlobID=17720>.

City of Santa Barbara. 2022. Initial Study/Mitigated Negative Declaration, 601 Santa Barbara Street. Application number PLN2020-00627. July 13, 2022. Accessed November 2023. <https://santabarbaraca.gov/sites/default/files/2022-06/Mitigated%20Negative%20Declaration-SBPD%20Station%20Project.pdf>

CNRA (California Natural Resources Agency). 2009. Final Statement of Reasons for Regulatory Action: Amendments to the State CEQA Guidelines Addressing Analysis and Mitigation of Greenhouse Gas Emissions Pursuant to SB 97. December 2009. Accessed May 2018. [http://resources.ca.gov/ceqa/docs/Final\\_Statement\\_of\\_Reasons.pdf](http://resources.ca.gov/ceqa/docs/Final_Statement_of_Reasons.pdf).

EIA 2023. Total Petroleum Consumption Estimates, 2021. Accessed November 2023. [https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep\\_fuel/html/fuel\\_use\\_pa.html&sid=US&sid=CA](https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep_fuel/html/fuel_use_pa.html&sid=US&sid=CA)

EPA (U.S. Environmental Protection Agency). 2008. AP 42, Section 15.1, Small Cartridges <30 mm. February. Accessed March 2020. [https://www3.epa.gov/ttn/chief/ap42/ch15/draft/d15s01\\_feb08.pdf](https://www3.epa.gov/ttn/chief/ap42/ch15/draft/d15s01_feb08.pdf).

EPA. 2018. AERMOD Implementation Guide. April. Accessed July 2019. [https://www3.epa.gov/ttn/scram/models/aermod/aermod\\_implementation\\_guide.pdf](https://www3.epa.gov/ttn/scram/models/aermod/aermod_implementation_guide.pdf).

EPA. 2023. Outdoor Air Quality Data Monitor Values Report. Accessed November 2023. <https://www.epa.gov/outdoor-air-quality-data/monitor-values-report>

GeoEnviro Services, Inc. 2022. Report of Additional, Soil, Soil Vapor, and Groundwater Assessment. June.

IPCC (Intergovernmental Panel on Climate Change). 2007. IPCC Fourth Assessment Synthesis of Scientific-Technical Information Relevant to Interpreting Article 2 of the U.N. Framework Convention on Climate Change. November. Accessed May 2018. [https://www.ipcc.ch/pdf/assessment-report/ar4/syr/ar4\\_syr.pdf](https://www.ipcc.ch/pdf/assessment-report/ar4/syr/ar4_syr.pdf).

Memorandum

Subject: Air Quality and Greenhouse Gas Emissions Technical Memorandum for the Garden Street Hotel Project

---

OEHHA (Office of Environmental Health Hazard Assessment). 2015. *Air Toxics Hot Spots Program Risk Assessment Guidelines: The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments*. California Environmental Protection Agency, OEHHA. February 2015. Accessed April 3, 2018. [http://oehha.ca.gov/air/hot\\_spots/2015/2015GuidanceManual.pdf](http://oehha.ca.gov/air/hot_spots/2015/2015GuidanceManual.pdf).

OPR (California Governor's Office of Planning and Research). 2008. Technical Advisory – CEQA and Climate Change: Addressing Climate Change through California Environmental Quality Act (CEQA) Review. June 19, 2008.

Pray, Richard. 2022. 2022 National Construction Estimator. Carlsbad: Craftsman Book Company.

SBCAPCD (Santa Barbara County Air Pollution Control District). 2014. Rule 323.1, Architectural Coatings. June 19. Accessed June 2020. <https://www.ourair.org/wp-content/uploads/rule323.1.pdf>.

SBAPCD. 2015. 2013 Clean Air Plan. March. Accessed November 2023. <https://www.ourair.org/wp-content/uploads/Final2013CleanAirPlan.pdf>

SBAPCD. 2015. Environmental Review Guidelines for the Santa Barbara County Air Pollution Control District. April 30, 2015. Accessed November 2023. <https://www.ourair.org/wp-content/uploads/APCDCEQAGuidelinesApr2015-1.pdf>

SBCAPCD. 2017. Scope and Content of Air Quality Sections in Environmental Documents. June. Accessed October 2018. <https://www.ourair.org/wp-content/uploads/ScopeContentJune2017-LimitedUpdate.pdf>.

SBCAPCD. 2020. "Modeling Guidelines for Health Risk Assessments." June. Accessed November 2023. <https://www.ourair.org/wp-content/uploads/apcd-15i.pdf>.

SBCAPCD. 2022. 2022 Ozone Plan. December. Accessed November 2023. <https://www.ourair.org/wp-content/uploads/2022-Ozone-Plan.pdf>

Southern California Edison (SCE). Historical Rate Schedules for 2023. June 2023. Accessed November 2023. <https://www.sce.com/regulatory/tariff-books/historical-rates/historical-rate-schedules-for-2023>

The Climate Registry. 2023. 2023 Default Emission Factors. June 2023. Accessed November 2023. [2023-Default-Emission-Factors-Final-1.pdf](https://www.theclimateregistry.org/2023-Default-Emission-Factors-Final-1.pdf) (theclimateregistry.org)



# Attachment A

---

CalEEMod Emissions Outputs



# Attachment B

---

AERMOD and HARP 2 Outputs



# Table of Contents

---

101 Garden Street Hotel updated Detailed Report	2
PVWatts Calculator	87

# 101 Garden Street Hotel updated Detailed Report

## Table of Contents

1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
  - 2.1. Construction Emissions Compared Against Thresholds
  - 2.2. Construction Emissions by Year, Unmitigated
  - 2.3. Construction Emissions by Year, Mitigated
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
  - 2.6. Operations Emissions by Sector, Mitigated
3. Construction Emissions Details
  - 3.1. Demolition (2024) - Unmitigated
  - 3.2. Demolition (2024) - Mitigated

3.3. Site Preparation (2024) - Unmitigated

3.4. Site Preparation (2024) - Mitigated

3.5. Grading (2024) - Unmitigated

3.6. Grading (2024) - Mitigated

3.7. Building Construction (2024) - Unmitigated

3.8. Building Construction (2024) - Mitigated

3.9. Building Construction (2025) - Unmitigated

3.10. Building Construction (2025) - Mitigated

3.11. Paving (2025) - Unmitigated

3.12. Paving (2025) - Mitigated

3.13. Architectural Coating (2024) - Unmitigated

3.14. Architectural Coating (2024) - Mitigated

#### 4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

### 5.2.2. Mitigated

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

### 5.3.2. Mitigated

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

## 5.5. Architectural Coatings

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

### 5.6.2. Construction Earthmoving Control Strategies

## 5.7. Construction Paving

## 5.8. Construction Electricity Consumption and Emissions Factors

## 5.9. Operational Mobile Sources

### 5.9.1. Unmitigated

### 5.9.2. Mitigated

## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

#### 5.10.1.2. Mitigated

### 5.10.2. Architectural Coatings

### 5.10.3. Landscape Equipment

### 5.10.4. Landscape Equipment - Mitigated

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

### 5.11.2. Mitigated

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

### 5.12.2. Mitigated

## 5.13. Operational Waste Generation

### 5.13.1. Unmitigated

### 5.13.2. Mitigated

## 5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration



5.18.2.1. Unmitigated

5.18.2.2. Mitigated

## 6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

## 8. User Changes to Default Data

# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	101 Garden Street Hotel updated
Construction Start Date	1/1/2024
Operational Year	2025
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.40
Precipitation (days)	22.8
Location	101 Garden St, Santa Barbara, CA 93101, USA
County	Santa Barbara
City	Santa Barbara
Air District	Santa Barbara County APCD
Air Basin	South Central Coast
TAZ	3357
EDFZ	8
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.20

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
------------------	------	------	-------------	-----------------------	------------------------	--------------------------------	------------	-------------

Enclosed Parking with Elevator	238	Space	2.14	95,200	0.00	—	—	—
Parking Lot	29.0	Space	0.26	0.00	0.00	—	—	—
Hotel	250	Room	8.33	363,000	99,330	—	—	—
Apartments Mid Rise	6.00	Dwelling Unit	0.16	5,760	640	—	17.0	—

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-1-A	Use Electric or Hybrid Powered Equipment
Construction	C-5	Use Advanced Engine Tiers
Construction	C-13	Use Low-VOC Paints for Construction
Transportation	T-11*	Provide Employer-Sponsored Vanpool
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

\* Qualitative or supporting measure. Emission reductions not included in the mitigated emissions results.

## 2. Emissions Summary

### 2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.57	2.20	14.2	22.2	0.03	0.52	1.58	2.09	0.48	0.38	0.86	—	5,159	5,159	0.25	0.28	9.48	5,258
Mit.	1.42	1.28	10.0	21.9	0.03	0.06	1.58	1.64	0.06	0.38	0.44	—	4,848	4,848	0.24	0.28	9.48	4,946
% Reduced	45%	42%	29%	1%	13%	89%	—	22%	88%	—	49%	—	6%	6%	5%	1%	—	6%

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	8.82	106	72.1	65.3	0.12	3.07	11.8	14.9	2.82	5.50	8.32	—	13,420	13,420	0.63	0.53	0.35	13,595
Mit.	2.66	102	36.1	65.8	0.12	0.31	11.8	12.1	0.29	5.50	5.79	—	13,393	13,393	0.62	0.53	0.35	13,493
% Reduced	70%	4%	50%	-1%	—	90%	—	19%	90%	—	30%	—	< 0.5%	< 0.5%	2%	< 0.5%	—	1%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.09	7.78	13.1	17.2	0.03	0.50	1.43	1.93	0.46	0.44	0.90	—	3,868	3,868	0.19	0.18	2.50	3,930
Mit.	0.94	6.86	8.42	17.0	0.02	0.06	1.43	1.49	0.06	0.44	0.50	—	3,689	3,689	0.18	0.18	2.50	3,750
% Reduced	55%	12%	36%	1%	9%	87%	—	23%	87%	—	44%	—	5%	5%	4%	1%	—	5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.38	1.42	2.39	3.14	< 0.005	0.09	0.26	0.35	0.08	0.08	0.16	—	640	640	0.03	0.03	0.41	651
Mit.	0.17	1.25	1.54	3.10	< 0.005	0.01	0.26	0.27	0.01	0.08	0.09	—	611	611	0.03	0.03	0.41	621
% Reduced	55%	12%	36%	1%	9%	87%	—	23%	87%	—	44%	—	5%	5%	4%	1%	—	5%

## 2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	2.57	2.20	14.2	22.2	0.03	0.52	1.58	2.09	0.48	0.38	0.86	—	5,159	5,159	0.25	0.28	9.48	5,258
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	8.82	106	72.1	65.3	0.12	3.07	11.8	14.9	2.82	5.50	8.32	—	13,420	13,420	0.63	0.53	0.35	13,595

2025	3.48	3.07	21.0	32.3	0.05	0.80	1.70	2.49	0.74	0.41	1.15	—	6,741	6,741	0.32	0.30	0.25	6,838
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	2.09	7.78	13.1	17.2	0.03	0.50	1.43	1.93	0.46	0.44	0.90	—	3,868	3,868	0.19	0.18	2.50	3,930
2025	0.54	0.48	3.17	4.91	0.01	0.12	0.28	0.40	0.11	0.07	0.18	—	1,066	1,066	0.05	0.05	0.70	1,083
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.38	1.42	2.39	3.14	< 0.005	0.09	0.26	0.35	0.08	0.08	0.16	—	640	640	0.03	0.03	0.41	651
2025	0.10	0.09	0.58	0.90	< 0.005	0.02	0.05	0.07	0.02	0.01	0.03	—	177	177	0.01	0.01	0.12	179

### 2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.42	1.28	10.0	21.9	0.03	0.06	1.58	1.64	0.06	0.38	0.44	—	4,848	4,848	0.24	0.28	9.48	4,946
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	2.66	102	36.1	65.8	0.12	0.31	11.8	12.1	0.29	5.50	5.79	—	13,393	13,393	0.62	0.53	0.35	13,493
2025	1.69	1.66	17.4	32.7	0.04	0.14	1.70	1.84	0.14	0.41	0.55	—	6,431	6,431	0.31	0.29	0.25	6,526
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.94	6.86	8.42	17.0	0.02	0.06	1.43	1.49	0.06	0.44	0.50	—	3,689	3,689	0.18	0.18	2.50	3,750
2025	0.27	0.26	2.57	4.94	0.01	0.02	0.28	0.30	0.02	0.07	0.09	—	1,013	1,013	0.05	0.05	0.70	1,030
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.17	1.25	1.54	3.10	< 0.005	0.01	0.26	0.27	0.01	0.08	0.09	—	611	611	0.03	0.03	0.41	621
2025	0.05	0.05	0.47	0.90	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	168	168	0.01	0.01	0.12	171

## 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	22,064	22,154	9.08	0.63	607	23,176
Mit.	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	18,681	18,771	8.87	0.61	607	19,780
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	15%	15%	2%	4%	—	15%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	21,845	21,935	9.14	0.66	569	22,930
Mit.	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	18,461	18,551	8.93	0.64	569	19,534
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	15%	15%	2%	4%	—	15%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	21,482	21,572	9.09	0.63	584	22,572
Mit.	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	18,098	18,188	8.88	0.61	584	19,175
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	16%	16%	2%	4%	—	15%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	3,557	3,571	1.50	0.10	96.6	3,737
Mit.	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	2,996	3,011	1.47	0.10	96.6	3,175
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	16%	16%	2%	4%	—	15%

## 2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Area	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	22,064	22,154	9.08	0.63	607	23,176
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439
Area	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	21,845	21,935	9.14	0.66	569	22,930
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.99	8.42	6.12	47.1	0.09	0.07	7.57	7.65	0.07	1.92	1.99	—	8,856	8,856	0.65	0.51	16.1	9,040
Area	1.76	11.9	0.08	9.99	< 0.005	0.02	—	0.02	0.01	—	0.01	0.00	40.9	40.9	< 0.005	< 0.005	—	41.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0

Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	21,482	21,572	9.09	0.63	584	22,572
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497
Area	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,074	2,074	0.13	0.02	—	2,082
Water	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7
Waste	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0
Total	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	3,557	3,571	1.50	0.10	96.6	3,737

## 2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Area	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	18,681	18,771	8.87	0.61	607	19,780
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439



Area	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	18,461	18,551	8.93	0.64	569	19,534
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.99	8.42	6.12	47.1	0.09	0.07	7.57	7.65	0.07	1.92	1.99	—	8,856	8,856	0.65	0.51	16.1	9,040
Area	1.76	11.9	0.08	9.99	< 0.005	0.02	—	0.02	0.01	—	0.01	0.00	40.9	40.9	< 0.005	< 0.005	—	41.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	18,098	18,188	8.88	0.61	584	19,175
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497
Area	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,514	1,514	0.09	0.01	—	1,519
Water	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7
Waste	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0
Total	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	2,996	3,011	1.47	0.10	96.6	3,175

### 3. Construction Emissions Details

#### 3.1. Demolition (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.12	2.62	24.9	21.7	0.03	1.06	—	1.06	0.98	—	0.98	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.48	0.48	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.16	1.50	1.31	< 0.005	0.06	—	0.06	0.06	—	0.06	—	206	206	0.01	< 0.005	—	207
Demolition	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.27	0.24	< 0.005	0.01	—	0.01	0.01	—	0.01	—	34.2	34.2	< 0.005	< 0.005	—	34.3
Demolition	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.06	0.66	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	101	101	0.01	< 0.005	0.01	102
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.02	< 0.005	0.38	0.13	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	259	259	0.01	0.04	0.01	271
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.06	6.06	< 0.005	< 0.005	0.01	6.17
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	15.6	15.6	< 0.005	< 0.005	0.01	16.4
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.00	1.00	< 0.005	< 0.005	< 0.005	1.02
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.58	2.58	< 0.005	< 0.005	< 0.005	2.71

### 3.2. Demolition (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.41	0.41	11.9	18.2	0.03	0.20	—	0.20	0.19	—	0.19	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.48	0.48	—	0.07	0.07	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.72	1.10	< 0.005	0.01	—	0.01	0.01	—	0.01	—	206	206	0.01	< 0.005	—	207
Demolition	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.13	0.20	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	34.2	34.2	< 0.005	< 0.005	—	34.3
Demolition	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.06	0.66	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	101	101	0.01	< 0.005	0.01	102
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.02	< 0.005	0.38	0.13	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	259	259	0.01	0.04	0.01	271
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.06	6.06	< 0.005	< 0.005	0.01	6.17
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	15.6	15.6	< 0.005	< 0.005	0.01	16.4

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.00	1.00	< 0.005	< 0.005	< 0.005	1.02
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.58	2.58	< 0.005	< 0.005	< 0.005	2.71

### 3.3. Site Preparation (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.34	3.65	36.0	32.9	0.05	1.60	—	1.60	1.47	—	1.47	—	5,296	5,296	0.21	0.04	—	5,314
Dust From Material Movement:	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.08	0.99	< 0.005	0.05	—	0.05	0.04	—	0.04	—	160	160	0.01	< 0.005	—	160
Dust From Material Movement:	—	—	—	—	—	—	0.23	0.23	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.20	0.18	< 0.005	0.01	—	0.01	0.01	—	0.01	—	26.4	26.4	< 0.005	< 0.005	—	26.5
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.09	0.07	0.74	0.00	0.00	0.11	0.11	0.00	0.03	0.03	—	113	113	0.01	0.01	0.01	115
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.41	3.41	< 0.005	< 0.005	0.01	3.47
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.18	2.18	< 0.005	< 0.005	< 0.005	2.28
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.56	0.56	< 0.005	< 0.005	< 0.005	0.57
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.36	0.36	< 0.005	< 0.005	< 0.005	0.38
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.4. Site Preparation (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.64	0.64	14.7	28.3	0.05	0.10	—	0.10	0.10	—	0.10	—	5,296	5,296	0.21	0.04	—	5,314
Dust From Material Movement:	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.44	0.85	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	160	160	0.01	< 0.005	—	160
Dust From Material Movement:	—	—	—	—	—	—	0.23	0.23	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.08	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	26.4	26.4	< 0.005	< 0.005	—	26.5
Dust From Material Movement:	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.09	0.07	0.74	0.00	0.00	0.11	0.11	0.00	0.03	0.03	—	113	113	0.01	0.01	0.01	115
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.41	3.41	< 0.005	< 0.005	0.01	3.47
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.18	2.18	< 0.005	< 0.005	< 0.005	2.28
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.56	0.56	< 0.005	< 0.005	< 0.005	0.57
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.36	0.36	< 0.005	< 0.005	< 0.005	0.38
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.5. Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Off-Road Equipment	4.19	3.52	34.3	30.2	0.06	1.45	—	1.45	1.33	—	1.33	—	6,598	6,598	0.27	0.05	—	6,621
Dust From Material Movement:	—	—	—	—	—	—	3.61	3.61	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.21	2.07	1.82	< 0.005	0.09	—	0.09	0.08	—	0.08	—	398	398	0.02	< 0.005	—	399
Dust From Material Movement:	—	—	—	—	—	—	0.22	0.22	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.38	0.33	< 0.005	0.02	—	0.02	0.01	—	0.01	—	65.8	65.8	< 0.005	< 0.005	—	66.1
Dust From Material Movement:	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.08	0.82	0.00	0.00	0.12	0.12	0.00	0.03	0.03	—	126	126	0.01	0.01	0.02	128

Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.09	0.02	1.51	0.51	0.01	0.02	0.25	0.27	0.01	0.07	0.08	—	1,033	1,033	0.06	0.16	0.05	1,083
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.58	7.58	< 0.005	< 0.005	0.02	7.71
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55
Hauling	0.01	< 0.005	0.09	0.03	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	< 0.005	—	62.3	62.3	< 0.005	0.01	0.05	65.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.25	1.25	< 0.005	< 0.005	< 0.005	1.28
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	10.3	10.3	< 0.005	< 0.005	0.01	10.8

### 3.6. Grading (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.80	0.80	19.4	35.3	0.06	0.18	—	0.18	0.18	—	0.18	—	6,598	6,598	0.27	0.05	—	6,621
Dust From Material Movement	—	—	—	—	—	—	3.61	3.61	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.17	2.13	< 0.005	0.01	—	0.01	0.01	—	0.01	—	398	398	0.02	< 0.005	—	399
Dust From Material Movement	—	—	—	—	—	—	0.22	0.22	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.21	0.39	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	65.8	65.8	< 0.005	< 0.005	—	66.1
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.08	0.82	0.00	0.00	0.12	0.12	0.00	0.03	0.03	—	126	126	0.01	0.01	0.02	128
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.09	0.02	1.51	0.51	0.01	0.02	0.25	0.27	0.01	0.07	0.08	—	1,033	1,033	0.06	0.16	0.05	1,083
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.58	7.58	< 0.005	< 0.005	0.02	7.71
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55

Hauling	0.01	< 0.005	0.09	0.03	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	< 0.005	—	62.3	62.3	< 0.005	0.01	0.05	65.3
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.25	1.25	< 0.005	< 0.005	< 0.005	1.28
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	10.3	10.3	< 0.005	< 0.005	0.01	10.8

### 3.7. Building Construction (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.44	1.20	11.2	13.1	0.02	0.50	—	0.50	0.46	—	0.46	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.44	1.20	11.2	13.1	0.02	0.50	—	0.50	0.46	—	0.46	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.83	0.69	6.46	7.55	0.01	0.29	—	0.29	0.26	—	0.26	—	1,379	1,379	0.06	0.01	—	1,384
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.15	0.13	1.18	1.38	< 0.005	0.05	—	0.05	0.05	—	0.05	—	228	228	0.01	< 0.005	—	229
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.99	0.93	0.67	7.93	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,270	1,270	0.09	0.06	5.93	1,295
Vendor	0.14	0.07	2.28	1.11	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,409	1,409	0.06	0.20	3.54	1,475
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.01	0.94	0.78	8.13	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,244	1,244	0.10	0.06	0.15	1,263
Vendor	0.14	0.07	2.35	1.14	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,410	1,410	0.06	0.20	0.09	1,472
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.57	0.53	0.44	4.56	0.00	0.00	0.70	0.70	0.00	0.16	0.16	—	716	716	0.05	0.03	1.48	729
Vendor	0.08	0.04	1.35	0.65	0.01	0.01	0.20	0.21	0.01	0.05	0.06	—	811	811	0.04	0.12	0.88	848
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.10	0.08	0.83	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	119	119	0.01	0.01	0.24	121
Vendor	0.01	0.01	0.25	0.12	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	134	134	0.01	0.02	0.15	140
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.8. Building Construction (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,093
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,093
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.16	4.07	7.37	0.01	0.02	—	0.02	0.02	—	0.02	—	1,200	1,200	0.05	0.01	—	1,204
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.74	1.34	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	199	199	0.01	< 0.005	—	199
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.99	0.93	0.67	7.93	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,270	1,270	0.09	0.06	5.93	1,295
Vendor	0.14	0.07	2.28	1.11	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,409	1,409	0.06	0.20	3.54	1,475
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.01	0.94	0.78	8.13	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,244	1,244	0.10	0.06	0.15	1,263
Vendor	0.14	0.07	2.35	1.14	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,410	1,410	0.06	0.20	0.09	1,472
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.57	0.53	0.44	4.56	0.00	0.00	0.70	0.70	0.00	0.16	0.16	—	716	716	0.05	0.03	1.48	729
Vendor	0.08	0.04	1.35	0.65	0.01	0.01	0.20	0.21	0.01	0.05	0.06	—	811	811	0.04	0.12	0.88	848
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.10	0.08	0.83	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	119	119	0.01	0.01	0.24	121
Vendor	0.01	0.01	0.25	0.12	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	134	134	0.01	0.02	0.15	140
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.9. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.35	1.13	10.4	13.0	0.02	0.43	—	0.43	0.40	—	0.40	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.78	2.22	< 0.005	0.07	—	0.07	0.07	—	0.07	—	408	408	0.02	< 0.005	—	410
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.32	0.41	< 0.005	0.01	—	0.01	0.01	—	0.01	—	67.6	67.6	< 0.005	< 0.005	—	67.8
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.97	0.86	0.73	7.58	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,220	1,220	0.09	0.06	0.14	1,239
Vendor	0.13	0.06	2.25	1.07	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,386	1,386	0.06	0.19	0.09	1,446
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.15	0.12	1.26	0.00	0.00	0.21	0.21	0.00	0.05	0.05	—	208	208	0.01	0.01	0.41	212
Vendor	0.02	0.01	0.38	0.18	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	236	236	0.01	0.03	0.26	246
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.23	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	34.4	34.4	< 0.005	< 0.005	0.07	35.0
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	39.1	39.1	< 0.005	0.01	0.04	40.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00



### 3.10. Building Construction (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,094
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.21	2.18	< 0.005	0.01	—	0.01	0.01	—	0.01	—	355	355	0.01	< 0.005	—	356
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.22	0.40	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	58.8	58.8	< 0.005	< 0.005	—	59.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.97	0.86	0.73	7.58	0.00	0.00	1.23	1.23	0.00	0.29	0.29	—	1,220	1,220	0.09	0.06	0.14	1,239
Vendor	0.13	0.06	2.25	1.07	0.01	0.02	0.35	0.36	0.02	0.10	0.11	—	1,386	1,386	0.06	0.19	0.09	1,446
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.15	0.12	1.26	0.00	0.00	0.21	0.21	0.00	0.05	0.05	—	208	208	0.01	0.01	0.41	212
Vendor	0.02	0.01	0.38	0.18	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	236	236	0.01	0.03	0.26	246
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.23	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	34.4	34.4	< 0.005	< 0.005	0.07	35.0
Vendor	< 0.005	< 0.005	0.07	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	39.1	39.1	< 0.005	0.01	0.04	40.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.11. Paving (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.95	0.80	7.45	9.98	0.01	0.35	—	0.35	0.32	—	0.32	—	1,511	1,511	0.06	0.01	—	1,517
Paving	—	0.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.11	0.09	0.88	1.18	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.16	0.21	< 0.005	0.01	—	0.01	0.01	—	0.01	—	29.5	29.5	< 0.005	< 0.005	—	29.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.06	0.61	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	98.6	98.6	0.01	< 0.005	0.01	100
Vendor	0.01	< 0.005	0.12	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	71.1	71.1	< 0.005	0.01	< 0.005	74.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.6	11.6	< 0.005	< 0.005	0.02	11.8
Vendor	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	8.37	8.37	< 0.005	< 0.005	0.01	8.74
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.93	1.93	< 0.005	< 0.005	< 0.005	1.96
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.39	1.39	< 0.005	< 0.005	< 0.005	1.45
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.12. Paving (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.23	7.21	10.6	0.01	0.09	—	0.09	0.08	—	0.08	—	1,511	1,511	0.06	0.01	—	1,517
Paving	—	0.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.85	1.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.15	0.23	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	29.5	29.5	< 0.005	< 0.005	—	29.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.06	0.61	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	98.6	98.6	0.01	< 0.005	0.01	100
Vendor	0.01	< 0.005	0.12	0.05	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	71.1	71.1	< 0.005	0.01	< 0.005	74.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.6	11.6	< 0.005	< 0.005	0.02	11.8
Vendor	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	8.37	8.37	< 0.005	< 0.005	0.01	8.74
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.93	1.93	< 0.005	< 0.005	< 0.005	1.96
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.39	1.39	< 0.005	< 0.005	< 0.005	1.45
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.13. Architectural Coating (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	0.91	1.15	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	99.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.07	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.08	
Architectural Coatings	—	6.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34	
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.20	0.19	0.16	1.64	0.00	0.00	0.25	0.25	0.00	0.06	0.06	—	251	251	0.02	0.01	0.03	255	
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	15.2	15.2	< 0.005	< 0.005	0.03	15.4	
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55	

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.51	2.51	< 0.005	< 0.005	0.01	2.55	
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

### 3.14. Architectural Coating (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	1.07	0.96	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	99.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.08
Architect ural Coatings	—	6.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.20	0.19	0.16	1.64	0.00	0.00	0.25	0.25	0.00	0.06	0.06	—	251	251	0.02	0.01	0.03	255
Vendor	0.01	< 0.005	0.12	0.06	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	72.3	72.3	< 0.005	0.01	< 0.005	75.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	15.2	15.2	< 0.005	< 0.005	0.03	15.4
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.36	4.36	< 0.005	< 0.005	< 0.005	4.55
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.51	2.51	< 0.005	< 0.005	0.01	2.55
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.72	0.72	< 0.005	< 0.005	< 0.005	0.75
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

## 4. Operations Emissions Details



## 4.1. Mobile Emissions by Land Use

### 4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.30	8.74	5.85	47.2	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,315	9,315	0.63	0.50	38.7	9,518
Apartments Mid Rise	0.13	0.13	0.06	0.51	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	81.9	81.9	0.01	0.01	0.33	84.1
Total	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.38	8.78	6.42	50.6	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,179	9,179	0.69	0.53	1.00	9,356
Apartments Mid Rise	0.13	0.13	0.07	0.57	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	80.8	80.8	0.01	0.01	0.01	82.8
Total	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	1.62	1.52	1.11	8.50	0.02	0.01	1.37	1.38	0.01	0.35	0.36	—	1,453	1,453	0.11	0.08	2.65	1,484
Apartments Mid Rise	0.02	0.02	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	12.7	12.7	< 0.005	< 0.005	0.02	13.0
Total	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497

#### 4.1.2. Mitigated

#### Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.30	8.74	5.85	47.2	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,315	9,315	0.63	0.50	38.7	9,518
Apartments Mid Rise	0.13	0.13	0.06	0.51	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	81.9	81.9	0.01	0.01	0.33	84.1
Total	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.38	8.78	6.42	50.6	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,179	9,179	0.69	0.53	1.00	9,356
Apartments Mid Rise	0.13	0.13	0.07	0.57	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	80.8	80.8	0.01	0.01	0.01	82.8
Total	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	1.62	1.52	1.11	8.50	0.02	0.01	1.37	1.38	0.01	0.35	0.36	—	1,453	1,453	0.11	0.08	2.65	1,484
Apartments Mid Rise	0.02	0.02	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	12.7	12.7	< 0.005	< 0.005	0.02	13.0
Total	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497

## 4.2. Energy

### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	11,935	11,935	0.74	0.09	—	11,980
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	12,527	12,527	0.78	0.09	—	12,574
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	11,935	11,935	0.74	0.09	—	11,980
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	12,527	12,527	0.78	0.09	—	12,574
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	84.8	84.8	0.01	< 0.005	—	85.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2.40	2.40	< 0.005	< 0.005	—	2.41
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	1,976	1,976	0.12	0.01	—	1,983

Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	10.7	10.7	< 0.005	< 0.005	—	10.8
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,074	2,074	0.13	0.02	—	2,082

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	8,551	8,551	0.53	0.06	—	8,584
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	9,143	9,143	0.57	0.07	—	9,177
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	8,551	8,551	0.53	0.06	—	8,584

Apartments	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	9,143	9,143	0.57	0.07	—	9,177
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	84.8	84.8	0.01	< 0.005	—	85.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2.40	2.40	< 0.005	< 0.005	—	2.41
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	1,416	1,416	0.09	0.01	—	1,421
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	10.7	10.7	< 0.005	< 0.005	—	10.8
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,514	1,514	0.09	0.01	—	1,519

#### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00



Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

### 4.3. Area Emissions by Source

#### 4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.58	3.30	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	—	82.9	82.9	< 0.005	< 0.005	—	83.2
Total	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architect Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	1.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.32	0.30	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.77	6.77	< 0.005	< 0.005	—	6.79
Total	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79

### 4.3.2. Mitigated

#### Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.58	3.30	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	—	82.9	82.9	< 0.005	< 0.005	—	83.2

Total	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	1.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.32	0.30	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.77	6.77	< 0.005	< 0.005	—	6.79
Total	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79

#### 4.4. Water Emissions by Land Use

##### 4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Hotel	—	—	—	—	—	—	—	—	—	—	—	2.24	9.39	11.6	0.01	< 0.005	—	13.3
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.07	0.28	0.36	< 0.005	< 0.005	—	0.41
Total	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5

Apartment Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	2.24	9.39	11.6	0.01	< 0.005	—	13.3
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.07	0.28	0.36	< 0.005	< 0.005	—	0.41
Total	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7

## 4.5. Waste Emissions by Land Use

### 4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258

Apartments	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	12.2	0.00	12.2	1.22	0.00	—	42.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.39	0.00	0.39	0.04	0.00	—	1.37
Total	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00



Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	12.2	0.00	12.2	1.22	0.00	—	42.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.39	0.00	0.39	0.04	0.00	—	1.37
Total	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1

## 4.6. Refrigerant Emissions by Land Use

### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	93.9	93.9

Apartme Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	93.9	93.9
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0

### 4.7. Offroad Emissions By Equipment Type

#### 4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.8. Stationary Emissions By Equipment Type

#### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.9. User Defined Emissions By Equipment Type

#### 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

##### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	1/1/2024	1/30/2024	5.00	22.0	—
Site Preparation	Site Preparation	1/30/2024	2/13/2024	5.00	11.0	—
Grading	Grading	2/13/2024	3/13/2024	5.00	22.0	—
Building Construction	Building Construction	3/13/2024	3/28/2025	5.00	273	—
Paving	Paving	1/27/2025	3/26/2025	5.00	43.0	—
Architectural Coating	Architectural Coating	2/24/2024	3/26/2024	5.00	22.0	—

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Average	4.00	8.00	84.0	0.37
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	7.00	367	0.29

Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	7.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48

### 5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Tier 4 Interim	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Tier 4 Interim	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Tier 4 Interim	1.00	8.00	33.0	0.73
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Interim	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	4.00	8.00	84.0	0.37
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Tier 4 Interim	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Electric	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	7.00	367	0.29
Building Construction	Welders	Electric	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	3.00	7.00	84.0	0.37

Paving	Pavers	Diesel	Tier 4 Interim	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 4 Interim	1.00	6.00	37.0	0.48

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	16.0	8.80	LDA,LDT1,LDT2
Demolition	Vendor	4.00	5.30	HHDT,MHDT
Demolition	Hauling	3.45	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	18.0	8.80	LDA,LDT1,LDT2
Site Preparation	Vendor	4.00	5.30	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	8.80	LDA,LDT1,LDT2
Grading	Vendor	4.00	5.30	HHDT,MHDT
Grading	Hauling	13.8	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	198	8.80	LDA,LDT1,LDT2
Building Construction	Vendor	78.0	5.30	HHDT,MHDT

Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	16.0	8.80	LDA,LDT1,LDT2
Paving	Vendor	4.00	5.30	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	40.0	8.80	LDA,LDT1,LDT2
Architectural Coating	Vendor	4.00	5.30	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

### 5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	16.0	8.80	LDA,LDT1,LDT2
Demolition	Vendor	4.00	5.30	HHDT,MHDT
Demolition	Hauling	3.45	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	18.0	8.80	LDA,LDT1,LDT2
Site Preparation	Vendor	4.00	5.30	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	8.80	LDA,LDT1,LDT2

Grading	Vendor	4.00	5.30	HHDT,MHDT
Grading	Hauling	13.8	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	198	8.80	LDA,LDT1,LDT2
Building Construction	Vendor	78.0	5.30	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	16.0	8.80	LDA,LDT1,LDT2
Paving	Vendor	4.00	5.30	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	40.0	8.80	LDA,LDT1,LDT2
Architectural Coating	Vendor	4.00	5.30	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

## 5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	11,664	3,888	548,699	181,967	6,280

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Building Square Footage)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	16,700	—
Site Preparation	—	—	16.5	0.00	—
Grading	0.00	25,500	60.0	0.00	—
Paving	0.00	0.00	0.00	0.00	2.40

### 5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%
Water Demolished Area	2	36%	36%

## 5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Enclosed Parking with Elevator	2.14	100%
Parking Lot	0.26	100%
Hotel	0.00	0%
Apartments Mid Rise	—	0%

## 5.8. Construction Electricity Consumption and Emissions Factors

### kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2024	44,107	532	0.03	< 0.005



2025	11,027	532	0.03	< 0.005
------	--------	-----	------	---------

## 5.9. Operational Mobile Sources

### 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	2,090	2,047	1,487	729,218	11,261	11,032	8,015	3,928,976
Apartments Mid Rise	32.6	29.5	24.5	11,325	95.8	86.4	72.0	33,225

### 5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	2,090	2,047	1,487	729,218	11,261	11,032	8,015	3,928,976
Apartments Mid Rise	32.6	29.5	24.5	11,325	95.8	86.4	72.0	33,225

## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Apartments Mid Rise	—
Conventional Wood Stoves	0

Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.1.2. Mitigated

Hearth Type	Unmitigated (number)
Apartments Mid Rise	—
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
11664	3,888	548,699	181,967	6,280

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Enclosed Parking with Elevator	351,424	532	0.0330	0.0040	0.00
Parking Lot	9,959	532	0.0330	0.0040	0.00
Hotel	8,188,759	532	0.0330	0.0040	0.00
Apartments Mid Rise	44,492	532	0.0330	0.0040	0.00

### 5.11.2. Mitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Enclosed Parking with Elevator	351,424	532	0.0330	0.0040	0.00
Parking Lot	9,959	532	0.0330	0.0040	0.00
Hotel	5,867,090	532	0.0330	0.0040	0.00
Apartments Mid Rise	44,492	532	0.0330	0.0040	0.00

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Enclosed Parking with Elevator	0.00	0.00
Parking Lot	0.00	0.00
Hotel	6,341,693	1,186,339
Apartments Mid Rise	210,798	9,342

## 5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Enclosed Parking with Elevator	0.00	0.00
Parking Lot	0.00	0.00
Hotel	6,341,693	1,186,339
Apartments Mid Rise	210,798	9,342

## 5.13. Operational Waste Generation

## 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Enclosed Parking with Elevator	0.00	—
Parking Lot	0.00	—
Hotel	137	—
Apartments Mid Rise	4.40	—

## 5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Enclosed Parking with Elevator	0.00	—
Parking Lot	0.00	—
Hotel	137	—
Apartments Mid Rise	4.40	—

## 5.14. Operational Refrigeration and Air Conditioning Equipment

## 5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Hotel	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Hotel	Other commercial A/C and heat pumps	R-410A	2,088	1.80	4.00	4.00	18.0
Hotel	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

#### 5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Hotel	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Hotel	Other commercial A/C and heat pumps	R-410A	2,088	1.80	4.00	4.00	18.0
Hotel	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

#### 5.15. Operational Off-Road Equipment

##### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

### 5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.16. Stationary Sources

### 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

### 5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

## 5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

## 5.18. Vegetation

### 5.18.1. Land Use Change

#### 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

#### 5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

#### 5.18.1. Biomass Cover Type

### 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.2. Sequestration

#### 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

#### 5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	6.89	annual days of extreme heat
Extreme Precipitation	6.85	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

## 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	0	0	0	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

## 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2



Flooding	N/A	N/A	N/A	N/A
Drought	1	1	1	2
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

## 6.4. Climate Risk Reduction Measures

# 7. Health and Equity Details

## 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	22.2
AQ-PM	16.8
AQ-DPM	78.8
Drinking Water	17.3
Lead Risk Housing	68.6
Pesticides	54.6
Toxic Releases	10.1
Traffic	53.1
Effect Indicators	—
CleanUp Sites	90.0
Groundwater	99.8

Haz Waste Facilities/Generators	81.7
Impaired Water Bodies	83.0
Solid Waste	96.4
Sensitive Population	—
Asthma	50.5
Cardio-vascular	19.2
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—
Education	73.4
Housing	69.9
Linguistic	66.6
Poverty	67.6
Unemployment	15.8

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	21.36532786
Employed	90.05517772
Median HI	48.20993199
Education	—
Bachelor's or higher	40.3567304
High school enrollment	100
Preschool enrollment	23.02065957
Transportation	—
Auto Access	45.25856538

Active commuting	93.31451302
Social	—
2-parent households	33.45309893
Voting	68.15090466
Neighborhood	—
Alcohol availability	14.42320031
Park access	81.35506224
Retail density	89.69588092
Supermarket access	86.74451431
Tree canopy	44.74528423
Housing	—
Homeownership	17.01527011
Housing habitability	9.90632619
Low-inc homeowner severe housing cost burden	3.644296163
Low-inc renter severe housing cost burden	79.07096112
Uncrowded housing	5.081483383
Health Outcomes	—
Insured adults	2.65622995
Arthritis	47.0
Asthma ER Admissions	49.5
High Blood Pressure	58.0
Cancer (excluding skin)	66.1
Asthma	30.0
Coronary Heart Disease	31.2
Chronic Obstructive Pulmonary Disease	27.0
Diagnosed Diabetes	30.7
Life Expectancy at Birth	31.7

Cognitively Disabled	54.2
Physically Disabled	77.4
Heart Attack ER Admissions	95.8
Mental Health Not Good	25.4
Chronic Kidney Disease	35.4
Obesity	21.9
Pedestrian Injuries	71.4
Physical Health Not Good	24.5
Stroke	34.3
Health Risk Behaviors	—
Binge Drinking	43.3
Current Smoker	26.7
No Leisure Time for Physical Activity	31.1
Climate Change Exposures	—
Wildfire Risk	0.1
SLR Inundation Area	46.6
Children	78.7
Elderly	74.7
English Speaking	21.4
Foreign-born	82.3
Outdoor Workers	11.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	53.4
Traffic Density	62.0
Traffic Access	0.0
Other Indices	—
Hardship	79.6

Other Decision Support	—
2016 Voting	66.3

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	71.0
Healthy Places Index Score for Project Location (b)	49.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
Characteristics: Utility Information	Conservatively assuming that SCE is the utility, as their GHG pollutant intensity factors are higher than Central Coast Community Energy or Santa Barbara Clean Energy.
Land Use	Updated defaults based on project applicant's specifications. Hotel land use includes 250 rooms, 130 of which are extended stay.
Construction: Construction Phases	Project applicant provided construction schedule phasing.

Construction: Dust From Material Movement	Information on cut/fill and export of material was provided by project applicant.
Construction: Trips and VMT	Information on construction vehicle trips provided by project applicant.
Construction: Electricity	estimated construction electricity use using construction power cost and 2023 SCE rate schedule.
Operations: Energy Use	Calculated increase in electricity use for all-electric development.
Operations: Hearths	Apartments will not have fireplaces.
Construction: Architectural Coatings	low VOC paints used in accordance with SBAPCD rule 323.1.



# RESULTS

# 1,439,301 kWh/Year\*

System output may range from 1,382,880 to 1,472,405 kWh per year near this location.

Caution: Photovoltaic system performance predictions calculated by PVWatts® include many inherent assumptions and uncertainties and do not reflect variations between PV technologies nor site-specific characteristics except as represented by PVWatts® inputs. For example, PV modules with better performance are not differentiated within PVWatts® from lesser performing modules. Both NREL and private companies provide more sophisticated PV modeling tools (such as the System Advisor Model at <https://sam.nrel.gov>) that allow for more precise and complex modeling of PV systems.

The expected range is based on 30 years of actual weather data at the given location and is intended to provide an indication of the variation you might see. For more information, please refer to this NREL report: The Error Report.

Disclaimer: The PVWatts® Model ("Model") is provided by the National Renewable Energy Laboratory ("NREL"), which is operated by the Alliance for Sustainable Energy, LLC ("Alliance") for the U.S. Department Of Energy ("DOE") and may be used for any purpose whatsoever.

The names DOE/NREL/ALLIANCE shall not be used in any representation, advertising, publicity or other manner whatsoever to endorse or promote any entity that adopts or uses the Model. DOE/NREL/ALLIANCE shall not provide any support, consulting, training or assistance of any kind with regard to the use of the Model or any updates, revisions or new versions of the Model.

YOU AGREE TO INDEMNIFY DOE/NREL/ALLIANCE, AND ITS AFFILIATES, OFFICERS, AGENTS, AND EMPLOYEES AGAINST ANY CLAIM OR DEMAND, INCLUDING REASONABLE ATTORNEYS' FEES, RELATED TO YOUR USE, RELIANCE, OR ADOPTION OF THE MODEL FOR ANY PURPOSE WHATSOEVER. THE MODEL IS PROVIDED BY DOE/NREL/ALLIANCE 'AS IS' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. IN NO EVENT SHALL DOE/NREL/ALLIANCE BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER, INCLUDING BUT NOT LIMITED TO CLAIMS ASSOCIATED WITH THE LOSS OF DATA OR PROFITS, WHICH MAY RESULT FROM ANY ACTION IN CONTRACT, NEGLIGENCE OR OTHER TORTIOUS CLAIM THAT ARISES OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE MODEL.

The energy output range is based on analysis of 30 years of historical weather data, and is intended to provide an indication of the possible interannual variability in generation for a Fixed (open rack) PV system at this location.

Month	Solar Radiation ( kWh / m <sup>2</sup> / day )	AC Energy ( kWh )
January	4.47	95,694
February	4.99	96,148
March	5.90	122,008
April	6.73	135,553
May	6.98	144,957
June	6.79	132,152
July	7.18	142,596
August	7.23	141,787
September	6.48	124,259
October	5.62	115,234
November	4.96	100,144
December	4.16	88,769
<b>Annual</b>	<b>5.96</b>	<b>1,439,301</b>

## Location and Station Identification

Requested Location	93101, USA
Weather Data Source	Lat, Lng: 34.41, -119.7    0.8 mi
Latitude	34.41° N
Longitude	119.70° W

## PV System Specifications

DC System Size	877 kW
Module Type	Standard
Array Type	Fixed (open rack)
Array Tilt	20°
Array Azimuth	180°
System Losses	14.08%
Inverter Efficiency	96%
DC to AC Size Ratio	1.2

## Performance Metrics

Capacity Factor	18.7%
-----------------	-------

# Table of Contents

---

101 Garden Street Hotel updated HRA Detailed Report	2
Garden Street Hotel 11142023.ADO	87
Garden Street Hotel 11142023.sum	352
residentialOutput	359
residentialCancerRiskSumByRec	362
residentialNCChronicRiskSumByRec	381
workerOutput	398
workerCancerRiskSumByRec	400
workerNCChronicRiskSumByRec	419



# 101 Garden Street Hotel updated HRA Detailed Report

## Table of Contents

1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
  - 2.1. Construction Emissions Compared Against Thresholds
  - 2.2. Construction Emissions by Year, Unmitigated
  - 2.3. Construction Emissions by Year, Mitigated
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
  - 2.6. Operations Emissions by Sector, Mitigated
3. Construction Emissions Details
  - 3.1. Demolition (2024) - Unmitigated
  - 3.2. Demolition (2024) - Mitigated

3.3. Site Preparation (2024) - Unmitigated

3.4. Site Preparation (2024) - Mitigated

3.5. Grading (2024) - Unmitigated

3.6. Grading (2024) - Mitigated

3.7. Building Construction (2024) - Unmitigated

3.8. Building Construction (2024) - Mitigated

3.9. Building Construction (2025) - Unmitigated

3.10. Building Construction (2025) - Mitigated

3.11. Paving (2025) - Unmitigated

3.12. Paving (2025) - Mitigated

3.13. Architectural Coating (2024) - Unmitigated

3.14. Architectural Coating (2024) - Mitigated

#### 4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

### 5.2.2. Mitigated

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

### 5.3.2. Mitigated

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

## 5.5. Architectural Coatings

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

### 5.6.2. Construction Earthmoving Control Strategies

## 5.7. Construction Paving

## 5.8. Construction Electricity Consumption and Emissions Factors

## 5.9. Operational Mobile Sources

### 5.9.1. Unmitigated

### 5.9.2. Mitigated

## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

#### 5.10.1.2. Mitigated

### 5.10.2. Architectural Coatings

### 5.10.3. Landscape Equipment

### 5.10.4. Landscape Equipment - Mitigated

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

### 5.11.2. Mitigated

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

### 5.12.2. Mitigated

## 5.13. Operational Waste Generation

### 5.13.1. Unmitigated

### 5.13.2. Mitigated

## 5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

## 6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

## 8. User Changes to Default Data



# 1. Basic Project Information

## 1.1. Basic Project Information

Data Field	Value
Project Name	101 Garden Street Hotel updated HRA
Construction Start Date	1/1/2024
Operational Year	2025
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.40
Precipitation (days)	22.8
Location	101 Garden St, Santa Barbara, CA 93101, USA
County	Santa Barbara
City	Santa Barbara
Air District	Santa Barbara County APCD
Air Basin	South Central Coast
TAZ	3357
EDFZ	8
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.20

## 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
------------------	------	------	-------------	-----------------------	------------------------	--------------------------------	------------	-------------

Enclosed Parking with Elevator	238	Space	2.14	95,200	0.00	—	—	—
Parking Lot	29.0	Space	0.26	0.00	0.00	—	—	—
Hotel	250	Room	8.33	363,000	99,330	—	—	—
Apartments Mid Rise	6.00	Dwelling Unit	0.16	5,760	640	—	17.0	—

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-1-A	Use Electric or Hybrid Powered Equipment
Construction	C-5	Use Advanced Engine Tiers
Construction	C-13	Use Low-VOC Paints for Construction
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power
Area Sources	AS-2	Use Low-VOC Paints

## 2. Emissions Summary

### 2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.50	1.25	12.1	13.7	0.02	0.50	0.02	0.51	0.46	< 0.005	0.46	—	2,621	2,621	0.12	0.04	0.17	2,636
Mit.	0.35	0.33	7.95	13.4	0.02	0.04	0.02	0.06	0.04	< 0.005	0.04	—	2,310	2,310	0.11	0.04	0.17	2,324
% Reduced	77%	74%	34%	2%	17%	92%	—	89%	91%	—	90%	—	12%	12%	10%	6%	—	12%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unmit.	8.54	393	70.6	63.3	0.11	3.05	11.3	14.3	2.80	5.37	8.17	—	12,025	12,025	0.50	0.10	0.01	12,068
Mit.	1.46	101	34.5	63.9	0.11	0.30	11.3	11.6	0.29	5.37	5.65	—	12,025	12,025	0.50	0.10	0.01	12,069
% Reduced	83%	74%	51%	-1%	—	90%	—	19%	90%	—	31%	—	> -0.5%	> -0.5%	—	—	—	> -0.5%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.45	24.6	11.7	12.1	0.02	0.49	0.49	0.98	0.45	0.21	0.66	—	2,301	2,301	0.10	0.03	0.04	2,313
Mit.	0.29	6.28	7.01	11.9	0.02	0.05	0.49	0.54	0.05	0.21	0.26	—	2,122	2,122	0.10	0.03	0.04	2,133
% Reduced	80%	74%	40%	2%	11%	90%	—	45%	89%	—	60%	—	8%	8%	7%	5%	—	8%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.26	4.49	2.13	2.21	< 0.005	0.09	0.09	0.18	0.08	0.04	0.12	—	381	381	0.02	0.01	0.01	383
Mit.	0.05	1.15	1.28	2.16	< 0.005	0.01	0.09	0.10	0.01	0.04	0.05	—	351	351	0.02	< 0.005	0.01	353
% Reduced	80%	74%	40%	2%	11%	90%	—	45%	89%	—	60%	—	8%	8%	7%	5%	—	8%

## 2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.50	1.25	12.1	13.7	0.02	0.50	0.02	0.51	0.46	< 0.005	0.46	—	2,621	2,621	0.12	0.04	0.17	2,636
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	8.54	393	70.6	63.3	0.11	3.05	11.3	14.3	2.80	5.37	8.17	—	12,025	12,025	0.50	0.10	0.01	12,068
2025	2.36	2.11	18.8	23.6	0.04	0.78	0.02	0.80	0.72	< 0.005	0.72	—	4,112	4,112	0.18	0.05	< 0.005	4,133

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.45	24.6	11.7	12.1	0.02	0.49	0.49	0.98	0.45	0.21	0.66	—	2,301	2,301	0.10	0.03	0.04	2,313
2025	0.35	0.31	2.81	3.50	0.01	0.11	< 0.005	0.12	0.11	< 0.005	0.11	—	627	627	0.03	0.01	0.01	630
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.26	4.49	2.13	2.21	< 0.005	0.09	0.09	0.18	0.08	0.04	0.12	—	381	381	0.02	0.01	0.01	383
2025	0.06	0.06	0.51	0.64	< 0.005	0.02	< 0.005	0.02	0.02	< 0.005	0.02	—	104	104	< 0.005	< 0.005	< 0.005	104

### 2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.35	0.33	7.95	13.4	0.02	0.04	0.02	0.06	0.04	< 0.005	0.04	—	2,310	2,310	0.11	0.04	0.17	2,324
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	1.46	101	34.5	63.9	0.11	0.30	11.3	11.6	0.29	5.37	5.65	—	12,025	12,025	0.50	0.10	0.01	12,069
2025	0.57	0.70	15.2	24.0	0.03	0.13	0.02	0.14	0.12	< 0.005	0.13	—	3,802	3,802	0.17	0.05	< 0.005	3,821
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.29	6.28	7.01	11.9	0.02	0.05	0.49	0.54	0.05	0.21	0.26	—	2,122	2,122	0.10	0.03	0.04	2,133
2025	0.09	0.10	2.21	3.53	0.01	0.02	< 0.005	0.02	0.02	< 0.005	0.02	—	574	574	0.03	0.01	0.01	577
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.05	1.15	1.28	2.16	< 0.005	0.01	0.09	0.10	0.01	0.04	0.05	—	351	351	0.02	< 0.005	0.01	353
2025	0.02	0.02	0.40	0.64	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	95.1	95.1	< 0.005	< 0.005	< 0.005	95.6

### 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	22,064	22,154	9.08	0.63	607	23,176
Mit.	13.0	20.7	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	18,681	18,771	8.87	0.61	607	19,780
% Reduced	—	8%	—	—	—	—	—	—	—	—	—	—	15%	15%	2%	4%	—	15%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	21,845	21,935	9.14	0.66	569	22,930
Mit.	9.51	17.4	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	18,461	18,551	8.93	0.64	569	19,534
% Reduced	—	9%	—	—	—	—	—	—	—	—	—	—	15%	15%	2%	4%	—	15%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	21,482	21,572	9.09	0.63	584	22,572
Mit.	10.8	18.6	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	18,098	18,188	8.88	0.61	584	19,175
% Reduced	—	9%	—	—	—	—	—	—	—	—	—	—	16%	16%	2%	4%	—	15%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	3,557	3,571	1.50	0.10	96.6	3,737
Mit.	1.96	3.39	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	2,996	3,011	1.47	0.10	96.6	3,175
% Reduced	—	9%	—	—	—	—	—	—	—	—	—	—	16%	16%	2%	4%	—	15%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Area	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	13.0	22.4	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	22,064	22,154	9.08	0.63	607	23,176
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439
Area	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	9.51	19.2	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	21,845	21,935	9.14	0.66	569	22,930
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.99	8.42	6.12	47.1	0.09	0.07	7.57	7.65	0.07	1.92	1.99	—	8,856	8,856	0.65	0.51	16.1	9,040
Area	1.76	11.9	0.08	9.99	< 0.005	0.02	—	0.02	0.01	—	0.01	0.00	40.9	40.9	< 0.005	< 0.005	—	41.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	12,527	12,527	0.78	0.09	—	12,574
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266

Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	10.8	20.3	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	21,482	21,572	9.09	0.63	584	22,572
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497
Area	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,074	2,074	0.13	0.02	—	2,082
Water	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7
Waste	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0
Total	1.96	3.70	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	3,557	3,571	1.50	0.10	96.6	3,737

## 2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Area	3.58	11.8	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	13.0	20.7	6.09	68.0	0.09	0.11	8.04	8.15	0.10	2.04	2.14	90.1	18,681	18,771	8.87	0.61	607	19,780
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439
Area	0.00	8.50	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	9.51	17.4	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	90.1	18,461	18,551	8.93	0.64	569	19,534
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.99	8.42	6.12	47.1	0.09	0.07	7.57	7.65	0.07	1.92	1.99	—	8,856	8,856	0.65	0.51	16.1	9,040
Area	1.76	10.1	0.08	9.99	< 0.005	0.02	—	0.02	0.01	—	0.01	0.00	40.9	40.9	< 0.005	< 0.005	—	41.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	9,143	9,143	0.57	0.07	—	9,177
Water	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Waste	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Total	10.8	18.6	6.20	57.1	0.09	0.09	7.57	7.66	0.08	1.92	2.01	90.1	18,098	18,188	8.88	0.61	584	19,175
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497
Area	0.32	1.85	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,514	1,514	0.09	0.01	—	1,519
Water	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7
Waste	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0
Total	1.96	3.39	1.13	10.4	0.02	0.02	1.38	1.40	0.02	0.35	0.37	14.9	2,996	3,011	1.47	0.10	96.6	3,175

### 3. Construction Emissions Details

#### 3.1. Demolition (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)



Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.12	2.62	24.9	21.7	0.03	1.06	—	1.06	0.98	—	0.98	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.48	0.48	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.16	1.50	1.31	< 0.005	0.06	—	0.06	0.06	—	0.06	—	206	206	0.01	< 0.005	—	207
Demolition	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.27	0.24	< 0.005	0.01	—	0.01	0.01	—	0.01	—	34.2	34.2	< 0.005	< 0.005	—	34.3
Demolition	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	< 0.005	< 0.005	0.06	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	8.62	8.62	< 0.005	< 0.005	< 0.005	9.07
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.52	0.52	< 0.005	< 0.005	< 0.005	0.54
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.09	0.09	< 0.005	< 0.005	< 0.005	0.09

### 3.2. Demolition (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.41	0.41	11.9	18.2	0.03	0.20	—	0.20	0.19	—	0.19	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.48	0.48	—	0.07	0.07	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.72	1.10	< 0.005	0.01	—	0.01	0.01	—	0.01	—	206	206	0.01	< 0.005	—	207
Demolition	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.13	0.20	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	34.2	34.2	< 0.005	< 0.005	—	34.3
Demolition	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	< 0.005	< 0.005	0.06	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	8.62	8.62	< 0.005	< 0.005	< 0.005	9.07
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.52	0.52	< 0.005	< 0.005	< 0.005	0.54

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.09	0.09	< 0.005	< 0.005	< 0.005	0.09

### 3.3. Site Preparation (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.34	3.65	36.0	32.9	0.05	1.60	—	1.60	1.47	—	1.47	—	5,296	5,296	0.21	0.04	—	5,314
Dust From Material Movement:	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.08	0.99	< 0.005	0.05	—	0.05	0.04	—	0.04	—	160	160	0.01	< 0.005	—	160
Dust From Material Movement:	—	—	—	—	—	—	0.23	0.23	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.20	0.18	< 0.005	0.01	—	0.01	0.01	—	0.01	—	26.4	26.4	< 0.005	< 0.005	—	26.5
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.04	0.04	< 0.005	< 0.005	< 0.005	0.04
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.4. Site Preparation (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.64	0.64	14.7	28.3	0.05	0.10	—	0.10	0.10	—	0.10	—	5,296	5,296	0.21	0.04	—	5,314
Dust From Material Movement:	—	—	—	—	—	—	7.67	7.67	—	3.94	3.94	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.44	0.85	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	160	160	0.01	< 0.005	—	160
Dust From Material Movement:	—	—	—	—	—	—	0.23	0.23	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.08	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	26.4	26.4	< 0.005	< 0.005	—	26.5
Dust From Material Movement:	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.22	0.22	< 0.005	< 0.005	< 0.005	0.23
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.04	0.04	< 0.005	< 0.005	< 0.005	0.04
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.5. Grading (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	4.19	3.52	34.3	30.2	0.06	1.45	—	1.45	1.33	—	1.33	—	6,598	6,598	0.27	0.05	—	6,621
Dust From Material Movement:	—	—	—	—	—	—	3.61	3.61	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.21	2.07	1.82	< 0.005	0.09	—	0.09	0.08	—	0.08	—	398	398	0.02	< 0.005	—	399
Dust From Material Movement:	—	—	—	—	—	—	0.22	0.22	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.38	0.33	< 0.005	0.02	—	0.02	0.01	—	0.01	—	65.8	65.8	< 0.005	< 0.005	—	66.1
Dust From Material Movement:	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00



Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	0.01	0.01	0.23	0.14	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	34.4	34.4	0.01	0.01	< 0.005	36.2
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46
Hauling	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.07	2.07	< 0.005	< 0.005	< 0.005	2.17
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.34	0.34	< 0.005	< 0.005	< 0.005	0.36

### 3.6. Grading (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.80	0.80	19.4	35.3	0.06	0.18	—	0.18	0.18	—	0.18	—	6,598	6,598	0.27	0.05	—	6,621
Dust From Material Movement	—	—	—	—	—	—	3.61	3.61	—	1.43	1.43	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.17	2.13	< 0.005	0.01	—	0.01	0.01	—	0.01	—	398	398	0.02	< 0.005	—	399
Dust From Material Movement	—	—	—	—	—	—	0.22	0.22	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.21	0.39	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	65.8	65.8	< 0.005	< 0.005	—	66.1
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	0.01	0.01	0.23	0.14	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	34.4	34.4	0.01	0.01	< 0.005	36.2
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46

Hauling	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.07	2.07	< 0.005	< 0.005	< 0.005	2.17
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.34	0.34	< 0.005	< 0.005	< 0.005	0.36

### 3.7. Building Construction (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.44	1.20	11.2	13.1	0.02	0.50	—	0.50	0.46	—	0.46	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.44	1.20	11.2	13.1	0.02	0.50	—	0.50	0.46	—	0.46	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.83	0.69	6.46	7.55	0.01	0.29	—	0.29	0.26	—	0.26	—	1,379	1,379	0.06	0.01	—	1,384
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.15	0.13	1.18	1.38	< 0.005	0.05	—	0.05	0.05	—	0.05	—	228	228	0.01	< 0.005	—	229
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.87	0.57	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	141	141	0.02	0.02	0.17	148
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.90	0.61	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	142	142	0.02	0.02	< 0.005	149
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.04	0.02	0.51	0.34	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	81.5	81.5	0.01	0.01	0.04	85.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.01	< 0.005	0.09	0.06	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	13.5	13.5	< 0.005	< 0.005	0.01	14.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.8. Building Construction (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,093
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,093
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.16	4.07	7.37	0.01	0.02	—	0.02	0.02	—	0.02	—	1,200	1,200	0.05	0.01	—	1,204
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.74	1.34	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	199	199	0.01	< 0.005	—	199
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.87	0.57	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	141	141	0.02	0.02	0.17	148
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.90	0.61	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	142	142	0.02	0.02	< 0.005	149
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.04	0.02	0.51	0.34	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	81.5	81.5	0.01	0.01	0.04	85.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.01	< 0.005	0.09	0.06	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	13.5	13.5	< 0.005	< 0.005	0.01	14.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.9. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.35	1.13	10.4	13.0	0.02	0.43	—	0.43	0.40	—	0.40	—	2,398	2,398	0.10	0.02	—	2,406
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.78	2.22	< 0.005	0.07	—	0.07	0.07	—	0.07	—	408	408	0.02	< 0.005	—	410
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.32	0.41	< 0.005	0.01	—	0.01	0.01	—	0.01	—	67.6	67.6	< 0.005	< 0.005	—	67.8
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.89	0.59	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	140	140	0.02	0.02	< 0.005	147
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.01	0.01	0.15	0.10	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	23.7	23.7	< 0.005	< 0.005	0.01	24.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.03	0.02	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.93	3.93	< 0.005	< 0.005	< 0.005	4.12
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

## 3.10. Building Construction (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.28	0.28	7.08	12.8	0.02	0.04	—	0.04	0.04	—	0.04	—	2,086	2,086	0.08	0.02	—	2,094
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.21	2.18	< 0.005	0.01	—	0.01	0.01	—	0.01	—	355	355	0.01	< 0.005	—	356
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.22	0.40	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	58.8	58.8	< 0.005	< 0.005	—	59.0
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.06	0.04	0.89	0.59	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	140	140	0.02	0.02	< 0.005	147
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.01	0.01	0.15	0.10	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	23.7	23.7	< 0.005	< 0.005	0.01	24.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.03	0.02	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.93	3.93	< 0.005	< 0.005	< 0.005	4.12
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.11. Paving (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.95	0.80	7.45	9.98	0.01	0.35	—	0.35	0.32	—	0.32	—	1,511	1,511	0.06	0.01	—	1,517
Paving	—	0.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.11	0.09	0.88	1.18	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.16	0.21	< 0.005	0.01	—	0.01	0.01	—	0.01	—	29.5	29.5	< 0.005	< 0.005	—	29.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.18	7.18	< 0.005	< 0.005	< 0.005	7.51
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.84	0.84	< 0.005	< 0.005	< 0.005	0.88
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.14	0.14	< 0.005	< 0.005	< 0.005	0.15
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.12. Paving (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.23	7.21	10.6	0.01	0.09	—	0.09	0.08	—	0.08	—	1,511	1,511	0.06	0.01	—	1,517
Paving	—	0.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.85	1.25	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.15	0.23	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	29.5	29.5	< 0.005	< 0.005	—	29.6
Paving	—	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.18	7.18	< 0.005	< 0.005	< 0.005	7.51
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.84	0.84	< 0.005	< 0.005	< 0.005	0.88
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.14	0.14	< 0.005	< 0.005	< 0.005	0.15
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.13. Architectural Coating (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	0.91	1.15	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	388	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.07	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.08	
Architectural Coatings	—	23.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34	
Architectural Coatings	—	4.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46	

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

### 3.14. Architectural Coating (2024) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	1.07	0.96	< 0.005	0.03	—	0.03	0.03	—	0.03	—	134	134	0.01	< 0.005	—	134
Architect ural Coatings	—	99.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.05	8.05	< 0.005	< 0.005	—	8.08
Architect ural Coatings	—	6.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	1.33	1.33	< 0.005	< 0.005	—	1.34
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.28	7.28	< 0.005	< 0.005	< 0.005	7.63
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.46
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

## 4. Operations Emissions Details

## 4.1. Mobile Emissions by Land Use

### 4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.30	8.74	5.85	47.2	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,315	9,315	0.63	0.50	38.7	9,518
Apartments Mid Rise	0.13	0.13	0.06	0.51	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	81.9	81.9	0.01	0.01	0.33	84.1
Total	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.38	8.78	6.42	50.6	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,179	9,179	0.69	0.53	1.00	9,356
Apartments Mid Rise	0.13	0.13	0.07	0.57	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	80.8	80.8	0.01	0.01	0.01	82.8
Total	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439



Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	1.62	1.52	1.11	8.50	0.02	0.01	1.37	1.38	0.01	0.35	0.36	—	1,453	1,453	0.11	0.08	2.65	1,484
Apartments Mid Rise	0.02	0.02	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	12.7	12.7	< 0.005	< 0.005	0.02	13.0
Total	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497

#### 4.1.2. Mitigated

#### Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.30	8.74	5.85	47.2	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,315	9,315	0.63	0.50	38.7	9,518
Apartments Mid Rise	0.13	0.13	0.06	0.51	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	81.9	81.9	0.01	0.01	0.33	84.1
Total	9.44	8.87	5.91	47.7	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,396	9,396	0.64	0.51	39.1	9,602
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	9.38	8.78	6.42	50.6	0.09	0.08	7.97	8.05	0.07	2.02	2.10	—	9,179	9,179	0.69	0.53	1.00	9,356
Apartments Mid Rise	0.13	0.13	0.07	0.57	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	80.8	80.8	0.01	0.01	0.01	82.8
Total	9.51	8.91	6.49	51.1	0.09	0.08	8.04	8.12	0.07	2.04	2.11	—	9,260	9,260	0.70	0.54	1.01	9,439
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	1.62	1.52	1.11	8.50	0.02	0.01	1.37	1.38	0.01	0.35	0.36	—	1,453	1,453	0.11	0.08	2.65	1,484
Apartments Mid Rise	0.02	0.02	0.01	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	12.7	12.7	< 0.005	< 0.005	0.02	13.0
Total	1.64	1.54	1.12	8.59	0.02	0.01	1.38	1.40	0.01	0.35	0.36	—	1,466	1,466	0.11	0.08	2.67	1,497

## 4.2. Energy

### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	11,935	11,935	0.74	0.09	—	11,980
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	12,527	12,527	0.78	0.09	—	12,574
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	11,935	11,935	0.74	0.09	—	11,980
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	12,527	12,527	0.78	0.09	—	12,574
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	84.8	84.8	0.01	< 0.005	—	85.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2.40	2.40	< 0.005	< 0.005	—	2.41
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	1,976	1,976	0.12	0.01	—	1,983

Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	10.7	10.7	< 0.005	< 0.005	—	10.8
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,074	2,074	0.13	0.02	—	2,082

#### 4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	8,551	8,551	0.53	0.06	—	8,584
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	9,143	9,143	0.57	0.07	—	9,177
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	512	512	0.03	< 0.005	—	514
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	14.5	14.5	< 0.005	< 0.005	—	14.6
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	8,551	8,551	0.53	0.06	—	8,584

Apartments	—	—	—	—	—	—	—	—	—	—	—	—	64.8	64.8	< 0.005	< 0.005	—	65.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	9,143	9,143	0.57	0.07	—	9,177
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	—	84.8	84.8	0.01	< 0.005	—	85.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2.40	2.40	< 0.005	< 0.005	—	2.41
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	1,416	1,416	0.09	0.01	—	1,421
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	10.7	10.7	< 0.005	< 0.005	—	10.8
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,514	1,514	0.09	0.01	—	1,519

#### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Hotel	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Apartments Mid Rise	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

### 4.3. Area Emissions by Source

#### 4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.58	3.30	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	—	82.9	82.9	< 0.005	< 0.005	—	83.2
Total	3.58	13.5	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Architect Coatings	—	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.00	10.2	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	1.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.32	0.30	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.77	6.77	< 0.005	< 0.005	—	6.79
Total	0.32	2.17	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.58	3.30	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	—	82.9	82.9	< 0.005	< 0.005	—	83.2

Total	3.58	11.8	0.17	20.3	< 0.005	0.04	—	0.04	0.03	—	0.03	0.00	82.9	82.9	< 0.005	< 0.005	—	83.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	7.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	0.00	8.50	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00
Consumer Products	—	1.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.32	0.30	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.77	6.77	< 0.005	< 0.005	—	6.79
Total	0.32	1.85	0.02	1.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	6.77	6.77	< 0.005	< 0.005	—	6.79

#### 4.4. Water Emissions by Land Use

##### 4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Hotel	—	—	—	—	—	—	—	—	—	—	—	2.24	9.39	11.6	0.01	< 0.005	—	13.3
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.07	0.28	0.36	< 0.005	< 0.005	—	0.41
Total	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	13.6	56.7	70.3	0.05	0.03	—	80.5

Apartment Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.45	1.71	2.17	< 0.005	< 0.005	—	2.50
Total	—	—	—	—	—	—	—	—	—	—	—	14.0	58.4	72.4	0.05	0.03	—	83.0
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	2.24	9.39	11.6	0.01	< 0.005	—	13.3
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.07	0.28	0.36	< 0.005	< 0.005	—	0.41
Total	—	—	—	—	—	—	—	—	—	—	—	2.32	9.67	12.0	0.01	0.01	—	13.7

## 4.5. Waste Emissions by Land Use

### 4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258

Apartments	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	12.2	0.00	12.2	1.22	0.00	—	42.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.39	0.00	0.39	0.04	0.00	—	1.37
Total	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	73.8	0.00	73.8	7.37	0.00	—	258
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	2.37	0.00	2.37	0.24	0.00	—	8.29
Total	—	—	—	—	—	—	—	—	—	—	—	76.1	0.00	76.1	7.61	0.00	—	266
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enclosed Parking with Elevator	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Hotel	—	—	—	—	—	—	—	—	—	—	—	12.2	0.00	12.2	1.22	0.00	—	42.7
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	0.39	0.00	0.39	0.04	0.00	—	1.37
Total	—	—	—	—	—	—	—	—	—	—	—	12.6	0.00	12.6	1.26	0.00	—	44.1

## 4.6. Refrigerant Emissions by Land Use

### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567
Apartments Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	93.9	93.9



Apartme Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0

#### 4.6.2. Mitigated

#### Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567	
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04	
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	567	567	
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.04	
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	568	568	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hotel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	93.9	93.9	
Apartme nts Mid Rise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01	
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94.0	94.0	

## 4.7. Offroad Emissions By Equipment Type

### 4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.8. Stationary Emissions By Equipment Type

#### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

### 4.9. User Defined Emissions By Equipment Type

#### 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

#### 4.10. Soil Carbon Accumulation By Vegetation Type

##### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

##### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## 5. Activity Data

### 5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	1/1/2024	1/30/2024	5.00	22.0	—
Site Preparation	Site Preparation	1/30/2024	2/13/2024	5.00	11.0	—
Grading	Grading	2/13/2024	3/13/2024	5.00	22.0	—
Building Construction	Building Construction	3/13/2024	3/28/2025	5.00	273	—
Paving	Paving	1/27/2025	3/26/2025	5.00	43.0	—
Architectural Coating	Architectural Coating	2/24/2024	3/26/2024	5.00	22.0	—

## 5.2. Off-Road Equipment

### 5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Average	4.00	8.00	84.0	0.37
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	7.00	367	0.29

Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	7.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	6.00	37.0	0.48

### 5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Tier 4 Interim	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Tier 4 Interim	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Tier 4 Interim	1.00	8.00	33.0	0.73
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Interim	3.00	8.00	367	0.40
Site Preparation	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	4.00	8.00	84.0	0.37
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Grading	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Tier 4 Interim	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Electric	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	7.00	367	0.29
Building Construction	Welders	Electric	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	3.00	7.00	84.0	0.37

Paving	Pavers	Diesel	Tier 4 Interim	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 4 Interim	1.00	6.00	37.0	0.48

## 5.3. Construction Vehicles

### 5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	0.00	8.80	LDA,LDT1,LDT2
Demolition	Vendor	4.00	0.25	HHDT,MHDT
Demolition	Hauling	3.45	0.25	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	0.00	8.80	LDA,LDT1,LDT2
Site Preparation	Vendor	4.00	0.25	HHDT,MHDT
Site Preparation	Hauling	0.00	0.25	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	0.00	8.80	LDA,LDT1,LDT2
Grading	Vendor	4.00	0.25	HHDT,MHDT
Grading	Hauling	13.8	0.25	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	0.00	8.80	LDA,LDT1,LDT2
Building Construction	Vendor	78.0	0.25	HHDT,MHDT

Building Construction	Hauling	0.00	0.00	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	0.00	8.80	LDA,LDT1,LDT2
Paving	Vendor	4.00	0.25	HHDT,MHDT
Paving	Hauling	0.00	0.25	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	0.00	8.80	LDA,LDT1,LDT2
Architectural Coating	Vendor	4.00	0.25	HHDT,MHDT
Architectural Coating	Hauling	0.00	0.25	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

### 5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	0.00	8.80	LDA,LDT1,LDT2
Demolition	Vendor	4.00	0.25	HHDT,MHDT
Demolition	Hauling	3.45	0.25	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	0.00	8.80	LDA,LDT1,LDT2
Site Preparation	Vendor	4.00	0.25	HHDT,MHDT
Site Preparation	Hauling	0.00	0.25	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	0.00	8.80	LDA,LDT1,LDT2

Grading	Vendor	4.00	0.25	HHDT,MHDT
Grading	Hauling	13.8	0.25	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	0.00	8.80	LDA,LDT1,LDT2
Building Construction	Vendor	78.0	0.25	HHDT,MHDT
Building Construction	Hauling	0.00	0.00	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	0.00	8.80	LDA,LDT1,LDT2
Paving	Vendor	4.00	0.25	HHDT,MHDT
Paving	Hauling	0.00	0.25	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	0.00	8.80	LDA,LDT1,LDT2
Architectural Coating	Vendor	4.00	0.25	HHDT,MHDT
Architectural Coating	Hauling	0.00	0.25	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

## 5.4. Vehicles

### 5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

## 5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	11,664	3,888	548,699	181,967	6,280

## 5.6. Dust Mitigation

### 5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Building Square Footage)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	16,700	—
Site Preparation	—	—	16.5	0.00	—
Grading	0.00	25,500	60.0	0.00	—
Paving	0.00	0.00	0.00	0.00	2.40

### 5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	2	61%	61%
Water Demolished Area	2	36%	36%

## 5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Enclosed Parking with Elevator	2.14	100%
Parking Lot	0.26	100%
Hotel	0.00	0%
Apartments Mid Rise	—	0%

## 5.8. Construction Electricity Consumption and Emissions Factors

### kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2024	44,107	532	0.03	< 0.005

2025	11,027	532	0.03	< 0.005
------	--------	-----	------	---------

## 5.9. Operational Mobile Sources

### 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	2,090	2,047	1,487	729,218	11,261	11,032	8,015	3,928,976
Apartments Mid Rise	32.6	29.5	24.5	11,325	95.8	86.4	72.0	33,225

### 5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Enclosed Parking with Elevator	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hotel	2,090	2,047	1,487	729,218	11,261	11,032	8,015	3,928,976
Apartments Mid Rise	32.6	29.5	24.5	11,325	95.8	86.4	72.0	33,225

## 5.10. Operational Area Sources

### 5.10.1. Hearths

#### 5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Apartments Mid Rise	—
Conventional Wood Stoves	0



Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

#### 5.10.1.2. Mitigated

Hearth Type	Unmitigated (number)
Apartments Mid Rise	—
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

#### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
11664	3,888	548,699	181,967	6,280

#### 5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

#### 5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

## 5.11. Operational Energy Consumption

### 5.11.1. Unmitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Enclosed Parking with Elevator	351,424	532	0.0330	0.0040	0.00
Parking Lot	9,959	532	0.0330	0.0040	0.00
Hotel	8,188,759	532	0.0330	0.0040	0.00
Apartments Mid Rise	44,492	532	0.0330	0.0040	0.00

### 5.11.2. Mitigated

#### Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Enclosed Parking with Elevator	351,424	532	0.0330	0.0040	0.00
Parking Lot	9,959	532	0.0330	0.0040	0.00
Hotel	5,867,090	532	0.0330	0.0040	0.00
Apartments Mid Rise	44,492	532	0.0330	0.0040	0.00

## 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Enclosed Parking with Elevator	0.00	0.00
Parking Lot	0.00	0.00
Hotel	6,341,693	1,186,339
Apartments Mid Rise	210,798	9,342

## 5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Enclosed Parking with Elevator	0.00	0.00
Parking Lot	0.00	0.00
Hotel	6,341,693	1,186,339
Apartments Mid Rise	210,798	9,342

## 5.13. Operational Waste Generation

## 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Enclosed Parking with Elevator	0.00	—
Parking Lot	0.00	—
Hotel	137	—
Apartments Mid Rise	4.40	—

## 5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Enclosed Parking with Elevator	0.00	—
Parking Lot	0.00	—
Hotel	137	—
Apartments Mid Rise	4.40	—

## 5.14. Operational Refrigeration and Air Conditioning Equipment

## 5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Hotel	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Hotel	Other commercial A/C and heat pumps	R-410A	2,088	1.80	4.00	4.00	18.0
Hotel	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

#### 5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Hotel	Household refrigerators and/or freezers	R-134a	1,430	0.00	0.60	0.00	1.00
Hotel	Other commercial A/C and heat pumps	R-410A	2,088	1.80	4.00	4.00	18.0
Hotel	Walk-in refrigerators and freezers	R-404A	3,922	< 0.005	7.50	7.50	20.0
Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

#### 5.15. Operational Off-Road Equipment

##### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

## 5.16. Stationary Sources

## 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

## 5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

## 5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

## 5.18. Vegetation

## 5.18.1. Land Use Change

## 5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

## 5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

## 5.18.1. Biomass Cover Type

### 5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

### 5.18.2. Sequestration

#### 5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

#### 5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

## 6. Climate Risk Detailed Report

### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	6.89	annual days of extreme heat
Extreme Precipitation	6.85	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about  $\frac{3}{4}$  an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

## 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	0	0	0	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

## 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2

Flooding	N/A	N/A	N/A	N/A
Drought	1	1	1	2
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

## 6.4. Climate Risk Reduction Measures

# 7. Health and Equity Details

## 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	22.2
AQ-PM	16.8
AQ-DPM	78.8
Drinking Water	17.3
Lead Risk Housing	68.6
Pesticides	54.6
Toxic Releases	10.1
Traffic	53.1
Effect Indicators	—
CleanUp Sites	90.0
Groundwater	99.8



Haz Waste Facilities/Generators	81.7
Impaired Water Bodies	83.0
Solid Waste	96.4
Sensitive Population	—
Asthma	50.5
Cardio-vascular	19.2
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—
Education	73.4
Housing	69.9
Linguistic	66.6
Poverty	67.6
Unemployment	15.8

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	21.36532786
Employed	90.05517772
Median HI	48.20993199
Education	—
Bachelor's or higher	40.3567304
High school enrollment	100
Preschool enrollment	23.02065957
Transportation	—
Auto Access	45.25856538

Active commuting	93.31451302
Social	—
2-parent households	33.45309893
Voting	68.15090466
Neighborhood	—
Alcohol availability	14.42320031
Park access	81.35506224
Retail density	89.69588092
Supermarket access	86.74451431
Tree canopy	44.74528423
Housing	—
Homeownership	17.01527011
Housing habitability	9.90632619
Low-inc homeowner severe housing cost burden	3.644296163
Low-inc renter severe housing cost burden	79.07096112
Uncrowded housing	5.081483383
Health Outcomes	—
Insured adults	2.65622995
Arthritis	47.0
Asthma ER Admissions	49.5
High Blood Pressure	58.0
Cancer (excluding skin)	66.1
Asthma	30.0
Coronary Heart Disease	31.2
Chronic Obstructive Pulmonary Disease	27.0
Diagnosed Diabetes	30.7
Life Expectancy at Birth	31.7

Cognitively Disabled	54.2
Physically Disabled	77.4
Heart Attack ER Admissions	95.8
Mental Health Not Good	25.4
Chronic Kidney Disease	35.4
Obesity	21.9
Pedestrian Injuries	71.4
Physical Health Not Good	24.5
Stroke	34.3
Health Risk Behaviors	—
Binge Drinking	43.3
Current Smoker	26.7
No Leisure Time for Physical Activity	31.1
Climate Change Exposures	—
Wildfire Risk	0.1
SLR Inundation Area	46.6
Children	78.7
Elderly	74.7
English Speaking	21.4
Foreign-born	82.3
Outdoor Workers	11.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	53.4
Traffic Density	62.0
Traffic Access	0.0
Other Indices	—
Hardship	79.6

Other Decision Support	—
2016 Voting	66.3

### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	71.0
Healthy Places Index Score for Project Location (b)	49.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

## 8. User Changes to Default Data

Screen	Justification
Characteristics: Utility Information	Conservatively assuming that SCE is the utility, as their GHG pollutant intensity factors are higher than Central Coast Community Energy or Santa Barbara Clean Energy.
Land Use	Updated defaults based on project applicant's specifications. Hotel land use includes 250 rooms, 130 of which are extended stay.
Construction: Construction Phases	Project applicant provided construction schedule phasing.

Construction: Dust From Material Movement	Information on cut/fill and export of material was provided by project applicant.
Construction: Trips and VMT	Information on construction vehicle trips provided by project applicant.
Construction: Electricity	estimated construction electricity use using construction power cost and 2023 SCE rate schedule.
Operations: Energy Use	Calculated increase in electricity use for all-electric development.
Operations: Hearths	Apartments will not have fireplaces.

```

**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 11.2.0
** Lakes Environmental Software Inc.
** Date: 11/14/2023
** File: C:\Users\tlenihan\Desktop\Garden Street Hotel\Garden Street Hotel\Garden
Street Hotel.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street
  MODELOPT DFAULT CONC
  AVERTIME 1 PERIOD
  URBANOPT 88410
  POLLUTID PM_10
  FLAGPOLE 1.50
  RUNORNOT RUN
  ERRORFIL "Garden Street Hotel.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
** -----
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE1
** DESCRSRC
** PREFIX
** Length of Side = 8.60
** Configuration = Adjacent
** Emission Rate = 0.7743902439
** Vertical Dimension = 6.80
** SZINIT = 3.16
** Nodes = 22
** 252866.477, 3811611.949, 3.09, 3.40, 4.00
** 252909.995, 3811570.503, 3.22, 3.40, 4.00

```

\*\* 252965.256, 3811538.728, 3.27, 3.40, 4.00  
 \*\* 252992.196, 3811510.406, 3.36, 3.40, 4.00  
 \*\* 253001.867, 3811550.816, 3.53, 3.40, 4.00  
 \*\* 252992.196, 3811586.045, 3.47, 3.40, 4.00  
 \*\* 252906.541, 3811669.282, 4.06, 3.40, 4.00  
 \*\* 252875.802, 3811620.238, 3.04, 3.40, 4.00  
 \*\* 252920.702, 3811576.029, 3.06, 3.40, 4.00  
 \*\* 252965.602, 3811550.816, 3.16, 3.40, 4.00  
 \*\* 252986.670, 3811533.547, 3.34, 3.40, 4.00  
 \*\* 252992.196, 3811551.161, 3.31, 3.40, 4.00  
 \*\* 252982.871, 3811582.591, 3.43, 3.40, 4.00  
 \*\* 252909.650, 3811655.121, 3.64, 3.40, 4.00  
 \*\* 252888.582, 3811622.310, 3.00, 3.40, 4.00  
 \*\* 252923.810, 3811587.426, 3.02, 3.40, 4.00  
 \*\* 252979.071, 3811551.852, 3.24, 3.40, 4.00  
 \*\* 252981.489, 3811561.523, 3.27, 3.40, 4.00  
 \*\* 252973.891, 3811577.410, 3.18, 3.40, 4.00  
 \*\* 252913.794, 3811639.579, 3.56, 3.40, 4.00  
 \*\* 252903.088, 3811625.418, 3.06, 3.40, 4.00  
 \*\* 252969.746, 3811566.704, 3.18, 3.40, 4.00

\*\* -----

LOCATION	L0000165	VOLUME	252869.591	3811608.983	3.05
LOCATION	L0000166	VOLUME	252875.819	3811603.052	3.06
LOCATION	L0000167	VOLUME	252882.046	3811597.121	3.05
LOCATION	L0000168	VOLUME	252888.274	3811591.190	3.06
LOCATION	L0000169	VOLUME	252894.501	3811585.259	3.09
LOCATION	L0000170	VOLUME	252900.729	3811579.328	3.13
LOCATION	L0000171	VOLUME	252906.956	3811573.397	3.14
LOCATION	L0000172	VOLUME	252913.813	3811568.308	3.13
LOCATION	L0000173	VOLUME	252921.268	3811564.021	3.12
LOCATION	L0000174	VOLUME	252928.724	3811559.734	3.10
LOCATION	L0000175	VOLUME	252936.179	3811555.447	3.10
LOCATION	L0000176	VOLUME	252943.634	3811551.160	3.14
LOCATION	L0000177	VOLUME	252951.090	3811546.873	3.18
LOCATION	L0000178	VOLUME	252958.545	3811542.587	3.22
LOCATION	L0000179	VOLUME	252965.848	3811538.106	3.26
LOCATION	L0000180	VOLUME	252971.775	3811531.874	3.30
LOCATION	L0000181	VOLUME	252977.702	3811525.643	3.33
LOCATION	L0000182	VOLUME	252983.630	3811519.412	3.35
LOCATION	L0000183	VOLUME	252989.557	3811513.181	3.40
LOCATION	L0000184	VOLUME	252993.306	3811515.046	3.42
LOCATION	L0000185	VOLUME	252995.308	3811523.410	3.42
LOCATION	L0000186	VOLUME	252997.310	3811531.774	3.44
LOCATION	L0000187	VOLUME	252999.311	3811540.138	3.47
LOCATION	L0000188	VOLUME	253001.313	3811548.502	3.50
LOCATION	L0000189	VOLUME	253000.220	3811556.814	3.50
LOCATION	L0000190	VOLUME	252997.944	3811565.108	3.53
LOCATION	L0000191	VOLUME	252995.667	3811573.401	3.55
LOCATION	L0000192	VOLUME	252993.390	3811581.694	3.56
LOCATION	L0000193	VOLUME	252989.264	3811588.894	3.56

LOCATION	L0000194	VOLUME	252983.097	3811594.887	3.59
LOCATION	L0000195	VOLUME	252976.929	3811600.881	3.64
LOCATION	L0000196	VOLUME	252970.762	3811606.874	3.69
LOCATION	L0000197	VOLUME	252964.594	3811612.868	3.75
LOCATION	L0000198	VOLUME	252958.427	3811618.861	3.77
LOCATION	L0000199	VOLUME	252952.259	3811624.855	3.77
LOCATION	L0000200	VOLUME	252946.091	3811630.848	3.81
LOCATION	L0000201	VOLUME	252939.924	3811636.842	3.89
LOCATION	L0000202	VOLUME	252933.756	3811642.835	3.99
LOCATION	L0000203	VOLUME	252927.589	3811648.829	4.02
LOCATION	L0000204	VOLUME	252921.421	3811654.822	3.97
LOCATION	L0000205	VOLUME	252915.254	3811660.815	3.94
LOCATION	L0000206	VOLUME	252909.086	3811666.809	3.93
LOCATION	L0000207	VOLUME	252903.859	3811665.002	3.77
LOCATION	L0000208	VOLUME	252899.291	3811657.715	3.54
LOCATION	L0000209	VOLUME	252894.724	3811650.428	3.32
LOCATION	L0000210	VOLUME	252890.157	3811643.141	3.18
LOCATION	L0000211	VOLUME	252885.590	3811635.854	3.08
LOCATION	L0000212	VOLUME	252881.023	3811628.567	3.06
LOCATION	L0000213	VOLUME	252876.455	3811621.280	3.01
LOCATION	L0000214	VOLUME	252881.054	3811615.067	3.01
LOCATION	L0000215	VOLUME	252887.183	3811609.033	3.02
LOCATION	L0000216	VOLUME	252893.311	3811602.999	3.04
LOCATION	L0000217	VOLUME	252899.439	3811596.965	3.06
LOCATION	L0000218	VOLUME	252905.567	3811590.931	3.06
LOCATION	L0000219	VOLUME	252911.695	3811584.898	3.07
LOCATION	L0000220	VOLUME	252917.823	3811578.864	3.07
LOCATION	L0000221	VOLUME	252924.678	3811573.796	3.06
LOCATION	L0000222	VOLUME	252932.176	3811569.586	3.05
LOCATION	L0000223	VOLUME	252939.675	3811565.375	3.06
LOCATION	L0000224	VOLUME	252947.173	3811561.164	3.09
LOCATION	L0000225	VOLUME	252954.672	3811556.953	3.13
LOCATION	L0000226	VOLUME	252962.171	3811552.743	3.17
LOCATION	L0000227	VOLUME	252969.210	3811547.859	3.22
LOCATION	L0000228	VOLUME	252975.861	3811542.407	3.26
LOCATION	L0000229	VOLUME	252982.512	3811536.955	3.30
LOCATION	L0000230	VOLUME	252987.635	3811536.623	3.33
LOCATION	L0000231	VOLUME	252990.209	3811544.829	3.35
LOCATION	L0000232	VOLUME	252991.638	3811553.043	3.35
LOCATION	L0000233	VOLUME	252989.191	3811561.288	3.35
LOCATION	L0000234	VOLUME	252986.745	3811569.533	3.35
LOCATION	L0000235	VOLUME	252984.299	3811577.777	3.36
LOCATION	L0000236	VOLUME	252980.328	3811585.110	3.32
LOCATION	L0000237	VOLUME	252974.218	3811591.162	3.33
LOCATION	L0000238	VOLUME	252968.108	3811597.214	3.37
LOCATION	L0000239	VOLUME	252961.998	3811603.266	3.43
LOCATION	L0000240	VOLUME	252955.889	3811609.319	3.49
LOCATION	L0000241	VOLUME	252949.779	3811615.371	3.48
LOCATION	L0000242	VOLUME	252943.669	3811621.423	3.48
LOCATION	L0000243	VOLUME	252937.559	3811627.475	3.53



LOCATION L0000244	VOLUME	252931.449	3811633.528	3.64
LOCATION L0000245	VOLUME	252925.339	3811639.580	3.71
LOCATION L0000246	VOLUME	252919.229	3811645.632	3.73
LOCATION L0000247	VOLUME	252913.119	3811651.684	3.70
LOCATION L0000248	VOLUME	252907.642	3811651.994	3.59
LOCATION L0000249	VOLUME	252902.995	3811644.758	3.39
LOCATION L0000250	VOLUME	252898.349	3811637.521	3.24
LOCATION L0000251	VOLUME	252893.702	3811630.284	3.12
LOCATION L0000252	VOLUME	252889.055	3811623.048	3.03
LOCATION L0000253	VOLUME	252894.070	3811616.876	3.02
LOCATION L0000254	VOLUME	252900.181	3811610.825	3.04
LOCATION L0000255	VOLUME	252906.292	3811604.774	3.06
LOCATION L0000256	VOLUME	252912.403	3811598.722	3.06
LOCATION L0000257	VOLUME	252918.514	3811592.671	3.04
LOCATION L0000258	VOLUME	252924.774	3811586.806	3.01
LOCATION L0000259	VOLUME	252932.005	3811582.151	2.99
LOCATION L0000260	VOLUME	252939.236	3811577.496	3.00
LOCATION L0000261	VOLUME	252946.467	3811572.841	3.03
LOCATION L0000262	VOLUME	252953.699	3811568.186	3.06
LOCATION L0000263	VOLUME	252960.930	3811563.531	3.10
LOCATION L0000264	VOLUME	252968.161	3811558.876	3.17
LOCATION L0000265	VOLUME	252975.392	3811554.221	3.22
LOCATION L0000266	VOLUME	252980.096	3811555.950	3.23
LOCATION L0000267	VOLUME	252980.257	3811564.099	3.26
LOCATION L0000268	VOLUME	252976.546	3811571.858	3.24
LOCATION L0000269	VOLUME	252972.191	3811579.168	3.18
LOCATION L0000270	VOLUME	252966.214	3811585.352	3.06
LOCATION L0000271	VOLUME	252960.237	3811591.535	3.08
LOCATION L0000272	VOLUME	252954.260	3811597.718	3.20
LOCATION L0000273	VOLUME	252948.283	3811603.902	3.25
LOCATION L0000274	VOLUME	252942.306	3811610.085	3.25
LOCATION L0000275	VOLUME	252936.328	3811616.268	3.18
LOCATION L0000276	VOLUME	252930.351	3811622.451	3.28
LOCATION L0000277	VOLUME	252924.374	3811628.635	3.40
LOCATION L0000278	VOLUME	252918.397	3811634.818	3.46
LOCATION L0000279	VOLUME	252912.601	3811638.001	3.43
LOCATION L0000280	VOLUME	252907.415	3811631.141	3.24
LOCATION L0000281	VOLUME	252904.157	3811624.476	3.12
LOCATION L0000282	VOLUME	252910.611	3811618.792	3.06
LOCATION L0000283	VOLUME	252917.064	3811613.107	3.08
LOCATION L0000284	VOLUME	252923.518	3811607.423	3.08
LOCATION L0000285	VOLUME	252929.971	3811601.739	3.06
LOCATION L0000286	VOLUME	252936.425	3811596.054	3.02
LOCATION L0000287	VOLUME	252942.878	3811590.370	2.99
LOCATION L0000288	VOLUME	252949.332	3811584.685	2.97
LOCATION L0000289	VOLUME	252955.785	3811579.001	3.00
LOCATION L0000290	VOLUME	252962.239	3811573.317	3.06
LOCATION L0000291	VOLUME	252968.692	3811567.632	3.15

\*\* End of LINE VOLUME Source ID = SLINE1

\*\* -----

```

** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE2
** DESCRSRC
** PREFIX
** Length of Side = 8.60
** Configuration = Adjacent
** Emission Rate = 0.2256097561
** Vertical Dimension = 6.80
** SZINIT = 3.16
** Nodes = 13
** 252960.076, 3811525.258, 3.33, 3.40, 4.00
** 252934.517, 3811500.390, 3.35, 3.40, 4.00
** 252970.782, 3811460.326, 3.28, 3.40, 4.00
** 252994.614, 3811469.306, 3.38, 3.40, 4.00
** 252990.469, 3811496.591, 3.40, 3.40, 4.00
** 252964.911, 3811516.623, 3.34, 3.40, 4.00
** 252947.987, 3811501.081, 3.33, 3.40, 4.00
** 252974.236, 3811471.378, 3.31, 3.40, 4.00
** 252984.598, 3811476.559, 3.41, 3.40, 4.00
** 252983.561, 3811491.756, 3.41, 3.40, 4.00
** 252965.256, 3811505.226, 3.37, 3.40, 4.00
** 252960.076, 3811501.081, 3.39, 3.40, 4.00
** 252974.927, 3811483.812, 3.38, 3.40, 4.00

```

```

** -----
LOCATION L0000292      VOLUME  252956.994 3811522.259 3.33
LOCATION L0000293      VOLUME  252950.830 3811516.262 3.34
LOCATION L0000294      VOLUME  252944.666 3811510.265 3.34
LOCATION L0000295      VOLUME  252938.502 3811504.267 3.34
LOCATION L0000296      VOLUME  252936.558 3811498.136 3.36
LOCATION L0000297      VOLUME  252942.329 3811491.760 3.36
LOCATION L0000298      VOLUME  252948.100 3811485.385 3.33
LOCATION L0000299      VOLUME  252953.871 3811479.009 3.30
LOCATION L0000300      VOLUME  252959.643 3811472.633 3.27
LOCATION L0000301      VOLUME  252965.414 3811466.257 3.27
LOCATION L0000302      VOLUME  252971.344 3811460.538 3.29
LOCATION L0000303      VOLUME  252979.392 3811463.570 3.36
LOCATION L0000304      VOLUME  252987.440 3811466.603 3.39
LOCATION L0000305      VOLUME  252994.473 3811470.229 3.42
LOCATION L0000306      VOLUME  252993.182 3811478.731 3.43
LOCATION L0000307      VOLUME  252991.890 3811487.234 3.44
LOCATION L0000308      VOLUME  252990.599 3811495.736 3.44
LOCATION L0000309      VOLUME  252984.381 3811501.363 3.39
LOCATION L0000310      VOLUME  252977.612 3811506.668 3.38
LOCATION L0000311      VOLUME  252970.844 3811511.973 3.36
LOCATION L0000312      VOLUME  252964.129 3811515.905 3.35
LOCATION L0000313      VOLUME  252957.794 3811510.088 3.36
LOCATION L0000314      VOLUME  252951.460 3811504.271 3.37
LOCATION L0000315      VOLUME  252950.560 3811498.170 3.38
LOCATION L0000316      VOLUME  252956.254 3811491.726 3.38
LOCATION L0000317      VOLUME  252961.949 3811485.282 3.35

```

LOCATION	L0000318	VOLUME	252967.644	3811478.838	3.34
LOCATION	L0000319	VOLUME	252973.339	3811472.393	3.34
LOCATION	L0000320	VOLUME	252980.717	3811474.619	3.38
LOCATION	L0000321	VOLUME	252984.308	3811480.810	3.40
LOCATION	L0000322	VOLUME	252983.723	3811489.390	3.41
LOCATION	L0000323	VOLUME	252978.544	3811495.448	3.41
LOCATION	L0000324	VOLUME	252971.618	3811500.545	3.39
LOCATION	L0000325	VOLUME	252964.708	3811504.787	3.38
LOCATION	L0000326	VOLUME	252961.815	3811499.059	3.39
LOCATION	L0000327	VOLUME	252967.422	3811492.538	3.40
LOCATION	L0000328	VOLUME	252973.030	3811486.018	3.38

\*\* End of LINE VOLUME Source ID = SLINE2

\*\* Source Parameters \*\*

\*\* LINE VOLUME Source ID = SLINE1

SRCPARAM	L0000165	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000166	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000167	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000168	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000169	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000170	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000171	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000172	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000173	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000174	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000175	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000176	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000177	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000178	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000179	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000180	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000181	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000182	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000183	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000184	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000185	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000186	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000187	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000188	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000189	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000190	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000191	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000192	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000193	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000194	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000195	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000196	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000197	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000198	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000199	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000200	0.006097561	3.40	4.00	3.16



SRCPARAM	L0000251	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000252	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000253	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000254	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000255	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000256	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000257	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000258	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000259	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000260	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000261	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000262	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000263	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000264	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000265	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000266	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000267	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000268	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000269	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000270	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000271	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000272	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000273	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000274	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000275	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000276	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000277	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000278	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000279	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000280	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000281	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000282	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000283	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000284	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000285	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000286	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000287	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000288	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000289	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000290	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000291	0.006097561	3.40	4.00	3.16

\*\*

\*\* LINE VOLUME Source ID = SLINE2

SRCPARAM	L0000292	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000293	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000294	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000295	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000296	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000297	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000298	0.006097561	3.40	4.00	3.16

SRCPARAM	L0000299	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000300	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000301	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000302	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000303	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000304	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000305	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000306	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000307	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000308	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000309	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000310	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000311	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000312	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000313	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000314	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000315	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000316	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000317	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000318	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000319	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000320	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000321	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000322	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000323	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000324	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000325	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000326	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000327	0.006097561	3.40	4.00	3.16
SRCPARAM	L0000328	0.006097561	3.40	4.00	3.16

\*\*

-----  
 URBANSRC ALL

\*\* Variable Emissions Type: "By Hour / Day (HRDOW)"

\*\* Variable Emission Scenario: "Scenario 1"

\*\* WeekDays:

EMISFACT	L0000165	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000165	HRDOW	0.0	7.2	7.2	7.2	7.2	7.2
EMISFACT	L0000165	HRDOW	7.2	7.2	7.2	7.2	7.2	0.0
EMISFACT	L0000165	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000166	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000166	HRDOW	0.0	7.2	7.2	7.2	7.2	7.2
EMISFACT	L0000166	HRDOW	7.2	7.2	7.2	7.2	7.2	0.0
EMISFACT	L0000166	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000167	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000167	HRDOW	0.0	7.2	7.2	7.2	7.2	7.2
EMISFACT	L0000167	HRDOW	7.2	7.2	7.2	7.2	7.2	0.0
EMISFACT	L0000167	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000168	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000168	HRDOW	0.0	7.2	7.2	7.2	7.2	7.2

























































































EMISFACT L0000326 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000327 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000327 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000327 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000327 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000328 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000328 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000328 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
EMISFACT L0000328 HRDOW 0.0 0.0 0.0 0.0 0.0 0.0  
SRCGROUP ALL

SO FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Receptor Pathway

\*\*\*\*\*

\*\*

\*\*

RE STARTING

INCLUDED "Garden Street Hotel.rou"

RE FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Meteorology Pathway

\*\*\*\*\*

\*\*

\*\*

ME STARTING

SURFFILE ..\..\..\Downloads\SBA12-16Ustar\SBA12-16Ustar.SFC

PROFFILE ..\..\..\Downloads\SBA12-16Ustar\SBA12-16Ustar.PFL

SURFDATA 23190 2012 SANTA\_BARBARA/FAA\_AIRPORT

UAIRDATA 93214 2012

PROFBASE 4.0 METERS

ME FINISHED

\*\*

\*\*\*\*\*

\*\* AERMOD Output Pathway

\*\*\*\*\*

\*\*

\*\*

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 1 1ST

\*\* Auto-Generated Plotfiles

PLOTFILE 1 ALL 1ST "Garden Street Hotel.AD\01H1GALL.PLT" 31

PLOTFILE PERIOD ALL "Garden Street Hotel.AD\PE00GALL.PLT" 32

SUMMFILE "Garden Street Hotel.sum"

OU FINISHED

\*\*\* Message Summary For AERMOD Model Setup \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 1 Warning Message(s)  
A Total of 0 Informational Message(s)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W187 2432 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* SETUP Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 1

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 164 Source(s),  
for Total of 1 Urban Area(s):
- Urban Population = 88410.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET

- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM<sub>10</sub>

\*\*Model Calculates 1 Short Term Average(s) of: 1-HR  
and Calculates PERIOD Averages

\*\*This Run Includes: 164 Source(s); 1 Source Group(s); and 928  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 164 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)

\*\*Model Set To Continue RUNNING After the Setup Testing.

\*\*The AERMET Input Meteorological Data Version Date: 16216

\*\*Output Options Selected:

Model Outputs Tables of PERIOD Averages by Receptor  
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE

Keyword)

Model Outputs External File(s) of High Values for Plotting (PLOTFILE

Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE

Keyword)

\*\*NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours  
m for Missing Hours  
b for Both Calm and

Missing Hours

\*\*Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 4.00 ; Decay  
Coef. = 0.000 ; Rot. Angle = 0.0  
Emission Units = GRAMS/SEC ;  
Emission Rate Unit Factor = 0.10000E+07  
Output Units = MICROGRAMS/M\*\*3

\*\*Approximate Storage Requirements of Model = 3.8 MB of RAM.

\*\*Input Runstream File: aermod.inp



\*\*Output Print File: aermod.out

\*\*Detailed Error/Message File: Garden Street Hotel.err

\*\*File for Summary of Results: Garden Street Hotel.sum

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 2

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.	
SZ	SOURCE	EMISSION	RATE		X	Y	ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY						
L0000165		0	0.60976E-02	252869.6	3811609.0	3.0	3.40	4.00	
3.16	YES	HRDOW							
L0000166		0	0.60976E-02	252875.8	3811603.1	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000167		0	0.60976E-02	252882.0	3811597.1	3.0	3.40	4.00	
3.16	YES	HRDOW							
L0000168		0	0.60976E-02	252888.3	3811591.2	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000169		0	0.60976E-02	252894.5	3811585.3	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000170		0	0.60976E-02	252900.7	3811579.3	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000171		0	0.60976E-02	252907.0	3811573.4	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000172		0	0.60976E-02	252913.8	3811568.3	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000173		0	0.60976E-02	252921.3	3811564.0	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000174		0	0.60976E-02	252928.7	3811559.7	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000175		0	0.60976E-02	252936.2	3811555.4	3.1	3.40	4.00	
3.16	YES	HRDOW							
L0000176		0	0.60976E-02	252943.6	3811551.2	3.1	3.40	4.00	

3.16	YES	HRDOW						
L0000177		0	0.60976E-02	252951.1	3811546.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000178		0	0.60976E-02	252958.5	3811542.6	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000179		0	0.60976E-02	252965.8	3811538.1	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000180		0	0.60976E-02	252971.8	3811531.9	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000181		0	0.60976E-02	252977.7	3811525.6	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000182		0	0.60976E-02	252983.6	3811519.4	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000183		0	0.60976E-02	252989.6	3811513.2	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000184		0	0.60976E-02	252993.3	3811515.0	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000185		0	0.60976E-02	252995.3	3811523.4	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000186		0	0.60976E-02	252997.3	3811531.8	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000187		0	0.60976E-02	252999.3	3811540.1	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000188		0	0.60976E-02	253001.3	3811548.5	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000189		0	0.60976E-02	253000.2	3811556.8	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000190		0	0.60976E-02	252997.9	3811565.1	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000191		0	0.60976E-02	252995.7	3811573.4	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000192		0	0.60976E-02	252993.4	3811581.7	3.6	3.40	4.00
3.16	YES	HRDOW						
L0000193		0	0.60976E-02	252989.3	3811588.9	3.6	3.40	4.00
3.16	YES	HRDOW						
L0000194		0	0.60976E-02	252983.1	3811594.9	3.6	3.40	4.00
3.16	YES	HRDOW						
L0000195		0	0.60976E-02	252976.9	3811600.9	3.6	3.40	4.00
3.16	YES	HRDOW						
L0000196		0	0.60976E-02	252970.8	3811606.9	3.7	3.40	4.00
3.16	YES	HRDOW						
L0000197		0	0.60976E-02	252964.6	3811612.9	3.8	3.40	4.00
3.16	YES	HRDOW						
L0000198		0	0.60976E-02	252958.4	3811618.9	3.8	3.40	4.00
3.16	YES	HRDOW						
L0000199		0	0.60976E-02	252952.3	3811624.9	3.8	3.40	4.00
3.16	YES	HRDOW						
L0000200		0	0.60976E-02	252946.1	3811630.8	3.8	3.40	4.00
3.16	YES	HRDOW						
L0000201		0	0.60976E-02	252939.9	3811636.8	3.9	3.40	4.00

3.16 YES HRDOW  
 L0000202 0 0.60976E-02 252933.8 3811642.8 4.0 3.40 4.00  
 3.16 YES HRDOW  
 L0000203 0 0.60976E-02 252927.6 3811648.8 4.0 3.40 4.00  
 3.16 YES HRDOW  
 L0000204 0 0.60976E-02 252921.4 3811654.8 4.0 3.40 4.00  
 3.16 YES HRDOW

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 3

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION	RATE		ELEV.	HEIGHT	SY
ID	SOURCE	PART.	(GRAMS/SEC)	X	Y	(METERS)	(METERS)
(METERS)	SCALAR	VARY		(METERS)	(METERS)	(METERS)	(METERS)
	CATS.	BY					
L0000205	0	0.60976E-02	252915.3	3811660.8	3.9	3.40	4.00
3.16 YES HRDOW							
L0000206	0	0.60976E-02	252909.1	3811666.8	3.9	3.40	4.00
3.16 YES HRDOW							
L0000207	0	0.60976E-02	252903.9	3811665.0	3.8	3.40	4.00
3.16 YES HRDOW							
L0000208	0	0.60976E-02	252899.3	3811657.7	3.5	3.40	4.00
3.16 YES HRDOW							
L0000209	0	0.60976E-02	252894.7	3811650.4	3.3	3.40	4.00
3.16 YES HRDOW							
L0000210	0	0.60976E-02	252890.2	3811643.1	3.2	3.40	4.00
3.16 YES HRDOW							
L0000211	0	0.60976E-02	252885.6	3811635.9	3.1	3.40	4.00
3.16 YES HRDOW							
L0000212	0	0.60976E-02	252881.0	3811628.6	3.1	3.40	4.00
3.16 YES HRDOW							
L0000213	0	0.60976E-02	252876.5	3811621.3	3.0	3.40	4.00
3.16 YES HRDOW							
L0000214	0	0.60976E-02	252881.1	3811615.1	3.0	3.40	4.00
3.16 YES HRDOW							
L0000215	0	0.60976E-02	252887.2	3811609.0	3.0	3.40	4.00
3.16 YES HRDOW							
L0000216	0	0.60976E-02	252893.3	3811603.0	3.0	3.40	4.00

3.16	YES	HRDOW						
L0000217		0	0.60976E-02	252899.4	3811597.0	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000218		0	0.60976E-02	252905.6	3811590.9	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000219		0	0.60976E-02	252911.7	3811584.9	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000220		0	0.60976E-02	252917.8	3811578.9	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000221		0	0.60976E-02	252924.7	3811573.8	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000222		0	0.60976E-02	252932.2	3811569.6	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000223		0	0.60976E-02	252939.7	3811565.4	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000224		0	0.60976E-02	252947.2	3811561.2	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000225		0	0.60976E-02	252954.7	3811557.0	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000226		0	0.60976E-02	252962.2	3811552.7	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000227		0	0.60976E-02	252969.2	3811547.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000228		0	0.60976E-02	252975.9	3811542.4	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000229		0	0.60976E-02	252982.5	3811537.0	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000230		0	0.60976E-02	252987.6	3811536.6	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000231		0	0.60976E-02	252990.2	3811544.8	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000232		0	0.60976E-02	252991.6	3811553.0	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000233		0	0.60976E-02	252989.2	3811561.3	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000234		0	0.60976E-02	252986.7	3811569.5	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000235		0	0.60976E-02	252984.3	3811577.8	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000236		0	0.60976E-02	252980.3	3811585.1	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000237		0	0.60976E-02	252974.2	3811591.2	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000238		0	0.60976E-02	252968.1	3811597.2	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000239		0	0.60976E-02	252962.0	3811603.3	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000240		0	0.60976E-02	252955.9	3811609.3	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000241		0	0.60976E-02	252949.8	3811615.4	3.5	3.40	4.00

3.16 YES HRDOW  
 L0000242 0 0.60976E-02 252943.7 3811621.4 3.5 3.40 4.00  
 3.16 YES HRDOW  
 L0000243 0 0.60976E-02 252937.6 3811627.5 3.5 3.40 4.00  
 3.16 YES HRDOW  
 L0000244 0 0.60976E-02 252931.4 3811633.5 3.6 3.40 4.00  
 3.16 YES HRDOW

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 4

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.	
SZ	SOURCE	EMISSION	RATE		X	Y	ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY						

L0000245	0	0.60976E-02	252925.3	3811639.6	3.7	3.40	4.00
3.16 YES HRDOW							
L0000246	0	0.60976E-02	252919.2	3811645.6	3.7	3.40	4.00
3.16 YES HRDOW							
L0000247	0	0.60976E-02	252913.1	3811651.7	3.7	3.40	4.00
3.16 YES HRDOW							
L0000248	0	0.60976E-02	252907.6	3811652.0	3.6	3.40	4.00
3.16 YES HRDOW							
L0000249	0	0.60976E-02	252903.0	3811644.8	3.4	3.40	4.00
3.16 YES HRDOW							
L0000250	0	0.60976E-02	252898.3	3811637.5	3.2	3.40	4.00
3.16 YES HRDOW							
L0000251	0	0.60976E-02	252893.7	3811630.3	3.1	3.40	4.00
3.16 YES HRDOW							
L0000252	0	0.60976E-02	252889.1	3811623.0	3.0	3.40	4.00
3.16 YES HRDOW							
L0000253	0	0.60976E-02	252894.1	3811616.9	3.0	3.40	4.00
3.16 YES HRDOW							
L0000254	0	0.60976E-02	252900.2	3811610.8	3.0	3.40	4.00
3.16 YES HRDOW							
L0000255	0	0.60976E-02	252906.3	3811604.8	3.1	3.40	4.00
3.16 YES HRDOW							
L0000256	0	0.60976E-02	252912.4	3811598.7	3.1	3.40	4.00

3.16	YES	HRDOW						
L0000257		0	0.60976E-02	252918.5	3811592.7	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000258		0	0.60976E-02	252924.8	3811586.8	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000259		0	0.60976E-02	252932.0	3811582.2	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000260		0	0.60976E-02	252939.2	3811577.5	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000261		0	0.60976E-02	252946.5	3811572.8	3.0	3.40	4.00
3.16	YES	HRDOW						
L0000262		0	0.60976E-02	252953.7	3811568.2	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000263		0	0.60976E-02	252960.9	3811563.5	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000264		0	0.60976E-02	252968.2	3811558.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000265		0	0.60976E-02	252975.4	3811554.2	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000266		0	0.60976E-02	252980.1	3811555.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000267		0	0.60976E-02	252980.3	3811564.1	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000268		0	0.60976E-02	252976.5	3811571.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000269		0	0.60976E-02	252972.2	3811579.2	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000270		0	0.60976E-02	252966.2	3811585.4	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000271		0	0.60976E-02	252960.2	3811591.5	3.1	3.40	4.00
3.16	YES	HRDOW						
L0000272		0	0.60976E-02	252954.3	3811597.7	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000273		0	0.60976E-02	252948.3	3811603.9	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000274		0	0.60976E-02	252942.3	3811610.1	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000275		0	0.60976E-02	252936.3	3811616.3	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000276		0	0.60976E-02	252930.4	3811622.5	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000277		0	0.60976E-02	252924.4	3811628.6	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000278		0	0.60976E-02	252918.4	3811634.8	3.5	3.40	4.00
3.16	YES	HRDOW						
L0000279		0	0.60976E-02	252912.6	3811638.0	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000280		0	0.60976E-02	252907.4	3811631.1	3.2	3.40	4.00
3.16	YES	HRDOW						
L0000281		0	0.60976E-02	252904.2	3811624.5	3.1	3.40	4.00

```

3.16    YES    HRDOW
L0000282    0    0.60976E-02    252910.6    3811618.8    3.1    3.40    4.00
3.16    YES    HRDOW
L0000283    0    0.60976E-02    252917.1    3811613.1    3.1    3.40    4.00
3.16    YES    HRDOW
L0000284    0    0.60976E-02    252923.5    3811607.4    3.1    3.40    4.00
3.16    YES    HRDOW

```

```

^ *** AERMOD - VERSION 22112 ***    *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***    11/14/23
*** AERMET - VERSION 16216 ***    ***
***    18:49:39

```

PAGE 5

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.	
SZ	SOURCE	EMISSION	RATE		X	Y	ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY						
L0000285		0	0.60976E-02	252930.0	3811601.7		3.1	3.40	4.00
3.16	YES	HRDOW							
L0000286		0	0.60976E-02	252936.4	3811596.1		3.0	3.40	4.00
3.16	YES	HRDOW							
L0000287		0	0.60976E-02	252942.9	3811590.4		3.0	3.40	4.00
3.16	YES	HRDOW							
L0000288		0	0.60976E-02	252949.3	3811584.7		3.0	3.40	4.00
3.16	YES	HRDOW							
L0000289		0	0.60976E-02	252955.8	3811579.0		3.0	3.40	4.00
3.16	YES	HRDOW							
L0000290		0	0.60976E-02	252962.2	3811573.3		3.1	3.40	4.00
3.16	YES	HRDOW							
L0000291		0	0.60976E-02	252968.7	3811567.6		3.1	3.40	4.00
3.16	YES	HRDOW							
L0000292		0	0.60976E-02	252957.0	3811522.3		3.3	3.40	4.00
3.16	YES	HRDOW							
L0000293		0	0.60976E-02	252950.8	3811516.3		3.3	3.40	4.00
3.16	YES	HRDOW							
L0000294		0	0.60976E-02	252944.7	3811510.3		3.3	3.40	4.00
3.16	YES	HRDOW							
L0000295		0	0.60976E-02	252938.5	3811504.3		3.3	3.40	4.00
3.16	YES	HRDOW							
L0000296		0	0.60976E-02	252936.6	3811498.1		3.4	3.40	4.00

3.16	YES	HRDOW						
L0000297		0	0.60976E-02	252942.3	3811491.8	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000298		0	0.60976E-02	252948.1	3811485.4	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000299		0	0.60976E-02	252953.9	3811479.0	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000300		0	0.60976E-02	252959.6	3811472.6	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000301		0	0.60976E-02	252965.4	3811466.3	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000302		0	0.60976E-02	252971.3	3811460.5	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000303		0	0.60976E-02	252979.4	3811463.6	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000304		0	0.60976E-02	252987.4	3811466.6	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000305		0	0.60976E-02	252994.5	3811470.2	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000306		0	0.60976E-02	252993.2	3811478.7	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000307		0	0.60976E-02	252991.9	3811487.2	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000308		0	0.60976E-02	252990.6	3811495.7	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000309		0	0.60976E-02	252984.4	3811501.4	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000310		0	0.60976E-02	252977.6	3811506.7	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000311		0	0.60976E-02	252970.8	3811512.0	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000312		0	0.60976E-02	252964.1	3811515.9	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000313		0	0.60976E-02	252957.8	3811510.1	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000314		0	0.60976E-02	252951.5	3811504.3	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000315		0	0.60976E-02	252950.6	3811498.2	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000316		0	0.60976E-02	252956.3	3811491.7	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000317		0	0.60976E-02	252961.9	3811485.3	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000318		0	0.60976E-02	252967.6	3811478.8	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000319		0	0.60976E-02	252973.3	3811472.4	3.3	3.40	4.00
3.16	YES	HRDOW						
L0000320		0	0.60976E-02	252980.7	3811474.6	3.4	3.40	4.00
3.16	YES	HRDOW						
L0000321		0	0.60976E-02	252984.3	3811480.8	3.4	3.40	4.00



```

3.16    YES    HRDOW
L0000322      0    0.60976E-02  252983.7  3811489.4      3.4      3.40      4.00
3.16    YES    HRDOW
L0000323      0    0.60976E-02  252978.5  3811495.4      3.4      3.40      4.00
3.16    YES    HRDOW
L0000324      0    0.60976E-02  252971.6  3811500.5      3.4      3.40      4.00
3.16    YES    HRDOW

```

```

^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apol1\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 6

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* VOLUME SOURCE DATA \*\*\*

INIT.	URBAN	NUMBER EMISSION RATE	BASE	RELEASE	INIT.
SOURCE	EMISSION RATE	(GRAMS/SEC)	ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR VARY	(METERS)	(METERS)	(METERS)
ID	CATS.	BY	(METERS)	(METERS)	(METERS)
(METERS)					

```

L0000325      0    0.60976E-02  252964.7  3811504.8      3.4      3.40      4.00
3.16    YES    HRDOW
L0000326      0    0.60976E-02  252961.8  3811499.1      3.4      3.40      4.00
3.16    YES    HRDOW
L0000327      0    0.60976E-02  252967.4  3811492.5      3.4      3.40      4.00
3.16    YES    HRDOW
L0000328      0    0.60976E-02  252973.0  3811486.0      3.4      3.40      4.00
3.16    YES    HRDOW

```

```

^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apol1\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 7

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS \*\*\*

SRCGROUP ID	SOURCE IDs
-----	-----

ALL L0000165 , L0000166 , L0000167 , L0000168 , L0000169 ,  
L0000170 , L0000171 , L0000172 , ,  
L0000178 L0000173 , L0000174 , L0000175 , L0000176 , L0000177 ,  
, L0000179 , L0000180 , ,  
L0000186 L0000181 , L0000182 , L0000183 , L0000184 , L0000185 ,  
, L0000187 , L0000188 , ,  
L0000194 L0000189 , L0000190 , L0000191 , L0000192 , L0000193 ,  
, L0000195 , L0000196 , ,  
L0000202 L0000197 , L0000198 , L0000199 , L0000200 , L0000201 ,  
, L0000203 , L0000204 , ,  
L0000210 L0000205 , L0000206 , L0000207 , L0000208 , L0000209 ,  
, L0000211 , L0000212 , ,  
L0000218 L0000213 , L0000214 , L0000215 , L0000216 , L0000217 ,  
, L0000219 , L0000220 , ,  
L0000226 L0000221 , L0000222 , L0000223 , L0000224 , L0000225 ,  
, L0000227 , L0000228 , ,  
L0000234 L0000229 , L0000230 , L0000231 , L0000232 , L0000233 ,  
, L0000235 , L0000236 , ,  
L0000242 L0000237 , L0000238 , L0000239 , L0000240 , L0000241 ,  
, L0000243 , L0000244 , ,  
L0000250 L0000245 , L0000246 , L0000247 , L0000248 , L0000249 ,  
, L0000251 , L0000252 , ,  
L0000258 L0000253 , L0000254 , L0000255 , L0000256 , L0000257 ,  
, L0000259 , L0000260 , ,  
L0000266 L0000261 , L0000262 , L0000263 , L0000264 , L0000265 ,  
, L0000267 , L0000268 , ,  
L0000274 L0000269 , L0000270 , L0000271 , L0000272 , L0000273 ,  
, L0000275 , L0000276 , ,  
L0000282 L0000277 , L0000278 , L0000279 , L0000280 , L0000281 ,  
, L0000283 , L0000284 , ,  
L0000290 L0000285 , L0000286 , L0000287 , L0000288 , L0000289 ,  
, L0000291 , L0000292 , ,  
L0000298 L0000293 , L0000294 , L0000295 , L0000296 , L0000297 ,  
, L0000299 , L0000300 , ,

L0000306      L0000301      , L0000302      , L0000303      , L0000304      , L0000305      ,  
                 , L0000307      , L0000308      ,

L0000314      L0000309      , L0000310      , L0000311      , L0000312      , L0000313      ,  
                 , L0000315      , L0000316      ,

L0000322      L0000317      , L0000318      , L0000319      , L0000320      , L0000321      ,  
                 , L0000323      , L0000324      ,

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*

\*\*\*      18:49:39

PAGE 8

\*\*\* MODELOPTs:      RegDEFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* SOURCE IDs DEFINING SOURCE GROUPS \*\*\*

SRCGROUP ID

SOURCE IDs

-----

-----

L0000325      , L0000326      , L0000327      , L0000328      ,  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*

\*\*\*      18:49:39

PAGE 9

\*\*\* MODELOPTs:      RegDEFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID      URBAN POP

SOURCE IDs

-----

-----

L0000169      88410.      L0000165      , L0000166      , L0000167      , L0000168      ,  
                 , L0000170      , L0000171      ,  
                 L0000172      ,

L0000178      L0000173      , L0000174      , L0000175      , L0000176      , L0000177      ,  
                 , L0000179      , L0000180      ,

L0000186      L0000181      , L0000182      , L0000183      , L0000184      , L0000185      ,  
                 , L0000187      , L0000188      ,

L0000194	L0000189 , L0000195	, L0000190 , L0000196	, L0000191 ,	, L0000192	, L0000193	,
L0000202	L0000197 , L0000203	, L0000198 , L0000204	, L0000199 ,	, L0000200	, L0000201	,
L0000210	L0000205 , L0000211	, L0000206 , L0000212	, L0000207 ,	, L0000208	, L0000209	,
L0000218	L0000213 , L0000219	, L0000214 , L0000220	, L0000215 ,	, L0000216	, L0000217	,
L0000226	L0000221 , L0000227	, L0000222 , L0000228	, L0000223 ,	, L0000224	, L0000225	,
L0000234	L0000229 , L0000235	, L0000230 , L0000236	, L0000231 ,	, L0000232	, L0000233	,
L0000242	L0000237 , L0000243	, L0000238 , L0000244	, L0000239 ,	, L0000240	, L0000241	,
L0000250	L0000245 , L0000251	, L0000246 , L0000252	, L0000247 ,	, L0000248	, L0000249	,
L0000258	L0000253 , L0000259	, L0000254 , L0000260	, L0000255 ,	, L0000256	, L0000257	,
L0000266	L0000261 , L0000267	, L0000262 , L0000268	, L0000263 ,	, L0000264	, L0000265	,
L0000274	L0000269 , L0000275	, L0000270 , L0000276	, L0000271 ,	, L0000272	, L0000273	,
L0000282	L0000277 , L0000283	, L0000278 , L0000284	, L0000279 ,	, L0000280	, L0000281	,
L0000290	L0000285 , L0000291	, L0000286 , L0000292	, L0000287 ,	, L0000288	, L0000289	,
L0000298	L0000293 , L0000299	, L0000294 , L0000300	, L0000295 ,	, L0000296	, L0000297	,
L0000306	L0000301 , L0000307	, L0000302 , L0000308	, L0000303 ,	, L0000304	, L0000305	,
L0000314	L0000309 , L0000315	, L0000310 , L0000316	, L0000311 ,	, L0000312	, L0000313	,
	L0000317	, L0000318	, L0000319	, L0000320	, L0000321	,

L0000322 , L0000323 , L0000324 ,  
 ^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 10

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* SOURCE IDs DEFINED AS URBAN SOURCES

\*\*\*

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----

L0000325 , L0000326 , L0000327 , L0000328 ,  
 ^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 11

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000165 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 12

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000166 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 -----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 13

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000167 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 14

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000168 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01

17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 15

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000169 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00



14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 16

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000170 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 17

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000171 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 18

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000172 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*

\*\*\*      18:49:39

PAGE 19

\*\*\* MODELOPTs:      RegDEFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000173      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 20

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000174 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 21

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000175 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 22

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000176 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 23

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000177 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden

Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 24

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000178 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 25

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000179 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 26

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000180 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00



14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 27

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000181 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 28

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000182 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 29

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000183 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 30

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000184      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 31

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID= L0000185 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000186 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000187 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 34

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000188 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 35

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000189 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 36

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000190 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 37

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000191 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01



14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

18:49:39

PAGE 38

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000192 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000193 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR  
-----

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 40

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) \*

SOURCE ID = L0000194 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*
\*\*\* 18:49:39

PAGE 41

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) \*

SOURCE ID = L0000195 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 42

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000196 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 43

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000197 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 44

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000198 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000199 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 46

\*\*\* MODELOPTs:      RegDFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000200      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 47

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000201            ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	9 .7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	17 .7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 48

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000202            ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR



HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 49

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000203 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 50

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000204 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 51

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000205 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 52

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000206 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 53

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000207      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 54

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000208 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000209 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000210 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***                                     ***
                                     18:49:39

```

PAGE 57

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = L000211 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 58

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000212 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 59



\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000213 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 60

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000214 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01

9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 61

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000215 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

```

6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 22112 *** *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 *** ***
*** 18:49:39

```

PAGE 62

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = L000216 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 22112 *** *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 *** ***
*** 18:49:39

```

PAGE 63

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000217 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 64

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000218 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01

17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 65

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000219 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 66

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000220 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR  
-----

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 67

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000221 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 68

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000222 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*

\*\*\*      18:49:39

PAGE 69

\*\*\* MODELOPTs:      RegDFault      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000223      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00



22 .0000E+00 23 .0000E+00 24 .0000E+00  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 70

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000224 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 71

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000225 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 72

\*\*\* MODELOPTs:    RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000226    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 73

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000227 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden

Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 74

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000228 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 75

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000229 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .7200E+01
  9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 22112 *** *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 *** ***
*** 18:49:39

```

PAGE 76

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = L0000230 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

-----
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .7200E+01
  9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 77

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000231 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 78

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000232 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*

\*\*\* 18:49:39

PAGE 79

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000233 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 80

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000234      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR		
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00		
6	.0000E+00	7	.0000E+00	8	.7200E+01						
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01		
14	.7200E+01	15	.7200E+01	16	.7200E+01						
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00		
22	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00



22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 81

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID= L0000235 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 -----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000236 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000237 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 84

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000238 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 85

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000239 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 86

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000240 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 87

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000241 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01

14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

18:49:39

PAGE 88

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000242 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 89

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L000243 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 -----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 90

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) \*

SOURCE ID = L0000244 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*

\*\*\* 18:49:39

PAGE 91

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000245 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00



22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 92

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000246 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 93

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000247 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
-----									
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 94

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000248 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 95

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000249 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 96

\*\*\* MODELOPTs:      RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000250      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	9 .7200E+01		10 .7200E+01		11 .7200E+01		12 .7200E+01		13 .7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	17 .7200E+01		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 97

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000251            ; SOURCE TYPE = VOLUME        :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 98

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000252            ; SOURCE TYPE = VOLUME        :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 99

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000253 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 100

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000254 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 101

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000255 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 102

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000256 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----



DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 103

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000257      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 104

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000258 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000259 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000260 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 107

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000261      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 108

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000262            ; SOURCE TYPE = VOLUME            :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 109

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000263 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 110

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000264 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01

9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 111

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L000265 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

```

6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 22112 *** *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 *** ***
*** 18:49:39

```

PAGE 112

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = L0000266 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

^ *** AERMOD - VERSION 22112 *** *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 *** ***
*** 18:49:39

```

PAGE 113

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*



\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000267 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 114

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000268 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01

17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 115

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000269 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 ^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 116

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L000270 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
-----									
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 117

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000271 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 118

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000272 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 119

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000273 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 120

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000274 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 121

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000275 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 122

\*\*\* MODELOPTs:    RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000276    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 123

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000277 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden



Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 124

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000278 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 125

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000279 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 126

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000280      ; SOURCE TYPE = VOLUME      ;  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 127

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000281 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 128

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000282 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*

\*\*\* 18:49:39

PAGE 129

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000283 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 130

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000284      ; SOURCE TYPE = VOLUME      :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*  
 \*\*\* 18:49:39

PAGE 131

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID= L0000285 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*  
 \*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000286 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000287 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 134

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000288 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY



```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 135

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

```

SOURCE ID = L0000289 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----
-----

```

```

DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 136

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000290 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 137

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000291 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01

14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

18:49:39

PAGE 138

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000292 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 139

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L000293 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 -----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 140

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) \*

SOURCE ID = L0000294 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01	9	.7200E+01	10	.7200E+01
11	.7200E+01	12	.7200E+01	13	.7200E+01	14	.7200E+01	15	.7200E+01
16	.7200E+01	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01	9	.7200E+01	10	.7200E+01
11	.7200E+01	12	.7200E+01	13	.7200E+01	14	.7200E+01	15	.7200E+01
16	.7200E+01	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*

\*\*\* 18:49:39

PAGE 141

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000295 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01	9	.7200E+01	10	.7200E+01
11	.7200E+01	12	.7200E+01	13	.7200E+01	14	.7200E+01	15	.7200E+01
16	.7200E+01	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01	9	.7200E+01	10	.7200E+01
11	.7200E+01	12	.7200E+01	13	.7200E+01	14	.7200E+01	15	.7200E+01
16	.7200E+01	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

22 .0000E+00 23 .0000E+00 24 .0000E+00  
 DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 142

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000296 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 143

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000297 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
-----									
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 144

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000298 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 145

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000299 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY



1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 146

\*\*\* MODELOPTs:      RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000300      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 147

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000301 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 148

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000302 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 149

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000303 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 150

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000304 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 151

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000305 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 152

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000306 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
 \*\*\*      18:49:39

PAGE 153

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000307      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 154

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000308 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000309 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .7200E+01
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01
14 .7200E+01 15 .7200E+01 16 .7200E+01
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000310 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY



1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

\*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 157

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000311      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*     \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*     11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*     \*\*\*  
    \*\*\*     18:49:39

PAGE 158

\*\*\* MODELOPTs:     RegDFault   CONC   ELEV   FLGPOL   URBAN   ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000312     ; SOURCE TYPE = VOLUME     :  
 HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR  
 HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.7200E+01					
	9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01					
	17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*     \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*     11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*     \*\*\*  
    \*\*\*     18:49:39

PAGE 159

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000313 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 160

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000314 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01

9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 161

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L000315 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00

6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 162

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000316 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 -----  
 -----

DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 163

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000317 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 164

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000318 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01

17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 165

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L000319 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
-----

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00  
 ^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 166

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L000320 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
-----									
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 167

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*



SOURCE ID = L0000321 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .0000E+00  
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
 14 .0000E+00 15 .0000E+00 16 .0000E+00  
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 168

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
 WEEK (HRDOW) \*

SOURCE ID = L0000322 ; SOURCE TYPE = VOLUME :  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
 -----  
 DAY OF WEEK = WEEKDAY  
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
 6 .0000E+00 7 .0000E+00 8 .7200E+01  
 9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
 14 .7200E+01 15 .7200E+01 16 .7200E+01  
 17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 169

\*\*\* MODELOPTs:      RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000323      ; SOURCE TYPE = VOLUME      :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

-----  
 -----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	9 .7200E+01		10 .7200E+01		11 .7200E+01		12 .7200E+01		13 .7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	17 .7200E+01		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	9 .0000E+00		10 .0000E+00		11 .0000E+00		12 .0000E+00		13 .0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	17 .0000E+00		18 .0000E+00		19 .0000E+00		20 .0000E+00		21 .0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00  
▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 170

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000324 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 171

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000325 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 172

\*\*\* MODELOPTs:    RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000326    ; SOURCE TYPE = VOLUME    :  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR  
 HOUR    SCALAR    HOUR    SCALAR    HOUR    SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
9	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
17	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
---	-----------	---	-----------	---	-----------	---	-----------	---	-----------

6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 173

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF  
WEEK (HRDOW) \*

SOURCE ID = L0000327 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
------	--------	------	--------	------	--------	------	--------	------	--------

-----  
-----

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.7200E+01				
	.7200E+01	10	.7200E+01	11	.7200E+01	12	.7200E+01	13	.7200E+01
14	.7200E+01	15	.7200E+01	16	.7200E+01				
	.7200E+01	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden

Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 174

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) \*

SOURCE ID = L0000328 ; SOURCE TYPE = VOLUME :  
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR  
HOUR SCALAR HOUR SCALAR HOUR SCALAR

-----  
DAY OF WEEK = WEEKDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .7200E+01  
9 .7200E+01 10 .7200E+01 11 .7200E+01 12 .7200E+01 13 .7200E+01  
14 .7200E+01 15 .7200E+01 16 .7200E+01  
17 .7200E+01 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY  
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00  
6 .0000E+00 7 .0000E+00 8 .0000E+00  
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00  
14 .0000E+00 15 .0000E+00 16 .0000E+00  
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00  
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 175

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 252036.6, 3810512.8, 31.3, 1212.6, 1.5); ( 252136.6,  
3810512.8, 27.6, 1212.6, 1.5);

( 252236.6, 3810512.8, 22.4, 1212.6, 1.5); ( 252336.6,  
 3810512.8, 4.9, 1212.6, 1.5);  
 ( 252436.6, 3810512.8, 2.0, 1212.6, 1.5); ( 252536.6,  
 3810512.8, 0.1, 1212.6, 1.5);  
 ( 252636.6, 3810512.8, 0.1, 1212.6, 1.5); ( 252736.6,  
 3810512.8, 0.1, 1212.6, 1.5);  
 ( 252836.6, 3810512.8, 0.1, 1212.6, 1.5); ( 252936.6,  
 3810512.8, 1.9, 1212.6, 1.5);  
 ( 253036.6, 3810512.8, 0.1, 1212.6, 1.5); ( 253136.6,  
 3810512.8, 0.1, 1212.6, 1.5);  
 ( 253236.6, 3810512.8, 0.1, 1212.6, 1.5); ( 253336.6,  
 3810512.8, 0.1, 1212.6, 1.5);  
 ( 253436.6, 3810512.8, 0.0, 1212.6, 1.5); ( 253536.6,  
 3810512.8, 0.0, 1212.6, 1.5);  
 ( 253636.6, 3810512.8, 0.0, 1212.6, 1.5); ( 253736.6,  
 3810512.8, 0.0, 1212.6, 1.5);  
 ( 253836.6, 3810512.8, 0.0, 1212.6, 1.5); ( 253936.6,  
 3810512.8, 0.0, 1212.6, 1.5);  
 ( 254036.6, 3810512.8, 0.0, 1212.6, 1.5); ( 252036.6,  
 3810612.8, 30.9, 1212.6, 1.5);  
 ( 252136.6, 3810612.8, 13.8, 1212.6, 1.5); ( 252236.6,  
 3810612.8, 8.2, 1212.6, 1.5);  
 ( 252336.6, 3810612.8, 4.7, 1212.6, 1.5); ( 252436.6,  
 3810612.8, 3.2, 1212.6, 1.5);  
 ( 252536.6, 3810612.8, 0.2, 1212.6, 1.5); ( 252636.6,  
 3810612.8, 0.5, 1212.6, 1.5);  
 ( 252736.6, 3810612.8, 0.2, 1212.6, 1.5); ( 252836.6,  
 3810612.8, 0.2, 1212.6, 1.5);  
 ( 252936.6, 3810612.8, 1.4, 1212.6, 1.5); ( 253036.6,  
 3810612.8, 0.1, 1212.6, 1.5);  
 ( 253136.6, 3810612.8, 0.1, 1212.6, 1.5); ( 253236.6,  
 3810612.8, 0.1, 1212.6, 1.5);  
 ( 253336.6, 3810612.8, 0.1, 1212.6, 1.5); ( 253436.6,  
 3810612.8, 0.1, 1212.6, 1.5);  
 ( 253536.6, 3810612.8, 0.1, 1212.6, 1.5); ( 253636.6,  
 3810612.8, 0.1, 1212.6, 1.5);  
 ( 253736.6, 3810612.8, 0.1, 1212.6, 1.5); ( 253836.6,  
 3810612.8, 0.1, 1212.6, 1.5);  
 ( 253936.6, 3810612.8, 0.0, 1212.6, 1.5); ( 254036.6,  
 3810612.8, 0.0, 1212.6, 1.5);  
 ( 252036.6, 3810712.8, 7.6, 1212.6, 1.5); ( 252136.6,  
 3810712.8, 4.0, 1212.6, 1.5);  
 ( 252236.6, 3810712.8, 3.5, 1212.6, 1.5); ( 252336.6,  
 3810712.8, 3.5, 1212.6, 1.5);  
 ( 252436.6, 3810712.8, 3.2, 1212.6, 1.5); ( 252536.6,  
 3810712.8, 2.1, 1212.6, 1.5);  
 ( 252636.6, 3810712.8, 2.4, 1212.6, 1.5); ( 252736.6,  
 3810712.8, 0.2, 1212.6, 1.5);  
 ( 252836.6, 3810712.8, 0.2, 1212.6, 1.5); ( 252936.6,  
 3810712.8, 0.2, 1212.6, 1.5);

( 253036.6, 3810712.8, 0.2, 1212.6, 1.5); ( 253136.6,  
3810712.8, 0.2, 1212.6, 1.5);  
( 253236.6, 3810712.8, 0.2, 1212.6, 1.5); ( 253336.6,  
3810712.8, 0.1, 1212.6, 1.5);  
( 253436.6, 3810712.8, 0.1, 1212.6, 1.5); ( 253536.6,  
3810712.8, 0.1, 1212.6, 1.5);  
( 253636.6, 3810712.8, 0.1, 1212.6, 1.5); ( 253736.6,  
3810712.8, 0.1, 1212.6, 1.5);  
( 253836.6, 3810712.8, 0.1, 1212.6, 1.5); ( 253936.6,  
3810712.8, 0.1, 1212.6, 1.5);  
( 254036.6, 3810712.8, 0.1, 1212.6, 1.5); ( 252036.6,  
3810812.8, 4.5, 1212.6, 1.5);  
( 252136.6, 3810812.8, 4.6, 1212.6, 1.5); ( 252236.6,  
3810812.8, 4.3, 1212.6, 1.5);  
( 252336.6, 3810812.8, 3.9, 1212.6, 1.5); ( 252436.6,  
3810812.8, 3.5, 1212.6, 1.5);  
( 252536.6, 3810812.8, 3.2, 1212.6, 1.5); ( 252636.6,  
3810812.8, 2.6, 1212.6, 1.5);  
( 252736.6, 3810812.8, 1.3, 1212.6, 1.5); ( 252836.6,  
3810812.8, 0.2, 1212.6, 1.5);  
( 252936.6, 3810812.8, 0.2, 1212.6, 1.5); ( 253036.6,  
3810812.8, 0.2, 1212.6, 1.5);  
( 253136.6, 3810812.8, 0.2, 1212.6, 1.5); ( 253236.6,  
3810812.8, 0.2, 1212.6, 1.5);  
( 253336.6, 3810812.8, 0.2, 1212.6, 1.5); ( 253436.6,  
3810812.8, 0.2, 1212.6, 1.5);  
( 253536.6, 3810812.8, 0.2, 1212.6, 1.5); ( 253636.6,  
3810812.8, 0.2, 1212.6, 1.5);  
( 253736.6, 3810812.8, 0.2, 1212.6, 1.5); ( 253836.6,  
3810812.8, 0.1, 1212.6, 1.5);  
( 253936.6, 3810812.8, 0.1, 1212.6, 1.5); ( 254036.6,  
3810812.8, 0.1, 1212.6, 1.5);  
( 252036.6, 3810912.8, 7.0, 1212.6, 1.5); ( 252136.6,  
3810912.8, 5.9, 1212.6, 1.5);  
( 252236.6, 3810912.8, 5.2, 1212.6, 1.5); ( 252336.6,  
3810912.8, 4.7, 1212.6, 1.5);  
( 252436.6, 3810912.8, 4.1, 1212.6, 1.5); ( 252536.6,  
3810912.8, 3.6, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 176

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)



( 252636.6, 3810912.8, 3.1, 1212.6, 1.5); ( 252736.6,  
3810912.8, 2.4, 1212.6, 1.5);  
( 252836.6, 3810912.8, 0.2, 1212.6, 1.5); ( 252936.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 253036.6, 3810912.8, 0.2, 1212.6, 1.5); ( 253136.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 253236.6, 3810912.8, 0.2, 1212.6, 1.5); ( 253336.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 253436.6, 3810912.8, 0.2, 1212.6, 1.5); ( 253536.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 253636.6, 3810912.8, 0.2, 1212.6, 1.5); ( 253736.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 253836.6, 3810912.8, 0.2, 1212.6, 1.5); ( 253936.6,  
3810912.8, 0.2, 1212.6, 1.5);  
( 254036.6, 3810912.8, 0.2, 1212.6, 1.5); ( 252036.6,  
3811012.8, 7.0, 1212.6, 1.5);  
( 252136.6, 3811012.8, 6.4, 1212.6, 1.5); ( 252236.6,  
3811012.8, 5.7, 1212.6, 1.5);  
( 252336.6, 3811012.8, 5.2, 1212.6, 1.5); ( 252436.6,  
3811012.8, 5.3, 1212.6, 1.5);  
( 252536.6, 3811012.8, 4.8, 1212.6, 1.5); ( 252636.6,  
3811012.8, 3.5, 1212.6, 1.5);  
( 252736.6, 3811012.8, 3.1, 1212.6, 1.5); ( 252836.6,  
3811012.8, 2.7, 1212.6, 1.5);  
( 252936.6, 3811012.8, 0.2, 1212.6, 1.5); ( 253036.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 253136.6, 3811012.8, 0.2, 1212.6, 1.5); ( 253236.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 253336.6, 3811012.8, 0.2, 1212.6, 1.5); ( 253436.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 253536.6, 3811012.8, 0.2, 1212.6, 1.5); ( 253636.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 253736.6, 3811012.8, 0.2, 1212.6, 1.5); ( 253836.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 253936.6, 3811012.8, 0.2, 1212.6, 1.5); ( 254036.6,  
3811012.8, 0.2, 1212.6, 1.5);  
( 252036.6, 3811112.8, 7.8, 1212.6, 1.5); ( 252136.6,  
3811112.8, 6.7, 1212.6, 1.5);  
( 252236.6, 3811112.8, 6.2, 1212.6, 1.5); ( 252336.6,  
3811112.8, 5.9, 1212.6, 1.5);  
( 252436.6, 3811112.8, 5.5, 1212.6, 1.5); ( 252536.6,  
3811112.8, 5.2, 1212.6, 1.5);  
( 252636.6, 3811112.8, 3.6, 1212.6, 1.5); ( 252736.6,  
3811112.8, 3.2, 1212.6, 1.5);  
( 252836.6, 3811112.8, 3.6, 1212.6, 1.5); ( 252936.6,  
3811112.8, 3.0, 1212.6, 1.5);  
( 253036.6, 3811112.8, 0.3, 1212.6, 1.5); ( 253136.6,  
3811112.8, 0.2, 1212.6, 1.5);  
( 253236.6, 3811112.8, 0.2, 1212.6, 1.5); ( 253336.6,  
3811112.8, 0.2, 1212.6, 1.5);

( 253436.6, 3811112.8, 0.2, 1212.6, 1.5); ( 253536.6,  
3811112.8, 0.2, 1212.6, 1.5);  
( 253636.6, 3811112.8, 0.2, 1212.6, 1.5); ( 253736.6,  
3811112.8, 0.2, 1212.6, 1.5);  
( 253836.6, 3811112.8, 0.2, 1212.6, 1.5); ( 253936.6,  
3811112.8, 0.2, 1212.6, 1.5);  
( 254036.6, 3811112.8, 0.2, 1212.6, 1.5); ( 252036.6,  
3811212.8, 8.6, 1212.6, 1.5);  
( 252136.6, 3811212.8, 8.5, 1212.6, 1.5); ( 252236.6,  
3811212.8, 7.6, 1212.6, 1.5);  
( 252336.6, 3811212.8, 5.6, 1212.6, 1.5); ( 252436.6,  
3811212.8, 5.2, 1212.6, 1.5);  
( 252536.6, 3811212.8, 4.0, 1212.6, 1.5); ( 252636.6,  
3811212.8, 3.8, 1212.6, 1.5);  
( 252736.6, 3811212.8, 3.4, 1212.6, 1.5); ( 252836.6,  
3811212.8, 3.3, 1212.6, 1.5);  
( 252936.6, 3811212.8, 3.4, 1212.6, 1.5); ( 253036.6,  
3811212.8, 2.5, 1212.6, 1.5);  
( 253136.6, 3811212.8, 2.3, 1212.6, 1.5); ( 253236.6,  
3811212.8, 0.3, 1212.6, 1.5);  
( 253336.6, 3811212.8, 0.2, 1212.6, 1.5); ( 253436.6,  
3811212.8, 0.2, 1212.6, 1.5);  
( 253536.6, 3811212.8, 0.2, 1212.6, 1.5); ( 253636.6,  
3811212.8, 0.2, 1212.6, 1.5);  
( 253736.6, 3811212.8, 0.2, 1212.6, 1.5); ( 253836.6,  
3811212.8, 0.2, 1212.6, 1.5);  
( 253936.6, 3811212.8, 0.2, 1212.6, 1.5); ( 254036.6,  
3811212.8, 0.2, 1212.6, 1.5);  
( 252036.6, 3811312.8, 9.5, 1212.6, 1.5); ( 252136.6,  
3811312.8, 8.3, 1212.6, 1.5);  
( 252236.6, 3811312.8, 6.9, 1212.6, 1.5); ( 252336.6,  
3811312.8, 7.5, 1212.6, 1.5);  
( 252436.6, 3811312.8, 5.5, 1212.6, 1.5); ( 252536.6,  
3811312.8, 4.9, 1212.6, 1.5);  
( 252636.6, 3811312.8, 4.3, 1212.6, 1.5); ( 252736.6,  
3811312.8, 3.9, 1212.6, 1.5);  
( 252836.6, 3811312.8, 3.1, 1212.6, 1.5); ( 252936.6,  
3811312.8, 3.4, 1212.6, 1.5);  
( 253036.6, 3811312.8, 3.2, 1212.6, 1.5); ( 253136.6,  
3811312.8, 3.4, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\*

18:49:39

PAGE 177

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)

(METERS)

( 253236.6, 3811312.8, 3.7, 1212.6, 1.5); ( 253336.6,  
3811312.8, 3.0, 1212.6, 1.5);  
( 253436.6, 3811312.8, 0.8, 1212.6, 1.5); ( 253536.6,  
3811312.8, 0.2, 1212.6, 1.5);  
( 253636.6, 3811312.8, 0.2, 1212.6, 1.5); ( 253736.6,  
3811312.8, 0.2, 1212.6, 1.5);  
( 253836.6, 3811312.8, 0.2, 1212.6, 1.5); ( 253936.6,  
3811312.8, 0.2, 1212.6, 1.5);  
( 254036.6, 3811312.8, 0.2, 1212.6, 1.5); ( 252036.6,  
3811412.8, 8.6, 1212.6, 1.5);  
( 252136.6, 3811412.8, 7.5, 1212.6, 1.5); ( 252236.6,  
3811412.8, 8.4, 1212.6, 1.5);  
( 252336.6, 3811412.8, 7.2, 1212.6, 1.5); ( 252436.6,  
3811412.8, 6.9, 1212.6, 1.5);  
( 252536.6, 3811412.8, 3.5, 1212.6, 1.5); ( 252636.6,  
3811412.8, 4.4, 1212.6, 1.5);  
( 252736.6, 3811412.8, 3.8, 1212.6, 1.5); ( 252836.6,  
3811412.8, 3.7, 1212.6, 1.5);  
( 252936.6, 3811412.8, 3.3, 1212.6, 1.5); ( 253036.6,  
3811412.8, 3.2, 1212.6, 1.5);  
( 253136.6, 3811412.8, 3.0, 1212.6, 1.5); ( 253236.6,  
3811412.8, 3.0, 1212.6, 1.5);  
( 253336.6, 3811412.8, 3.3, 1212.6, 1.5); ( 253436.6,  
3811412.8, 3.7, 1212.6, 1.5);  
( 253536.6, 3811412.8, 3.8, 1212.6, 1.5); ( 253636.6,  
3811412.8, 3.5, 1212.6, 1.5);  
( 253736.6, 3811412.8, 2.9, 1212.6, 1.5); ( 253836.6,  
3811412.8, 1.3, 1212.6, 1.5);  
( 253936.6, 3811412.8, 0.6, 1212.6, 1.5); ( 254036.6,  
3811412.8, 0.3, 1212.6, 1.5);  
( 252036.6, 3811512.8, 9.7, 1212.6, 1.5); ( 252136.6,  
3811512.8, 9.4, 1212.6, 1.5);  
( 252236.6, 3811512.8, 8.9, 1212.6, 1.5); ( 252336.6,  
3811512.8, 7.4, 1212.6, 1.5);  
( 252436.6, 3811512.8, 5.2, 1212.6, 1.5); ( 252536.6,  
3811512.8, 6.3, 1212.6, 1.5);  
( 252636.6, 3811512.8, 4.8, 1212.6, 1.5); ( 252736.6,  
3811512.8, 4.1, 1212.6, 1.5);  
( 252836.6, 3811512.8, 3.6, 1212.6, 1.5); ( 253036.6,  
3811512.8, 3.5, 1212.6, 1.5);  
( 253136.6, 3811512.8, 2.6, 1212.6, 1.5); ( 253236.6,  
3811512.8, 2.8, 1212.6, 1.5);  
( 253336.6, 3811512.8, 3.1, 1212.6, 1.5); ( 253436.6,  
3811512.8, 3.5, 1212.6, 1.5);  
( 253536.6, 3811512.8, 4.7, 1212.6, 1.5); ( 253636.6,  
3811512.8, 4.0, 1212.6, 1.5);  
( 253736.6, 3811512.8, 4.3, 1212.6, 1.5); ( 253836.6,  
3811512.8, 4.4, 1212.6, 1.5);

( 253936.6, 3811512.8, 4.2, 1212.6, 1.5); ( 254036.6,  
 3811512.8, 3.9, 1212.6, 1.5);  
 ( 252036.6, 3811612.8, 9.6, 1212.6, 1.5); ( 252136.6,  
 3811612.8, 9.0, 1212.6, 1.5);  
 ( 252236.6, 3811612.8, 8.3, 1212.6, 1.5); ( 252336.6,  
 3811612.8, 7.4, 1212.6, 1.5);  
 ( 252436.6, 3811612.8, 6.8, 1212.6, 1.5); ( 252536.6,  
 3811612.8, 5.9, 1212.6, 1.5);  
 ( 252636.6, 3811612.8, 5.8, 1212.6, 1.5); ( 252736.6,  
 3811612.8, 4.2, 1212.6, 1.5);  
 ( 252836.6, 3811612.8, 3.7, 1212.6, 1.5); ( 253036.6,  
 3811612.8, 3.9, 1212.6, 1.5);  
 ( 253136.6, 3811612.8, 3.0, 1212.6, 1.5); ( 253236.6,  
 3811612.8, 4.2, 1212.6, 1.5);  
 ( 253336.6, 3811612.8, 3.6, 1212.6, 1.5); ( 253436.6,  
 3811612.8, 3.9, 1212.6, 1.5);  
 ( 253536.6, 3811612.8, 2.9, 1212.6, 1.5); ( 253636.6,  
 3811612.8, 3.6, 1212.6, 1.5);  
 ( 253736.6, 3811612.8, 4.0, 1212.6, 1.5); ( 253836.6,  
 3811612.8, 4.6, 1212.6, 1.5);  
 ( 253936.6, 3811612.8, 4.9, 1212.6, 1.5); ( 254036.6,  
 3811612.8, 5.5, 1212.6, 1.5);  
 ( 252036.6, 3811712.8, 9.6, 1212.6, 1.5); ( 252136.6,  
 3811712.8, 9.0, 1212.6, 1.5);  
 ( 252236.6, 3811712.8, 8.1, 1212.6, 1.5); ( 252336.6,  
 3811712.8, 7.5, 1212.6, 1.5);  
 ( 252436.6, 3811712.8, 7.0, 1212.6, 1.5); ( 252536.6,  
 3811712.8, 5.9, 1212.6, 1.5);  
 ( 252636.6, 3811712.8, 4.7, 1212.6, 1.5); ( 252736.6,  
 3811712.8, 4.5, 1212.6, 1.5);  
 ( 252836.6, 3811712.8, 3.7, 1212.6, 1.5); ( 252936.6,  
 3811712.8, 4.5, 1212.6, 1.5);  
 ( 253036.6, 3811712.8, 4.2, 1212.6, 1.5); ( 253136.6,  
 3811712.8, 3.5, 1212.6, 1.5);  
 ( 253236.6, 3811712.8, 3.2, 1212.6, 1.5); ( 253336.6,  
 3811712.8, 2.7, 1212.6, 1.5);  
 ( 253436.6, 3811712.8, 3.6, 1212.6, 1.5); ( 253536.6,  
 3811712.8, 3.3, 1212.6, 1.5);  
 ( 253636.6, 3811712.8, 3.8, 1212.6, 1.5); ( 253736.6,  
 3811712.8, 4.1, 1212.6, 1.5);  
 ( 253836.6, 3811712.8, 3.7, 1212.6, 1.5); ( 253936.6,  
 3811712.8, 3.9, 1212.6, 1.5);

\*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 254036.6, 3811712.8,	4.4,	1212.6,	1.5);	( 252036.6,
3811812.8,	9.5,	1212.6,	1.5);	
( 252136.6, 3811812.8,	8.9,	1212.6,	1.5);	( 252236.6,
3811812.8,	8.0,	1212.6,	1.5);	
( 252336.6, 3811812.8,	7.0,	1212.6,	1.5);	( 252436.6,
3811812.8,	6.3,	1212.6,	1.5);	
( 252536.6, 3811812.8,	5.1,	1212.6,	1.5);	( 252636.6,
3811812.8,	4.1,	1212.6,	1.5);	
( 252736.6, 3811812.8,	2.2,	1212.6,	1.5);	( 252836.6,
3811812.8,	3.0,	1212.6,	1.5);	
( 252936.6, 3811812.8,	4.1,	1212.6,	1.5);	( 253036.6,
3811812.8,	3.5,	1212.6,	1.5);	
( 253136.6, 3811812.8,	4.2,	1212.6,	1.5);	( 253236.6,
3811812.8,	3.6,	1212.6,	1.5);	
( 253336.6, 3811812.8,	2.9,	1212.6,	1.5);	( 253436.6,
3811812.8,	3.1,	1212.6,	1.5);	
( 253536.6, 3811812.8,	3.8,	1212.6,	1.5);	( 253636.6,
3811812.8,	5.0,	1212.6,	1.5);	
( 253736.6, 3811812.8,	4.3,	1212.6,	1.5);	( 253836.6,
3811812.8,	4.1,	1212.6,	1.5);	
( 253936.6, 3811812.8,	4.1,	1212.6,	1.5);	( 254036.6,
3811812.8,	4.7,	1212.6,	1.5);	
( 252036.6, 3811912.8,	10.3,	1212.6,	1.5);	( 252136.6,
3811912.8,	8.8,	1212.6,	1.5);	
( 252236.6, 3811912.8,	7.7,	1212.6,	1.5);	( 252336.6,
3811912.8,	6.8,	1212.6,	1.5);	
( 252436.6, 3811912.8,	5.6,	1212.6,	1.5);	( 252536.6,
3811912.8,	4.6,	1212.6,	1.5);	
( 252636.6, 3811912.8,	4.1,	1212.6,	1.5);	( 252736.6,
3811912.8,	3.0,	1212.6,	1.5);	
( 252836.6, 3811912.8,	2.9,	1212.6,	1.5);	( 252936.6,
3811912.8,	4.3,	1212.6,	1.5);	
( 253036.6, 3811912.8,	4.0,	1212.6,	1.5);	( 253136.6,
3811912.8,	4.3,	1212.6,	1.5);	
( 253236.6, 3811912.8,	4.8,	1212.6,	1.5);	( 253336.6,
3811912.8,	3.7,	1212.6,	1.5);	
( 253436.6, 3811912.8,	3.8,	1212.6,	1.5);	( 253536.6,
3811912.8,	4.7,	1212.6,	1.5);	
( 253636.6, 3811912.8,	5.1,	1212.6,	1.5);	( 253736.6,
3811912.8,	5.0,	1212.6,	1.5);	
( 253836.6, 3811912.8,	4.9,	1212.6,	1.5);	( 253936.6,
3811912.8,	5.0,	1212.6,	1.5);	
( 254036.6, 3811912.8,	5.6,	1212.6,	1.5);	( 252036.6,
3812012.8,	11.6,	1212.6,	1.5);	
( 252136.6, 3812012.8,	9.6,	1212.6,	1.5);	( 252236.6,
3812012.8,	9.6,	1212.6,	1.5);	

( 252336.6, 3812012.8, 7.4, 1212.6, 1.5); ( 252436.6,  
3812012.8, 6.0, 1212.6, 1.5);  
( 252536.6, 3812012.8, 4.0, 1212.6, 1.5); ( 252636.6,  
3812012.8, 3.6, 1212.6, 1.5);  
( 252736.6, 3812012.8, 2.9, 1212.6, 1.5); ( 252836.6,  
3812012.8, 3.0, 1212.6, 1.5);  
( 252936.6, 3812012.8, 3.1, 1212.6, 1.5); ( 253036.6,  
3812012.8, 2.9, 1212.6, 1.5);  
( 253136.6, 3812012.8, 3.4, 1212.6, 1.5); ( 253236.6,  
3812012.8, 3.1, 1212.6, 1.5);  
( 253336.6, 3812012.8, 3.6, 1212.6, 1.5); ( 253436.6,  
3812012.8, 5.2, 1212.6, 1.5);  
( 253536.6, 3812012.8, 6.0, 1212.6, 1.5); ( 253636.6,  
3812012.8, 7.5, 1212.6, 1.5);  
( 253736.6, 3812012.8, 7.9, 1212.6, 1.5); ( 253836.6,  
3812012.8, 9.5, 1212.6, 1.5);  
( 253936.6, 3812012.8, 8.1, 1212.6, 1.5); ( 254036.6,  
3812012.8, 11.9, 1212.6, 1.5);  
( 252036.6, 3812112.8, 12.6, 1212.6, 1.5); ( 252136.6,  
3812112.8, 12.3, 1212.6, 1.5);  
( 252236.6, 3812112.8, 10.9, 1212.6, 1.5); ( 252336.6,  
3812112.8, 7.8, 1212.6, 1.5);  
( 252436.6, 3812112.8, 4.9, 1212.6, 1.5); ( 252536.6,  
3812112.8, 3.9, 1212.6, 1.5);  
( 252636.6, 3812112.8, 3.6, 1212.6, 1.5); ( 252736.6,  
3812112.8, 3.4, 1212.6, 1.5);  
( 252836.6, 3812112.8, 3.2, 1212.6, 1.5); ( 252936.6,  
3812112.8, 2.9, 1212.6, 1.5);  
( 253036.6, 3812112.8, 3.4, 1212.6, 1.5); ( 253136.6,  
3812112.8, 3.2, 1212.6, 1.5);  
( 253236.6, 3812112.8, 3.7, 1212.6, 1.5); ( 253336.6,  
3812112.8, 4.0, 1212.6, 1.5);  
( 253436.6, 3812112.8, 4.3, 1212.6, 1.5); ( 253536.6,  
3812112.8, 5.2, 1212.6, 1.5);  
( 253636.6, 3812112.8, 6.3, 1212.6, 1.5); ( 253736.6,  
3812112.8, 7.4, 1212.6, 1.5);  
( 253836.6, 3812112.8, 7.9, 1212.6, 1.5); ( 253936.6,  
3812112.8, 7.8, 1212.6, 1.5);  
( 254036.6, 3812112.8, 7.6, 1212.6, 1.5); ( 252036.6,  
3812212.8, 15.3, 1212.6, 1.5);  
( 252136.6, 3812212.8, 14.1, 1212.6, 1.5); ( 252236.6,  
3812212.8, 11.5, 1212.6, 1.5);  
( 252336.6, 3812212.8, 5.9, 1212.6, 1.5); ( 252436.6,  
3812212.8, 4.0, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 252536.6, 3812212.8,	3.5,	1212.6,	1.5);	( 252636.6,
3812212.8,	3.5,	1212.6,	1.5);	
( 252736.6, 3812212.8,	3.3,	1212.6,	1.5);	( 252836.6,
3812212.8,	3.0,	1212.6,	1.5);	
( 252936.6, 3812212.8,	3.0,	1212.6,	1.5);	( 253036.6,
3812212.8,	3.1,	1212.6,	1.5);	
( 253136.6, 3812212.8,	3.6,	1212.6,	1.5);	( 253236.6,
3812212.8,	4.0,	1212.6,	1.5);	
( 253336.6, 3812212.8,	4.8,	1212.6,	1.5);	( 253436.6,
3812212.8,	5.8,	1212.6,	1.5);	
( 253536.6, 3812212.8,	6.6,	1212.6,	1.5);	( 253636.6,
3812212.8,	7.7,	1212.6,	1.5);	
( 253736.6, 3812212.8,	8.2,	1212.6,	1.5);	( 253836.6,
3812212.8,	8.7,	1212.6,	1.5);	
( 253936.6, 3812212.8,	9.3,	1212.6,	1.5);	( 254036.6,
3812212.8,	8.6,	1212.6,	1.5);	
( 252036.6, 3812312.8,	16.3,	1212.6,	1.5);	( 252136.6,
3812312.8,	14.5,	1212.6,	1.5);	
( 252236.6, 3812312.8,	8.7,	1212.6,	1.5);	( 252336.6,
3812312.8,	5.1,	1212.6,	1.5);	
( 252436.6, 3812312.8,	3.9,	1212.6,	1.5);	( 252536.6,
3812312.8,	3.6,	1212.6,	1.5);	
( 252636.6, 3812312.8,	3.9,	1212.6,	1.5);	( 252736.6,
3812312.8,	3.2,	1212.6,	1.5);	
( 252836.6, 3812312.8,	3.3,	1212.6,	1.5);	( 252936.6,
3812312.8,	3.2,	1212.6,	1.5);	
( 253036.6, 3812312.8,	3.3,	1212.6,	1.5);	( 253136.6,
3812312.8,	3.5,	1212.6,	1.5);	
( 253236.6, 3812312.8,	4.2,	1212.6,	1.5);	( 253336.6,
3812312.8,	5.1,	1212.6,	1.5);	
( 253436.6, 3812312.8,	6.1,	1212.6,	1.5);	( 253536.6,
3812312.8,	7.2,	1212.6,	1.5);	
( 253636.6, 3812312.8,	8.0,	1212.6,	1.5);	( 253736.6,
3812312.8,	9.1,	1212.6,	1.5);	
( 253836.6, 3812312.8,	9.9,	1212.6,	1.5);	( 253936.6,
3812312.8,	10.3,	1212.6,	1.5);	
( 254036.6, 3812312.8,	10.4,	1212.6,	1.5);	( 252036.6,
3812412.8,	15.0,	1212.6,	1.5);	
( 252136.6, 3812412.8,	10.3,	1212.6,	1.5);	( 252236.6,
3812412.8,	6.0,	1212.6,	1.5);	
( 252336.6, 3812412.8,	4.5,	1212.6,	1.5);	( 252436.6,
3812412.8,	4.6,	1212.6,	1.5);	
( 252536.6, 3812412.8,	5.2,	1212.6,	1.5);	( 252636.6,
3812412.8,	5.6,	1212.6,	1.5);	

( 252736.6, 3812412.8, 3.5, 1212.6, 1.5); ( 252836.6,  
3812412.8, 3.1, 1212.6, 1.5);  
( 252936.6, 3812412.8, 3.6, 1212.6, 1.5); ( 253036.6,  
3812412.8, 3.8, 1212.6, 1.5);  
( 253136.6, 3812412.8, 4.0, 1212.6, 1.5); ( 253236.6,  
3812412.8, 4.5, 1212.6, 1.5);  
( 253336.6, 3812412.8, 5.5, 1212.6, 1.5); ( 253436.6,  
3812412.8, 6.9, 1212.6, 1.5);  
( 253536.6, 3812412.8, 7.7, 1212.6, 1.5); ( 253636.6,  
3812412.8, 9.1, 1212.6, 1.5);  
( 253736.6, 3812412.8, 10.2, 1212.6, 1.5); ( 253836.6,  
3812412.8, 10.9, 1212.6, 1.5);  
( 253936.6, 3812412.8, 11.6, 1212.6, 1.5); ( 254036.6,  
3812412.8, 11.0, 1212.6, 1.5);  
( 252036.6, 3812512.8, 15.4, 1212.6, 1.5); ( 252136.6,  
3812512.8, 13.9, 1212.6, 1.5);  
( 252236.6, 3812512.8, 9.6, 1212.6, 1.5); ( 252336.6,  
3812512.8, 5.8, 1212.6, 1.5);  
( 252436.6, 3812512.8, 7.2, 1212.6, 1.5); ( 252536.6,  
3812512.8, 8.4, 1212.6, 1.5);  
( 252636.6, 3812512.8, 4.8, 1212.6, 1.5); ( 252736.6,  
3812512.8, 3.7, 1212.6, 1.5);  
( 252836.6, 3812512.8, 3.3, 1212.6, 1.5); ( 252936.6,  
3812512.8, 3.3, 1212.6, 1.5);  
( 253036.6, 3812512.8, 4.2, 1212.6, 1.5); ( 253136.6,  
3812512.8, 4.7, 1212.6, 1.5);  
( 253236.6, 3812512.8, 5.4, 1212.6, 1.5); ( 253336.6,  
3812512.8, 6.2, 1212.6, 1.5);  
( 253436.6, 3812512.8, 7.3, 1212.6, 1.5); ( 253536.6,  
3812512.8, 8.7, 1212.6, 1.5);  
( 253636.6, 3812512.8, 10.1, 1212.6, 1.5); ( 253736.6,  
3812512.8, 11.6, 1212.6, 1.5);  
( 253836.6, 3812512.8, 12.7, 1212.6, 1.5); ( 253936.6,  
3812512.8, 12.8, 1212.6, 1.5);  
( 254036.6, 3812512.8, 12.2, 1212.6, 1.5); ( 252543.2,  
3811477.5, 5.8, 1212.6, 1.5);  
( 252563.2, 3811477.5, 5.4, 1212.6, 1.5); ( 252583.2,  
3811477.5, 5.1, 1212.6, 1.5);  
( 252603.2, 3811477.5, 4.9, 1212.6, 1.5); ( 252623.2,  
3811477.5, 4.8, 1212.6, 1.5);  
( 252643.2, 3811477.5, 4.7, 1212.6, 1.5); ( 252663.2,  
3811477.5, 4.5, 1212.6, 1.5);  
( 252683.2, 3811477.5, 4.2, 1212.6, 1.5); ( 252703.2,  
3811477.5, 4.2, 1212.6, 1.5);  
( 252723.2, 3811477.5, 4.0, 1212.6, 1.5); ( 252743.2,  
3811477.5, 3.9, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39



\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
 (METERS)

( 252763.2, 3811477.5,	3.9,	1212.6,	1.5);	( 252783.2,
3811477.5,	3.8,	1212.6,	1.5);	
( 252803.2, 3811477.5,	3.6,	1212.6,	1.5);	( 252823.2,
3811477.5,	3.6,	1212.6,	1.5);	
( 252843.2, 3811477.5,	3.5,	1212.6,	1.5);	( 252863.2,
3811477.5,	3.5,	1212.6,	1.5);	
( 252883.2, 3811477.5,	3.5,	1212.6,	1.5);	( 252903.2,
3811477.5,	3.4,	1212.6,	1.5);	
( 252923.2, 3811477.5,	3.3,	1212.6,	1.5);	( 252943.2,
3811477.5,	3.3,	1212.6,	1.5);	
( 252543.2, 3811497.5,	6.0,	1212.6,	1.5);	( 252563.2,
3811497.5,	5.5,	1212.6,	1.5);	
( 252583.2, 3811497.5,	5.2,	1212.6,	1.5);	( 252603.2,
3811497.5,	5.1,	1212.6,	1.5);	
( 252623.2, 3811497.5,	4.9,	1212.6,	1.5);	( 252643.2,
3811497.5,	4.7,	1212.6,	1.5);	
( 252663.2, 3811497.5,	4.5,	1212.6,	1.5);	( 252683.2,
3811497.5,	4.4,	1212.6,	1.5);	
( 252703.2, 3811497.5,	4.4,	1212.6,	1.5);	( 252723.2,
3811497.5,	4.2,	1212.6,	1.5);	
( 252743.2, 3811497.5,	4.0,	1212.6,	1.5);	( 252763.2,
3811497.5,	3.8,	1212.6,	1.5);	
( 252783.2, 3811497.5,	3.7,	1212.6,	1.5);	( 252803.2,
3811497.5,	3.7,	1212.6,	1.5);	
( 252823.2, 3811497.5,	3.7,	1212.6,	1.5);	( 252843.2,
3811497.5,	3.6,	1212.6,	1.5);	
( 252863.2, 3811497.5,	3.5,	1212.6,	1.5);	( 252883.2,
3811497.5,	3.5,	1212.6,	1.5);	
( 252903.2, 3811497.5,	3.4,	1212.6,	1.5);	( 252923.2,
3811497.5,	3.4,	1212.6,	1.5);	
( 252543.2, 3811517.5,	6.2,	1212.6,	1.5);	( 252563.2,
3811517.5,	5.8,	1212.6,	1.5);	
( 252583.2, 3811517.5,	5.4,	1212.6,	1.5);	( 252603.2,
3811517.5,	5.1,	1212.6,	1.5);	
( 252623.2, 3811517.5,	4.9,	1212.6,	1.5);	( 252643.2,
3811517.5,	4.7,	1212.6,	1.5);	
( 252663.2, 3811517.5,	4.6,	1212.6,	1.5);	( 252683.2,
3811517.5,	4.5,	1212.6,	1.5);	
( 252703.2, 3811517.5,	4.4,	1212.6,	1.5);	( 252723.2,
3811517.5,	4.2,	1212.6,	1.5);	
( 252743.2, 3811517.5,	4.0,	1212.6,	1.5);	( 252763.2,
3811517.5,	3.8,	1212.6,	1.5);	

( 252783.2, 3811517.5, 3.7, 1212.6, 1.5); ( 252803.2,  
 3811517.5, 3.7, 1212.6, 1.5);  
 ( 252823.2, 3811517.5, 3.7, 1212.6, 1.5); ( 252843.2,  
 3811517.5, 3.6, 1212.6, 1.5);  
 ( 252863.2, 3811517.5, 3.5, 1212.6, 1.5); ( 252883.2,  
 3811517.5, 3.5, 1212.6, 1.5);  
 ( 252903.2, 3811517.5, 3.4, 1212.6, 1.5); ( 252923.2,  
 3811517.5, 3.3, 1212.6, 1.5);  
 ( 252543.2, 3811537.5, 6.5, 1212.6, 1.5); ( 252563.2,  
 3811537.5, 6.2, 1212.6, 1.5);  
 ( 252583.2, 3811537.5, 5.6, 1212.6, 1.5); ( 252603.2,  
 3811537.5, 5.1, 1212.6, 1.5);  
 ( 252623.2, 3811537.5, 4.9, 1212.6, 1.5); ( 252643.2,  
 3811537.5, 4.8, 1212.6, 1.5);  
 ( 252663.2, 3811537.5, 4.7, 1212.6, 1.5); ( 252683.2,  
 3811537.5, 4.5, 1212.6, 1.5);  
 ( 252703.2, 3811537.5, 4.3, 1212.6, 1.5); ( 252723.2,  
 3811537.5, 4.1, 1212.6, 1.5);  
 ( 252743.2, 3811537.5, 4.0, 1212.6, 1.5); ( 252763.2,  
 3811537.5, 3.9, 1212.6, 1.5);  
 ( 252783.2, 3811537.5, 3.8, 1212.6, 1.5); ( 252803.2,  
 3811537.5, 3.7, 1212.6, 1.5);  
 ( 252823.2, 3811537.5, 3.7, 1212.6, 1.5); ( 252843.2,  
 3811537.5, 3.6, 1212.6, 1.5);  
 ( 252863.2, 3811537.5, 3.5, 1212.6, 1.5); ( 252883.2,  
 3811537.5, 3.5, 1212.6, 1.5);  
 ( 252903.2, 3811537.5, 3.3, 1212.6, 1.5); ( 252923.2,  
 3811537.5, 3.3, 1212.6, 1.5);  
 ( 252943.2, 3811537.5, 3.2, 1212.6, 1.5); ( 252543.2,  
 3811557.5, 6.3, 1212.6, 1.5);  
 ( 252563.2, 3811557.5, 6.3, 1212.6, 1.5); ( 252583.2,  
 3811557.5, 6.1, 1212.6, 1.5);  
 ( 252603.2, 3811557.5, 5.5, 1212.6, 1.5); ( 252623.2,  
 3811557.5, 5.1, 1212.6, 1.5);  
 ( 252643.2, 3811557.5, 4.9, 1212.6, 1.5); ( 252663.2,  
 3811557.5, 4.7, 1212.6, 1.5);  
 ( 252683.2, 3811557.5, 4.4, 1212.6, 1.5); ( 252703.2,  
 3811557.5, 4.2, 1212.6, 1.5);  
 ( 252723.2, 3811557.5, 4.0, 1212.6, 1.5); ( 252743.2,  
 3811557.5, 4.0, 1212.6, 1.5);  
 ( 252763.2, 3811557.5, 4.1, 1212.6, 1.5); ( 252783.2,  
 3811557.5, 4.1, 1212.6, 1.5);  
 ( 252803.2, 3811557.5, 3.8, 1212.6, 1.5); ( 252823.2,  
 3811557.5, 3.6, 1212.6, 1.5);  
 ( 252843.2, 3811557.5, 3.5, 1212.6, 1.5); ( 252863.2,  
 3811557.5, 3.5, 1212.6, 1.5);  
 ( 252883.2, 3811557.5, 3.4, 1212.6, 1.5); ( 252903.2,  
 3811557.5, 3.2, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*

\*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden

Street Hotel\Garden Street \*\*\*

11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
\*\*\* 18:49:39

PAGE 181

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 252543.2, 3811577.5,	6.1,	1212.6,	1.5);	( 252563.2,
3811577.5,	6.2,	1212.6,	1.5);	
( 252583.2, 3811577.5,	6.2,	1212.6,	1.5);	( 252603.2,
3811577.5,	6.0,	1212.6,	1.5);	
( 252623.2, 3811577.5,	5.5,	1212.6,	1.5);	( 252643.2,
3811577.5,	5.1,	1212.6,	1.5);	
( 252663.2, 3811577.5,	4.7,	1212.6,	1.5);	( 252683.2,
3811577.5,	4.4,	1212.6,	1.5);	
( 252703.2, 3811577.5,	4.2,	1212.6,	1.5);	( 252723.2,
3811577.5,	4.1,	1212.6,	1.5);	
( 252743.2, 3811577.5,	4.1,	1212.6,	1.5);	( 252763.2,
3811577.5,	4.2,	1212.6,	1.5);	
( 252783.2, 3811577.5,	4.1,	1212.6,	1.5);	( 252803.2,
3811577.5,	3.8,	1212.6,	1.5);	
( 252823.2, 3811577.5,	3.6,	1212.6,	1.5);	( 252843.2,
3811577.5,	3.5,	1212.6,	1.5);	
( 252863.2, 3811577.5,	3.3,	1212.6,	1.5);	( 252883.2,
3811577.5,	3.2,	1212.6,	1.5);	
( 252543.2, 3811597.5,	5.8,	1212.6,	1.5);	( 252563.2,
3811597.5,	5.9,	1212.6,	1.5);	
( 252583.2, 3811597.5,	6.1,	1212.6,	1.5);	( 252603.2,
3811597.5,	6.3,	1212.6,	1.5);	
( 252623.2, 3811597.5,	5.9,	1212.6,	1.5);	( 252643.2,
3811597.5,	5.3,	1212.6,	1.5);	
( 252663.2, 3811597.5,	4.8,	1212.6,	1.5);	( 252683.2,
3811597.5,	4.4,	1212.6,	1.5);	
( 252703.2, 3811597.5,	4.2,	1212.6,	1.5);	( 252723.2,
3811597.5,	4.2,	1212.6,	1.5);	
( 252743.2, 3811597.5,	4.2,	1212.6,	1.5);	( 252763.2,
3811597.5,	4.2,	1212.6,	1.5);	
( 252783.2, 3811597.5,	4.1,	1212.6,	1.5);	( 252803.2,
3811597.5,	3.9,	1212.6,	1.5);	
( 252823.2, 3811597.5,	3.7,	1212.6,	1.5);	( 252843.2,
3811597.5,	3.4,	1212.6,	1.5);	
( 252863.2, 3811597.5,	3.1,	1212.6,	1.5);	( 252543.2,
3811617.5,	5.9,	1212.6,	1.5);	
( 252563.2, 3811617.5,	5.8,	1212.6,	1.5);	( 252583.2,
3811617.5,	5.8,	1212.6,	1.5);	
( 252603.2, 3811617.5,	6.0,	1212.6,	1.5);	( 252623.2,
3811617.5,	6.0,	1212.6,	1.5);	

( 252643.2, 3811617.5, 5.7, 1212.6, 1.5); ( 252663.2,  
3811617.5, 5.2, 1212.6, 1.5);  
( 252683.2, 3811617.5, 4.6, 1212.6, 1.5); ( 252703.2,  
3811617.5, 4.4, 1212.6, 1.5);  
( 252723.2, 3811617.5, 4.3, 1212.6, 1.5); ( 252743.2,  
3811617.5, 4.1, 1212.6, 1.5);  
( 252763.2, 3811617.5, 4.0, 1212.6, 1.5); ( 252783.2,  
3811617.5, 4.0, 1212.6, 1.5);  
( 252803.2, 3811617.5, 4.0, 1212.6, 1.5); ( 252823.2,  
3811617.5, 3.9, 1212.6, 1.5);  
( 252843.2, 3811617.5, 3.5, 1212.6, 1.5); ( 252543.2,  
3811637.5, 5.9, 1212.6, 1.5);  
( 252563.2, 3811637.5, 5.8, 1212.6, 1.5); ( 252583.2,  
3811637.5, 5.6, 1212.6, 1.5);  
( 252603.2, 3811637.5, 5.7, 1212.6, 1.5); ( 252623.2,  
3811637.5, 5.9, 1212.6, 1.5);  
( 252643.2, 3811637.5, 5.8, 1212.6, 1.5); ( 252663.2,  
3811637.5, 5.5, 1212.6, 1.5);  
( 252683.2, 3811637.5, 5.0, 1212.6, 1.5); ( 252703.2,  
3811637.5, 4.5, 1212.6, 1.5);  
( 252723.2, 3811637.5, 4.3, 1212.6, 1.5); ( 252743.2,  
3811637.5, 4.1, 1212.6, 1.5);  
( 252763.2, 3811637.5, 3.9, 1212.6, 1.5); ( 252783.2,  
3811637.5, 3.8, 1212.6, 1.5);  
( 252803.2, 3811637.5, 3.9, 1212.6, 1.5); ( 252823.2,  
3811637.5, 3.9, 1212.6, 1.5);  
( 252843.2, 3811637.5, 3.7, 1212.6, 1.5); ( 252863.2,  
3811637.5, 3.2, 1212.6, 1.5);  
( 252543.2, 3811657.5, 6.0, 1212.6, 1.5); ( 252563.2,  
3811657.5, 5.8, 1212.6, 1.5);  
( 252583.2, 3811657.5, 5.5, 1212.6, 1.5); ( 252603.2,  
3811657.5, 5.4, 1212.6, 1.5);  
( 252623.2, 3811657.5, 5.5, 1212.6, 1.5); ( 252643.2,  
3811657.5, 5.7, 1212.6, 1.5);  
( 252663.2, 3811657.5, 5.7, 1212.6, 1.5); ( 252683.2,  
3811657.5, 5.3, 1212.6, 1.5);  
( 252703.2, 3811657.5, 4.7, 1212.6, 1.5); ( 252723.2,  
3811657.5, 4.3, 1212.6, 1.5);  
( 252743.2, 3811657.5, 4.0, 1212.6, 1.5); ( 252763.2,  
3811657.5, 3.8, 1212.6, 1.5);  
( 252783.2, 3811657.5, 3.6, 1212.6, 1.5); ( 252803.2,  
3811657.5, 3.9, 1212.6, 1.5);  
( 252823.2, 3811657.5, 4.0, 1212.6, 1.5); ( 252843.2,  
3811657.5, 3.8, 1212.6, 1.5);  
( 252863.2, 3811657.5, 3.4, 1212.6, 1.5); ( 252883.2,  
3811657.5, 3.3, 1212.6, 1.5);  
( 252943.2, 3811657.5, 4.4, 1212.6, 1.5); ( 252543.2,  
3811677.5, 6.0, 1212.6, 1.5);  
( 252563.2, 3811677.5, 5.8, 1212.6, 1.5); ( 252583.2,  
3811677.5, 5.5, 1212.6, 1.5);

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 182

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

( 252603.2, 3811677.5,	5.3,	1212.6,	1.5);	( 252623.2,
3811677.5, 5.2, 1212.6,		1.5);		
( 252643.2, 3811677.5,	5.3,	1212.6,	1.5);	( 252663.2,
3811677.5, 5.4, 1212.6,		1.5);		
( 252683.2, 3811677.5,	5.4,	1212.6,	1.5);	( 252703.2,
3811677.5, 5.0, 1212.6,		1.5);		
( 252723.2, 3811677.5,	4.4,	1212.6,	1.5);	( 252743.2,
3811677.5, 4.0, 1212.6,		1.5);		
( 252763.2, 3811677.5,	3.9,	1212.6,	1.5);	( 252783.2,
3811677.5, 3.9, 1212.6,		1.5);		
( 252803.2, 3811677.5,	4.0,	1212.6,	1.5);	( 252823.2,
3811677.5, 4.0, 1212.6,		1.5);		
( 252843.2, 3811677.5,	3.8,	1212.6,	1.5);	( 252863.2,
3811677.5, 3.5, 1212.6,		1.5);		
( 252883.2, 3811677.5,	3.6,	1212.6,	1.5);	( 252903.2,
3811677.5, 4.0, 1212.6,		1.5);		
( 252923.2, 3811677.5,	4.4,	1212.6,	1.5);	( 252943.2,
3811677.5, 4.6, 1212.6,		1.5);		
( 252543.2, 3811697.5,	6.0,	1212.6,	1.5);	( 252563.2,
3811697.5, 5.8, 1212.6,		1.5);		
( 252583.2, 3811697.5,	5.5,	1212.6,	1.5);	( 252603.2,
3811697.5, 5.2, 1212.6,		1.5);		
( 252623.2, 3811697.5,	5.0,	1212.6,	1.5);	( 252643.2,
3811697.5, 4.9, 1212.6,		1.5);		
( 252663.2, 3811697.5,	5.0,	1212.6,	1.5);	( 252683.2,
3811697.5, 5.2, 1212.6,		1.5);		
( 252703.2, 3811697.5,	5.1,	1212.6,	1.5);	( 252723.2,
3811697.5, 4.6, 1212.6,		1.5);		
( 252743.2, 3811697.5,	4.1,	1212.6,	1.5);	( 252763.2,
3811697.5, 3.6, 1212.6,		1.5);		
( 252783.2, 3811697.5,	3.7,	1212.6,	1.5);	( 252803.2,
3811697.5, 4.0, 1212.6,		1.5);		
( 252823.2, 3811697.5,	3.9,	1212.6,	1.5);	( 252843.2,
3811697.5, 3.7, 1212.6,		1.5);		
( 252863.2, 3811697.5,	3.3,	1212.6,	1.5);	( 252883.2,
3811697.5, 3.5, 1212.6,		1.5);		
( 252903.2, 3811697.5,	4.0,	1212.6,	1.5);	( 252923.2,
3811697.5, 4.4, 1212.6,		1.5);		

( 252943.2, 3811697.5, 4.6, 1212.6, 1.5); ( 252543.2,  
3811717.5, 5.8, 1212.6, 1.5);  
( 252563.2, 3811717.5, 5.6, 1212.6, 1.5); ( 252583.2,  
3811717.5, 5.4, 1212.6, 1.5);  
( 252603.2, 3811717.5, 5.1, 1212.6, 1.5); ( 252623.2,  
3811717.5, 4.8, 1212.6, 1.5);  
( 252643.2, 3811717.5, 4.6, 1212.6, 1.5); ( 252663.2,  
3811717.5, 4.6, 1212.6, 1.5);  
( 252683.2, 3811717.5, 4.8, 1212.6, 1.5); ( 252703.2,  
3811717.5, 5.0, 1212.6, 1.5);  
( 252723.2, 3811717.5, 4.9, 1212.6, 1.5); ( 252743.2,  
3811717.5, 4.2, 1212.6, 1.5);  
( 252763.2, 3811717.5, 3.3, 1212.6, 1.5); ( 252783.2,  
3811717.5, 3.2, 1212.6, 1.5);  
( 252803.2, 3811717.5, 3.7, 1212.6, 1.5); ( 252823.2,  
3811717.5, 3.7, 1212.6, 1.5);  
( 252843.2, 3811717.5, 3.3, 1212.6, 1.5); ( 252863.2,  
3811717.5, 3.0, 1212.6, 1.5);  
( 252883.2, 3811717.5, 3.3, 1212.6, 1.5); ( 252903.2,  
3811717.5, 3.8, 1212.6, 1.5);  
( 252923.2, 3811717.5, 4.3, 1212.6, 1.5); ( 252943.2,  
3811717.5, 4.5, 1212.6, 1.5);  
( 252543.2, 3811737.5, 5.7, 1212.6, 1.5); ( 252563.2,  
3811737.5, 5.4, 1212.6, 1.5);  
( 252583.2, 3811737.5, 5.2, 1212.6, 1.5); ( 252603.2,  
3811737.5, 4.9, 1212.6, 1.5);  
( 252623.2, 3811737.5, 4.6, 1212.6, 1.5); ( 252643.2,  
3811737.5, 4.4, 1212.6, 1.5);  
( 252663.2, 3811737.5, 4.3, 1212.6, 1.5); ( 252683.2,  
3811737.5, 4.4, 1212.6, 1.5);  
( 252703.2, 3811737.5, 4.5, 1212.6, 1.5); ( 252723.2,  
3811737.5, 4.7, 1212.6, 1.5);  
( 252743.2, 3811737.5, 4.7, 1212.6, 1.5); ( 252763.2,  
3811737.5, 4.1, 1212.6, 1.5);  
( 252783.2, 3811737.5, 3.0, 1212.6, 1.5); ( 252803.2,  
3811737.5, 2.5, 1212.6, 1.5);  
( 252823.2, 3811737.5, 2.4, 1212.6, 1.5); ( 252843.2,  
3811737.5, 2.3, 1212.6, 1.5);  
( 252863.2, 3811737.5, 1.9, 1212.6, 1.5); ( 252883.2,  
3811737.5, 3.1, 1212.6, 1.5);  
( 252903.2, 3811737.5, 3.8, 1212.6, 1.5); ( 252923.2,  
3811737.5, 4.2, 1212.6, 1.5);  
( 252943.2, 3811737.5, 4.2, 1212.6, 1.5); ( 252543.2,  
3811757.5, 5.6, 1212.6, 1.5);  
( 252563.2, 3811757.5, 5.3, 1212.6, 1.5); ( 252583.2,  
3811757.5, 5.0, 1212.6, 1.5);  
( 252603.2, 3811757.5, 4.8, 1212.6, 1.5); ( 252623.2,  
3811757.5, 4.5, 1212.6, 1.5);  
( 252643.2, 3811757.5, 4.3, 1212.6, 1.5); ( 252663.2,  
3811757.5, 4.1, 1212.6, 1.5);

```

      ( 252683.2, 3811757.5,      4.0,      1212.6,      1.5);      ( 252703.2,
3811757.5,      3.9,      1212.6,      1.5);
^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***
18:49:39

```

PAGE 183

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

      ( 252723.2, 3811757.5,      4.2,      1212.6,      1.5);      ( 252743.2,
3811757.5,      4.6,      1212.6,      1.5);
      ( 252763.2, 3811757.5,      4.6,      1212.6,      1.5);      ( 252783.2,
3811757.5,      3.4,      1212.6,      1.5);
      ( 252803.2, 3811757.5,      1.8,      1212.6,      1.5);      ( 252823.2,
3811757.5,      1.0,      1212.6,      1.5);
      ( 252843.2, 3811757.5,      1.1,      1212.6,      1.5);      ( 252863.2,
3811757.5,      2.0,      1212.6,      1.5);
      ( 252883.2, 3811757.5,      3.3,      1212.6,      1.5);      ( 252903.2,
3811757.5,      3.9,      1212.6,      1.5);
      ( 252923.2, 3811757.5,      4.1,      1212.6,      1.5);      ( 252943.2,
3811757.5,      4.1,      1212.6,      1.5);
      ( 252543.2, 3811777.5,      5.5,      1212.6,      1.5);      ( 252563.2,
3811777.5,      5.2,      1212.6,      1.5);
      ( 252583.2, 3811777.5,      4.8,      1212.6,      1.5);      ( 252603.2,
3811777.5,      4.6,      1212.6,      1.5);
      ( 252623.2, 3811777.5,      4.4,      1212.6,      1.5);      ( 252643.2,
3811777.5,      4.2,      1212.6,      1.5);
      ( 252663.2, 3811777.5,      3.9,      1212.6,      1.5);      ( 252683.2,
3811777.5,      3.7,      1212.6,      1.5);
      ( 252703.2, 3811777.5,      3.4,      1212.6,      1.5);      ( 252723.2,
3811777.5,      3.4,      1212.6,      1.5);
      ( 252743.2, 3811777.5,      4.0,      1212.6,      1.5);      ( 252763.2,
3811777.5,      5.0,      1212.6,      1.5);
      ( 252783.2, 3811777.5,      4.1,      1212.6,      1.5);      ( 252803.2,
3811777.5,      1.5,      1212.6,      1.5);
      ( 252823.2, 3811777.5,      -0.2,      1212.6,      1.5);      ( 252843.2,
3811777.5,      0.1,      1212.6,      1.5);
      ( 252863.2, 3811777.5,      2.4,      1212.6,      1.5);      ( 252883.2,
3811777.5,      3.7,      1212.6,      1.5);
      ( 252903.2, 3811777.5,      4.2,      1212.6,      1.5);      ( 252923.2,
3811777.5,      4.2,      1212.6,      1.5);
      ( 252943.2, 3811777.5,      4.1,      1212.6,      1.5);      ( 252543.2,
3811797.5,      5.2,      1212.6,      1.5);
      ( 252563.2, 3811797.5,      5.0,      1212.6,      1.5);      ( 252583.2,
3811797.5,      4.7,      1212.6,      1.5);

```

( 252603.2, 3811797.5, 4.5, 1212.6, 1.5); ( 252623.2,  
3811797.5, 4.3, 1212.6, 1.5);  
( 252643.2, 3811797.5, 4.1, 1212.6, 1.5); ( 252663.2,  
3811797.5, 3.9, 1212.6, 1.5);  
( 252683.2, 3811797.5, 3.6, 1212.6, 1.5); ( 252703.2,  
3811797.5, 3.3, 1212.6, 1.5);  
( 252723.2, 3811797.5, 3.0, 1212.6, 1.5); ( 252743.2,  
3811797.5, 2.9, 1212.6, 1.5);  
( 252763.2, 3811797.5, 3.1, 1212.6, 1.5); ( 252783.2,  
3811797.5, 2.1, 1212.6, 1.5);  
( 252803.2, 3811797.5, 1.2, 1212.6, 1.5); ( 252823.2,  
3811797.5, 1.2, 1212.6, 1.5);  
( 252843.2, 3811797.5, 1.8, 1212.6, 1.5); ( 252863.2,  
3811797.5, 2.2, 1212.6, 1.5);  
( 252883.2, 3811797.5, 3.7, 1212.6, 1.5); ( 252903.2,  
3811797.5, 4.6, 1212.6, 1.5);  
( 252923.2, 3811797.5, 4.7, 1212.6, 1.5); ( 252943.2,  
3811797.5, 4.0, 1212.6, 1.5);  
( 252543.2, 3811817.5, 5.0, 1212.6, 1.5); ( 252563.2,  
3811817.5, 4.8, 1212.6, 1.5);  
( 252583.2, 3811817.5, 4.6, 1212.6, 1.5); ( 252603.2,  
3811817.5, 4.4, 1212.6, 1.5);  
( 252623.2, 3811817.5, 4.3, 1212.6, 1.5); ( 252643.2,  
3811817.5, 4.1, 1212.6, 1.5);  
( 252663.2, 3811817.5, 3.9, 1212.6, 1.5); ( 252683.2,  
3811817.5, 3.6, 1212.6, 1.5);  
( 252703.2, 3811817.5, 3.3, 1212.6, 1.5); ( 252723.2,  
3811817.5, 2.7, 1212.6, 1.5);  
( 252743.2, 3811817.5, 2.0, 1212.6, 1.5); ( 252763.2,  
3811817.5, 1.6, 1212.6, 1.5);  
( 252783.2, 3811817.5, 1.0, 1212.6, 1.5); ( 252803.2,  
3811817.5, 1.7, 1212.6, 1.5);  
( 252823.2, 3811817.5, 2.8, 1212.6, 1.5); ( 252843.2,  
3811817.5, 3.4, 1212.6, 1.5);  
( 252863.2, 3811817.5, 2.9, 1212.6, 1.5); ( 252883.2,  
3811817.5, 3.6, 1212.6, 1.5);  
( 252903.2, 3811817.5, 4.1, 1212.6, 1.5); ( 252923.2,  
3811817.5, 4.3, 1212.6, 1.5);  
( 252943.2, 3811817.5, 3.8, 1212.6, 1.5); ( 252543.2,  
3811837.5, 4.9, 1212.6, 1.5);  
( 252563.2, 3811837.5, 4.8, 1212.6, 1.5); ( 252583.2,  
3811837.5, 4.7, 1212.6, 1.5);  
( 252603.2, 3811837.5, 4.5, 1212.6, 1.5); ( 252623.2,  
3811837.5, 4.3, 1212.6, 1.5);  
( 252643.2, 3811837.5, 4.0, 1212.6, 1.5); ( 252663.2,  
3811837.5, 3.8, 1212.6, 1.5);  
( 252683.2, 3811837.5, 3.6, 1212.6, 1.5); ( 252703.2,  
3811837.5, 3.3, 1212.6, 1.5);  
( 252723.2, 3811837.5, 2.7, 1212.6, 1.5); ( 252743.2,  
3811837.5, 1.7, 1212.6, 1.5);



```

      ( 252763.2, 3811837.5,      0.4,      1212.6,      1.5);      ( 252783.2,
3811837.5,      0.9,      1212.6,      1.5);
      ( 252803.2, 3811837.5,      3.0,      1212.6,      1.5);      ( 252823.2,
3811837.5,      4.7,      1212.6,      1.5);
▲ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***
18:49:39

```

PAGE 184

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

      ( 252843.2, 3811837.5,      4.8,      1212.6,      1.5);      ( 252863.2,
3811837.5,      4.2,      1212.6,      1.5);
      ( 252883.2, 3811837.5,      3.5,      1212.6,      1.5);      ( 252903.2,
3811837.5,      3.4,      1212.6,      1.5);
      ( 252923.2, 3811837.5,      3.6,      1212.6,      1.5);      ( 252943.2,
3811837.5,      3.7,      1212.6,      1.5);
      ( 252543.2, 3811857.5,      4.8,      1212.6,      1.5);      ( 252563.2,
3811857.5,      4.7,      1212.6,      1.5);
      ( 252583.2, 3811857.5,      4.7,      1212.6,      1.5);      ( 252603.2,
3811857.5,      4.6,      1212.6,      1.5);
      ( 252623.2, 3811857.5,      4.4,      1212.6,      1.5);      ( 252643.2,
3811857.5,      4.1,      1212.6,      1.5);
      ( 252663.2, 3811857.5,      3.8,      1212.6,      1.5);      ( 252683.2,
3811857.5,      3.5,      1212.6,      1.5);
      ( 252703.2, 3811857.5,      3.3,      1212.6,      1.5);      ( 252723.2,
3811857.5,      2.8,      1212.6,      1.5);
      ( 252743.2, 3811857.5,      2.2,      1212.6,      1.5);      ( 252763.2,
3811857.5,      1.6,      1212.6,      1.5);
      ( 252783.2, 3811857.5,      1.8,      1212.6,      1.5);      ( 252803.2,
3811857.5,      2.6,      1212.6,      1.5);
      ( 252823.2, 3811857.5,      3.6,      1212.6,      1.5);      ( 252843.2,
3811857.5,      4.4,      1212.6,      1.5);
      ( 252863.2, 3811857.5,      4.6,      1212.6,      1.5);      ( 252883.2,
3811857.5,      4.4,      1212.6,      1.5);
      ( 252903.2, 3811857.5,      4.1,      1212.6,      1.5);      ( 252923.2,
3811857.5,      3.8,      1212.6,      1.5);
      ( 252943.2, 3811857.5,      3.6,      1212.6,      1.5);      ( 252543.2,
3811877.5,      4.6,      1212.6,      1.5);
      ( 252563.2, 3811877.5,      4.5,      1212.6,      1.5);      ( 252583.2,
3811877.5,      4.6,      1212.6,      1.5);
      ( 252603.2, 3811877.5,      4.6,      1212.6,      1.5);      ( 252623.2,
3811877.5,      4.5,      1212.6,      1.5);
      ( 252643.2, 3811877.5,      4.2,      1212.6,      1.5);      ( 252663.2,
3811877.5,      3.7,      1212.6,      1.5);

```

( 252683.2, 3811877.5, 3.5, 1212.6, 1.5); ( 252703.2, 3811877.5, 3.3, 1212.6, 1.5);  
( 252723.2, 3811877.5, 3.0, 1212.6, 1.5); ( 252743.2, 3811877.5, 2.7, 1212.6, 1.5);  
( 252763.2, 3811877.5, 2.6, 1212.6, 1.5); ( 252783.2, 3811877.5, 2.5, 1212.6, 1.5);  
( 252803.2, 3811877.5, 2.6, 1212.6, 1.5); ( 252823.2, 3811877.5, 3.0, 1212.6, 1.5);  
( 252843.2, 3811877.5, 3.8, 1212.6, 1.5); ( 252863.2, 3811877.5, 4.3, 1212.6, 1.5);  
( 252883.2, 3811877.5, 4.5, 1212.6, 1.5); ( 252903.2, 3811877.5, 4.4, 1212.6, 1.5);  
( 252923.2, 3811877.5, 4.2, 1212.6, 1.5); ( 252943.2, 3811877.5, 4.0, 1212.6, 1.5);  
( 252951.8, 3811537.4, 3.2, 1212.6, 1.5); ( 252907.1, 3811561.6, 3.2, 1212.6, 1.5);  
( 252857.0, 3811609.8, 3.1, 1212.6, 1.5); ( 252901.9, 3811674.9, 3.9, 1212.6, 1.5);  
( 252905.1, 3811677.6, 4.1, 1212.6, 1.5); ( 252911.4, 3811676.9, 4.2, 1212.6, 1.5);  
( 252995.0, 3811595.3, 3.8, 1212.6, 1.5); ( 252999.9, 3811590.0, 3.8, 1212.6, 1.5);  
( 253004.2, 3811578.8, 3.8, 1212.6, 1.5); ( 253009.4, 3811562.8, 3.7, 1212.6, 1.5);  
( 253010.2, 3811555.4, 3.7, 1212.6, 1.5); ( 253008.9, 3811538.9, 3.6, 1212.6, 1.5);  
( 253002.2, 3811507.2, 3.5, 1212.6, 1.5); ( 253000.7, 3811483.5, 3.5, 1212.6, 1.5);  
( 253001.7, 3811470.5, 3.4, 1212.6, 1.5); ( 253004.7, 3811461.5, 3.4, 1212.6, 1.5);  
( 252970.8, 3811450.8, 3.2, 1212.6, 1.5); ( 252923.1, 3811500.0, 3.4, 1212.6, 1.5);  
( 252956.8, 3811533.2, 3.3, 1212.6, 1.5); ( 252944.3, 3811541.4, 3.2, 1212.6, 1.5);  
( 252936.9, 3811545.5, 3.2, 1212.6, 1.5); ( 252929.5, 3811549.5, 3.2, 1212.6, 1.5);  
( 252922.0, 3811553.5, 3.2, 1212.6, 1.5); ( 252914.6, 3811557.6, 3.2, 1212.6, 1.5);  
( 252900.0, 3811568.5, 3.2, 1212.6, 1.5); ( 252892.8, 3811575.4, 3.2, 1212.6, 1.5);  
( 252885.6, 3811582.2, 3.1, 1212.6, 1.5); ( 252878.5, 3811589.1, 3.1, 1212.6, 1.5);  
( 252871.3, 3811596.0, 3.1, 1212.6, 1.5); ( 252864.1, 3811602.9, 3.1, 1212.6, 1.5);  
( 252862.6, 3811617.9, 3.0, 1212.6, 1.5); ( 252868.2, 3811626.0, 3.1, 1212.6, 1.5);  
( 252873.8, 3811634.2, 3.1, 1212.6, 1.5); ( 252879.4, 3811642.3, 3.1, 1212.6, 1.5);  
( 252885.0, 3811650.5, 3.2, 1212.6, 1.5); ( 252890.7, 3811658.6, 3.4, 1212.6, 1.5);

```

      ( 252896.3, 3811666.8,      3.6,      1212.6,      1.5);      ( 252918.3,
3811670.1,      4.2,      1212.6,      1.5);
      ( 252925.3, 3811663.3,      4.2,      1212.6,      1.5);      ( 252932.3,
3811656.5,      4.2,      1212.6,      1.5);
      ( 252939.2, 3811649.7,      4.3,      1212.6,      1.5);      ( 252946.2,
3811642.9,      4.2,      1212.6,      1.5);
^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 185

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* DISCRETE CARTESIAN RECEPTORS \*\*\*  
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)  
(METERS)

```

      ( 252953.2, 3811636.1,      4.1,      1212.6,      1.5);      ( 252960.1,
3811629.3,      4.0,      1212.6,      1.5);
      ( 252967.1, 3811622.5,      4.0,      1212.6,      1.5);      ( 252974.1,
3811615.7,      4.0,      1212.6,      1.5);
      ( 252981.0, 3811608.9,      3.9,      1212.6,      1.5);      ( 252988.0,
3811602.1,      3.9,      1212.6,      1.5);
      ( 253002.1, 3811584.4,      3.8,      1212.6,      1.5);      ( 253006.8,
3811570.8,      3.7,      1212.6,      1.5);
      ( 253009.6, 3811547.1,      3.6,      1212.6,      1.5);      ( 253007.3,
3811531.0,      3.5,      1212.6,      1.5);
      ( 253005.6, 3811523.1,      3.5,      1212.6,      1.5);      ( 253003.9,
3811515.1,      3.5,      1212.6,      1.5);
      ( 253001.7, 3811499.3,      3.5,      1212.6,      1.5);      ( 253001.2,
3811491.4,      3.5,      1212.6,      1.5);
      ( 253001.2, 3811477.0,      3.4,      1212.6,      1.5);      ( 252996.2,
3811458.9,      3.4,      1212.6,      1.5);
      ( 252987.7, 3811456.2,      3.3,      1212.6,      1.5);      ( 252979.2,
3811453.5,      3.3,      1212.6,      1.5);
      ( 252963.9, 3811457.8,      3.2,      1212.6,      1.5);      ( 252957.1,
3811464.9,      3.2,      1212.6,      1.5);
      ( 252950.3, 3811471.9,      3.2,      1212.6,      1.5);      ( 252943.5,
3811478.9,      3.3,      1212.6,      1.5);
      ( 252936.7, 3811485.9,      3.3,      1212.6,      1.5);      ( 252929.9,
3811492.9,      3.3,      1212.6,      1.5);
      ( 252929.8, 3811506.6,      3.3,      1212.6,      1.5);      ( 252936.6,
3811513.2,      3.3,      1212.6,      1.5);
      ( 252943.3, 3811519.9,      3.3,      1212.6,      1.5);      ( 252950.0,
3811526.5,      3.3,      1212.6,      1.5);
^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE-RECEPTOR COMBINATIONS FOR WHICH CALCULATIONS MAY NOT BE PERFORMED \*  
 LESS THAN 1.0 METER; WITHIN OPENPIT; OR BEYOND 80KM FOR FASTAREA/FASTALL

DISTANCE (METERS)	SOURCE	- - RECEPTOR LOCATION - -	
	ID	XR (METERS)	YR (METERS)
- - -			
-0.42	L0000165	252864.1	3811602.9
-0.22	L0000166	252871.3	3811596.0
0.16	L0000167	252878.5	3811589.1
0.73	L0000168	252885.6	3811582.2
0.77	L0000169	252885.6	3811582.2
0.27	L0000170	252892.8	3811575.4
-0.05	L0000171	252900.0	3811568.5
0.87	L0000172	252907.1	3811561.6
0.70	L0000173	252914.6	3811557.6
0.53	L0000174	252922.0	3811553.5
0.37	L0000175	252929.5	3811549.5
0.22	L0000176	252936.9	3811545.5
0.90	L0000177	252951.8	3811537.4
0.06	L0000177	252944.3	3811541.4
-0.08	L0000178	252951.8	3811537.4
-0.24	L0000188	253009.6	3811547.1
	L0000192	253002.1	3811584.4

0.51			
	L0000193	252995.0	3811595.3
-0.04			
	L0000194	252988.0	3811602.1
0.11			
	L0000195	252981.0	3811608.9
0.40			
	L0000196	252974.1	3811615.7
0.81			
	L0000198	252967.1	3811622.5
0.80			
	L0000199	252960.1	3811629.3
0.43			
	L0000200	252953.2	3811636.1
0.20			
	L0000201	252946.2	3811642.9
0.12			
	L0000202	252939.2	3811649.7
0.17			
	L0000203	252932.3	3811656.5
0.38			
	L0000204	252925.3	3811663.3
0.71			
	L0000207	252896.3	3811666.8
-0.82			
	L0000208	252890.7	3811658.6
0.08			
	L0000208	252896.3	3811666.8
0.92			
	L0000209	252890.7	3811658.6
0.54			
	L0000210	252885.0	3811650.5
0.33			
	L0000211	252879.4	3811642.3
0.34			
	L0000212	252873.8	3811634.2
0.53			
	L0000213	252868.2	3811626.0
0.93			
	L0000292	252950.0	3811526.5
-0.44			
	L0000293	252943.3	3811519.9
-0.25			
	L0000294	252936.6	3811513.2
0.03			
	L0000295	252929.8	3811506.6

0.37

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*

\*\*\* 18:49:39

PAGE 187

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\* SOURCE-RECEPTOR COMBINATIONS FOR WHICH CALCULATIONS MAY NOT  
BE PERFORMED \*  
LESS THAN 1.0 METER; WITHIN OPENPIT; OR BEYOND 80KM FOR  
FASTAREA/FASTALL

DISTANCE (METERS)	SOURCE	- - RECEPTOR LOCATION - -	
	ID	XR (METERS)	YR (METERS)
- - -			
0.59	L0000295	252936.6	3811513.2
-0.17	L0000296	252929.9	3811492.9
-0.50	L0000297	252936.7	3811485.9
0.67	L0000298	252943.2	3811477.5
-0.67	L0000298	252943.5	3811478.9
-0.64	L0000299	252950.3	3811471.9
-0.43	L0000300	252957.1	3811464.9
0.74	L0000300	252950.3	3811471.9
-0.05	L0000301	252963.9	3811457.8
-0.21	L0000301	252957.1	3811464.9
-0.73	L0000302	252963.9	3811457.8
-1.37	L0000305	253001.7	3811470.5
0.95	L0000305	253001.2	3811477.0
0.30	L0000306	253000.7	3811483.5
-0.40	L0000306	253001.2	3811477.0
0.97	L0000307	253000.7	3811483.5







12	01	01	1	17	-16.5	0.211	-9.000	-9.000	-999.	241.	51.6	0.17	0.45
0.54	2.23	260.	10.0	283.1	2.0								
12	01	01	1	18	-25.2	0.250	-9.000	-9.000	-999.	300.	68.9	0.17	0.45
1.00	2.64	268.	10.0	283.1	2.0								
12	01	01	1	19	-6.1	0.104	-9.000	-9.000	-999.	99.	16.8	0.07	0.45
1.00	1.45	294.	10.0	282.0	2.0								
12	01	01	1	20	-4.9	0.093	-9.000	-9.000	-999.	69.	15.1	0.07	0.45
1.00	1.30	292.	10.0	280.4	2.0								
12	01	01	1	21	-9.9	0.134	-9.000	-9.000	-999.	118.	22.3	0.08	0.45
1.00	1.77	311.	10.0	281.4	2.0								
12	01	01	1	22	-3.8	0.084	-9.000	-9.000	-999.	59.	14.0	0.08	0.45
1.00	1.11	341.	10.0	279.9	2.0								
12	01	01	1	23	-3.4	0.079	-9.000	-9.000	-999.	54.	13.6	0.08	0.45
1.00	1.01	318.	10.0	277.5	2.0								
12	01	01	1	24	-3.2	0.078	-9.000	-9.000	-999.	52.	13.4	0.08	0.45
1.00	0.99	353.	10.0	279.2	2.0								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
12	01	01	01	10.0	1	49.	1.04	278.8	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 190

\*\*\* MODELOPTs:      RegDFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL                      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
    L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
    L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
    L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub>      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		

252036.61	3810512.76	0.50576	252136.61
3810512.76	0.54379		
252236.61	3810512.76	0.56369	252336.61
3810512.76	0.43201		
252436.61	3810512.76	0.43272	252536.61
3810512.76	0.42078		
252636.61	3810512.76	0.40306	252736.61
3810512.76	0.38458		
252836.61	3810512.76	0.37209	252936.61
3810512.76	0.36549		
253036.61	3810512.76	0.35508	253136.61
3810512.76	0.34027		
253236.61	3810512.76	0.32586	253336.61
3810512.76	0.31415		
253436.61	3810512.76	0.30388	253536.61
3810512.76	0.29365		
253636.61	3810512.76	0.28237	253736.61
3810512.76	0.26987		
253836.61	3810512.76	0.25614	253936.61
3810512.76	0.24105		
254036.61	3810512.76	0.22475	252036.61
3810612.76	0.52832		
252136.61	3810612.76	0.58998	252236.61
3810612.76	0.58257		
252336.61	3810612.76	0.49616	252436.61
3810612.76	0.50473		
252536.61	3810612.76	0.49792	252636.61
3810612.76	0.47974		
252736.61	3810612.76	0.45705	252836.61
3810612.76	0.44057		
252936.61	3810612.76	0.43178	253036.61
3810612.76	0.41879		
253136.61	3810612.76	0.40009	253236.61
3810612.76	0.38229		
253336.61	3810612.76	0.36764	253436.61
3810612.76	0.35418		
253536.61	3810612.76	0.33983	253636.61
3810612.76	0.32364		
253736.61	3810612.76	0.30545	253836.61
3810612.76	0.28519		
253936.61	3810612.76	0.26334	254036.61
3810612.76	0.24082		
252036.61	3810712.76	0.50155	252136.61
3810712.76	0.48030		
252236.61	3810712.76	0.53008	252336.61
3810712.76	0.57092		
252436.61	3810712.76	0.59487	252536.61
3810712.76	0.59911		

252636.61	3810712.76	0.58255	252736.61
3810712.76	0.55550		
252836.61	3810712.76	0.53350	252936.61
3810712.76	0.52113		
253036.61	3810712.76	0.50479	253136.61
3810712.76	0.48051		
253236.61	3810712.76	0.45785	253336.61
3810712.76	0.43861		
253436.61	3810712.76	0.41951	253536.61
3810712.76	0.39799		
253636.61	3810712.76	0.37322	253736.61
3810712.76	0.34517		
253836.61	3810712.76	0.31489	253936.61
3810712.76	0.28419		
254036.61	3810712.76	0.25492	252036.61
3810812.76	0.45533		
252136.61	3810812.76	0.51574	252236.61
3810812.76	0.58375		
252336.61	3810812.76	0.65093	252436.61
3810812.76	0.70326		
252536.61	3810812.76	0.72774	252636.61
3810812.76	0.72271		
252736.61	3810812.76	0.69503	252836.61
3810812.76	0.66486		
252936.61	3810812.76	0.64781	253036.61
3810812.76	0.62565		
253136.61	3810812.76	0.59290	253236.61
3810812.76	0.56264		
253336.61	3810812.76	0.53524	253436.61
3810812.76	0.50545		
253536.61	3810812.76	0.47049	253636.61
3810812.76	0.43005		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*            11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\* 18:49:39

PAGE 191

\*\*\* MODELOPTs:    RegDFault   CONC   ELEV   FLGPOL   URBAN   ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL            INCLUDING SOURCE(S):    L0000165    , L0000166  
 , L0000167    , L0000168    , L0000169    ,  
                  L0000170    , L0000171    , L0000172    , L0000173    , L0000174  
 , L0000175    , L0000176    , L0000177    ,  
                  L0000178    , L0000179    , L0000180    , L0000181    , L0000182  
 , L0000183    , L0000184    , L0000185    ,  
                  L0000186    , L0000187    , L0000188    , L0000189    , L0000190  
 , L0000191    , L0000192    , . . .            ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
253736.61	3810812.76	0.38636	253836.61
3810812.76	0.34295		
253936.61	3810812.76	0.30289	254036.61
3810812.76	0.26818		
252036.61	3810912.76	0.49825	252136.61
3810912.76	0.54811		
252236.61	3810912.76	0.63451	252336.61
3810912.76	0.73244		
252436.61	3810912.76	0.82749	252536.61
3810912.76	0.89578		
252636.61	3810912.76	0.91817	252736.61
3810912.76	0.89888		
252836.61	3810912.76	0.86074	252936.61
3810912.76	0.83627		
253036.61	3810912.76	0.80462	253136.61
3810912.76	0.75799		
253236.61	3810912.76	0.71422	253336.61
3810912.76	0.67013		
253436.61	3810912.76	0.61824	253536.61
3810912.76	0.55675		
253636.61	3810912.76	0.49025	253736.61
3810912.76	0.42591		
253836.61	3810912.76	0.36895	253936.61
3810912.76	0.32174		
254036.61	3810912.76	0.28403	252036.61
3811012.76	0.50443		
252136.61	3811012.76	0.57992	252236.61
3811012.76	0.68230		
252336.61	3811012.76	0.81132	252436.61
3811012.76	0.95919		
252536.61	3811012.76	1.10173	252636.61
3811012.76	1.19718		
252736.61	3811012.76	1.20936	252836.61
3811012.76	1.17093		
252936.61	3811012.76	1.13815	253036.61
3811012.76	1.08920		
253136.61	3811012.76	1.01666	253236.61
3811012.76	0.94396		
253336.61	3811012.76	0.86086	253436.61

3811012.76	0.76002			
253536.61	3811012.76	0.65106		253636.61
3811012.76	0.54953			
253736.61	3811012.76	0.46448		253836.61
3811012.76	0.39765			
253936.61	3811012.76	0.34647		254036.61
3811012.76	0.30701			
252036.61	3811112.76	0.51243		252136.61
3811112.76	0.61204			
252236.61	3811112.76	0.72670		252336.61
3811112.76	0.88396			
252436.61	3811112.76	1.09228		252536.61
3811112.76	1.34158			
252636.61	3811112.76	1.58750		252736.61
3811112.76	1.72112			
252836.61	3811112.76	1.70482		252936.61
3811112.76	1.66162			
253036.61	3811112.76	1.59084		253136.61
3811112.76	1.45805			
253236.61	3811112.76	1.30748		253336.61
3811112.76	1.12188			
253436.61	3811112.76	0.92285		253536.61
3811112.76	0.74800			
253636.61	3811112.76	0.61230		253736.61
3811112.76	0.51265			
253836.61	3811112.76	0.43986		253936.61
3811112.76	0.38527			
254036.61	3811112.76	0.34285		252036.61
3811212.76	0.51823			
252136.61	3811212.76	0.61439		252236.61
3811212.76	0.75438			
252336.61	3811212.76	0.95198		252436.61
3811212.76	1.21827			
252536.61	3811212.76	1.60545		252636.61
3811212.76	2.09493			
252736.61	3811212.76	2.57422		252836.61
3811212.76	2.80288			
252936.61	3811212.76	2.75474		253036.61
3811212.76	2.61382			
253136.61	3811212.76	2.29630		253236.61
3811212.76	1.88098			

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 192

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION

VALUES FOR SOURCE GROUP: ALL

\*\*\*

INCLUDING SOURCE(S):

L0000165 , L0000166

, L0000167 , L0000168 , L0000169 ,  
 , L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 , L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M<sup>3</sup>

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
253336.61	3811212.76	1.44796	253436.61
3811212.76	1.10460		
253536.61	3811212.76	0.86680	253636.61
3811212.76	0.70648		
253736.61	3811212.76	0.59514	253836.61
3811212.76	0.51382		
253936.61	3811212.76	0.45151	254036.61
3811212.76	0.40201		
252036.61	3811312.76	0.51463	252136.61
3811312.76	0.62214		
252236.61	3811312.76	0.77856	252336.61
3811312.76	0.97694		
252436.61	3811312.76	1.32844	252536.61
3811312.76	1.84337		
252636.61	3811312.76	2.68366	252736.61
3811312.76	3.92255		
252836.61	3811312.76	5.33553	252936.61
3811312.76	5.81154		
253036.61	3811312.76	5.24573	253136.61
3811312.76	3.94858		
253236.61	3811312.76	2.67677	253336.61
3811312.76	1.87293		
253436.61	3811312.76	1.40070	253536.61
3811312.76	1.10093		
253636.61	3811312.76	0.90211	253736.61
3811312.76	0.75992		
253836.61	3811312.76	0.65276	253936.61
3811312.76	0.56899		
254036.61	3811312.76	0.50180	252036.61
3811412.76	0.50555		

252136.61	3811412.76	0.61986	252236.61
3811412.76	0.76341		
252336.61	3811412.76	1.00003	252436.61
3811412.76	1.36581		
252536.61	3811412.76	2.08832	252636.61
3811412.76	3.30894		
252736.61	3811412.76	5.89812	252836.61
3811412.76	11.15412		
252936.61	3811412.76	21.76563	253036.61
3811412.76	16.44879		
253136.61	3811412.76	7.92629	253236.61
3811412.76	4.51233		
253336.61	3811412.76	2.95317	253436.61
3811412.76	2.12751		
253536.61	3811412.76	1.63038	253636.61
3811412.76	1.30069		
253736.61	3811412.76	1.06985	253836.61
3811412.76	0.89788		
253936.61	3811412.76	0.76221	254036.61
3811412.76	0.65654		
252036.61	3811512.76	0.47819	252136.61
3811512.76	0.58446		
252236.61	3811512.76	0.73915	252336.61
3811512.76	0.99226		
252436.61	3811512.76	1.48426	252536.61
3811512.76	2.21419		
252636.61	3811512.76	3.84104	252736.61
3811512.76	8.22604		
252836.61	3811512.76	23.99198	253036.61
3811512.76	90.74914		
253136.61	3811512.76	21.82441	253236.61
3811512.76	9.87415		
253336.61	3811512.76	5.68897	253436.61
3811512.76	3.71947		
253536.61	3811512.76	2.62173	253636.61
3811512.76	1.97019		
253736.61	3811512.76	1.53294	253836.61
3811512.76	1.23047		
253936.61	3811512.76	1.01258	254036.61
3811512.76	0.84986		
252036.61	3811612.76	0.46915	252136.61
3811612.76	0.57756		
252236.61	3811612.76	0.73679	252336.61
3811612.76	0.98991		
252436.61	3811612.76	1.45242	252536.61
3811612.76	2.33427		
252636.61	3811612.76	4.17925	252736.61
3811612.76	10.15143		
252836.61	3811612.76	53.87415	253036.61
3811612.76	99.76687		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 193

\*\*\* MODELOPTs:      RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL

INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
                          L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
                          L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
                          L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
253136.61	3811612.76	31.33578	253236.61
3811612.76	14.82184		
253336.61	3811612.76	8.38936	253436.61
3811612.76	5.33839		
253536.61	3811612.76	3.66233	253636.61
3811612.76	2.66528		
253736.61	3811612.76	2.02140	253836.61
3811612.76	1.58420		
253936.61	3811612.76	1.27549	254036.61
3811612.76	1.04920		
252036.61	3811712.76	0.47739	252136.61
3811712.76	0.59153		
252236.61	3811712.76	0.76091	252336.61
3811712.76	1.02225		
252436.61	3811712.76	1.48010	252536.61
3811712.76	2.44007		
252636.61	3811712.76	4.54748	252736.61
3811712.76	11.65004		
252836.61	3811712.76	46.58613	252936.61
3811712.76	62.74620		
253036.61	3811712.76	34.31798	253136.61



3811712.76	20.03468			
	253236.61	3811712.76	12.28021	253336.61
3811712.76	7.99906			
	253436.61	3811712.76	5.54251	253536.61
3811712.76	3.98794			
	253636.61	3811712.76	2.98204	253736.61
3811712.76	2.29550			
	253836.61	3811712.76	1.81087	253936.61
3811712.76	1.46195			
	254036.61	3811712.76	1.20278	252036.61
3811812.76	0.49505			
	252136.61	3811812.76	0.61292	252236.61
3811812.76	0.78763			
	252336.61	3811812.76	1.06809	252436.61
3811812.76	1.59823			
	252536.61	3811812.76	2.56017	252636.61
3811812.76	4.96444			
	252736.61	3811812.76	11.54564	252836.61
3811812.76	19.89280			
	252936.61	3811812.76	15.63659	253036.61
3811812.76	11.88146			
	253136.61	3811812.76	9.51961	253236.61
3811812.76	7.37585			
	253336.61	3811812.76	5.67196	253436.61
3811812.76	4.39875			
	253536.61	3811812.76	3.46114	253636.61
3811812.76	2.76016			
	253736.61	3811812.76	2.22622	253836.61
3811812.76	1.81833			
	253936.61	3811812.76	1.50399	254036.61
3811812.76	1.25923			
	252036.61	3811912.76	0.50004	252136.61
3811912.76	0.61924			
	252236.61	3811912.76	0.79167	252336.61
3811912.76	1.09170			
	252436.61	3811912.76	1.64665	252536.61
3811912.76	2.72757			
	252636.61	3811912.76	5.01363	252736.61
3811912.76	8.37495			
	252836.61	3811912.76	9.27944	252936.61
3811912.76	6.80322			
	253036.61	3811912.76	5.57944	253136.61
3811912.76	5.01295			
	253236.61	3811912.76	4.29380	253336.61
3811912.76	3.63180			
	253436.61	3811912.76	3.05444	253536.61
3811912.76	2.58098			
	253636.61	3811912.76	2.19907	253736.61
3811912.76	1.88223			
	253836.61	3811912.76	1.61502	253936.61

3811912.76	1.38958			
254036.61	3811912.76	1.20016		252036.61
3812012.76	0.48727			
252136.61	3812012.76	0.60385		252236.61
3812012.76	0.77085			
252336.61	3812012.76	1.09227		252436.61
3812012.76	1.72547			
252536.61	3812012.76	2.79642		252636.61
3812012.76	4.34656			

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 194

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
                                  L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
                                  L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
                                  L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub>    IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252736.61	3812012.76	5.49681	252836.61
3812012.76	5.04966		
252936.61	3812012.76	3.79264	253036.61
3812012.76	3.22041		
253136.61	3812012.76	3.02700	253236.61
3812012.76	2.77041		
253336.61	3812012.76	2.43813	253436.61
3812012.76	2.11413		
253536.61	3812012.76	1.84921	253636.61
3812012.76	1.60990		
253736.61	3812012.76	1.44421	253836.61
3812012.76	1.29559		

253936.61	3812012.76	1.17488	254036.61
3812012.76	1.05244		
252036.61	3812112.76	0.47398	252136.61
3812112.76	0.58957		
252236.61	3812112.76	0.78854	252336.61
3812112.76	1.14973		
252436.61	3812112.76	1.78112	252536.61
3812112.76	2.60586		
252636.61	3812112.76	3.40409	252736.61
3812112.76	3.62325		
252836.61	3812112.76	3.08210	252936.61
3812112.76	2.38576		
253036.61	3812112.76	2.06133	253136.61
3812112.76	1.99358		
253236.61	3812112.76	1.89306	253336.61
3812112.76	1.73608		
253436.61	3812112.76	1.55940	253536.61
3812112.76	1.38838		
253636.61	3812112.76	1.24096	253736.61
3812112.76	1.10298		
253836.61	3812112.76	1.01138	253936.61
3812112.76	0.93671		
254036.61	3812112.76	0.86958	252036.61
3812212.76	0.47040		
252136.61	3812212.76	0.60695	252236.61
3812212.76	0.83310		
252336.61	3812212.76	1.24115	252436.61
3812212.76	1.72811		
252536.61	3812212.76	2.25080	252636.61
3812212.76	2.57073		
252736.61	3812212.76	2.47716	252836.61
3812212.76	2.05367		
252936.61	3812212.76	1.63441	253036.61
3812212.76	1.44233		
253136.61	3812212.76	1.40022	253236.61
3812212.76	1.36481		
253336.61	3812212.76	1.28838	253436.61
3812212.76	1.18780		
253536.61	3812212.76	1.07293	253636.61
3812212.76	0.94933		
253736.61	3812212.76	0.86560	253836.61
3812212.76	0.79637		
253936.61	3812212.76	0.74035	254036.61
3812212.76	0.69881		
252036.61	3812312.76	0.49034	252136.61
3812312.76	0.64147		
252236.61	3812312.76	0.88738	252336.61
3812312.76	1.22905		
252436.61	3812312.76	1.57996	252536.61
3812312.76	1.86047		

252636.61	3812312.76	1.93601	252736.61
3812312.76	1.76689		
252836.61	3812312.76	1.45600	252936.61
3812312.76	1.19184		
253036.61	3812312.76	1.06585	253136.61
3812312.76	1.04030		
253236.61	3812312.76	1.02763	253336.61
3812312.76	0.99084		
253436.61	3812312.76	0.93447	253536.61
3812312.76	0.83552		
253636.61	3812312.76	0.76995	253736.61
3812312.76	0.70667		
253836.61	3812312.76	0.65030	253936.61
3812312.76	0.60393		
254036.61	3812312.76	0.56743	252036.61
3812412.76	0.52033		
252136.61	3812412.76	0.68534	252236.61
3812412.76	0.92396		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 195

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
    L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
    L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
    L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252336.61	3812412.76	1.16583	252436.61
3812412.76	1.38597		
252536.61	3812412.76	1.50655	252636.61

3812412.76	1.47359			
252736.61	3812412.76	1.30946		252836.61
3812412.76	1.08820			
252936.61	3812412.76	0.90991		253036.61
3812412.76	0.82252			
253136.61	3812412.76	0.80363		253236.61
3812412.76	0.80148			
253336.61	3812412.76	0.78444		253436.61
3812412.76	0.72673			
253536.61	3812412.76	0.67604		253636.61
3812412.76	0.63130			
253736.61	3812412.76	0.58923		253836.61
3812412.76	0.54864			
253936.61	3812412.76	0.50988		254036.61
3812412.76	0.47908			
252036.61	3812512.76	0.54038		252136.61
3812512.76	0.68650			
252236.61	3812512.76	0.87269		252336.61
3812512.76	1.06488			
252436.61	3812512.76	1.17515		252536.61
3812512.76	1.19777			
252636.61	3812512.76	1.15010		252736.61
3812512.76	1.00502			
252836.61	3812512.76	0.84461		252936.61
3812512.76	0.72294			
253036.61	3812512.76	0.65749		253136.61
3812512.76	0.64180			
253236.61	3812512.76	0.64262		253336.61
3812512.76	0.63642			
253436.61	3812512.76	0.59045		253536.61
3812512.76	0.55571			
253636.61	3812512.76	0.52431		253736.61
3812512.76	0.49585			
253836.61	3812512.76	0.46837		253936.61
3812512.76	0.44121			
254036.61	3812512.76	0.41557		252543.17
3811477.54	2.23330			
252563.17	3811477.54	2.45983		252583.17
3811477.54	2.72246			
252603.17	3811477.54	3.02645		252623.17
3811477.54	3.38476			
252643.17	3811477.54	3.81482		252663.17
3811477.54	4.33481			
252683.17	3811477.54	4.96470		252703.17
3811477.54	5.72568			
252723.17	3811477.54	6.66262		252743.17
3811477.54	7.81484			
252763.17	3811477.54	9.23656		252783.17
3811477.54	10.99826			
252803.17	3811477.54	13.21781		252823.17

3811477.54	15.99790			
	252843.17	3811477.54	19.59455	252863.17
3811477.54	24.50603			
	252883.17	3811477.54	31.87131	252903.17
3811477.54	44.77520			
	252923.17	3811477.54	72.01006	252943.17
3811477.54	128.95719			
	252543.17	3811497.54	2.26503	252563.17
3811497.54	2.50124			
	252583.17	3811497.54	2.77354	252603.17
3811497.54	3.08889			
	252623.17	3811497.54	3.46865	252643.17
3811497.54	3.92684			
	252663.17	3811497.54	4.48166	252683.17
3811497.54	5.15491			
	252703.17	3811497.54	5.97569	252723.17
3811497.54	7.01789			
	252743.17	3811497.54	8.33928	252763.17
3811497.54	10.01529			
	252783.17	3811497.54	12.13981	252803.17
3811497.54	14.83641			
	252823.17	3811497.54	18.32181	252843.17
3811497.54	22.95427			
	252863.17	3811497.54	29.42018	252883.17
3811497.54	39.34035			
	252903.17	3811497.54	57.93457	252923.17
3811497.54	109.37313			

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 196

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
                                  L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
                                  L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
                                  L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252543.17	3811517.54	2.29145	252563.17
3811517.54	2.53437		
252583.17	3811517.54	2.81921	252603.17
3811517.54	3.15246		
252623.17	3811517.54	3.55121	252643.17
3811517.54	4.03139		
252663.17	3811517.54	4.61622	252683.17
3811517.54	5.33586		
252703.17	3811517.54	6.23466	252723.17
3811517.54	7.38525		
252743.17	3811517.54	8.86646	252763.17
3811517.54	10.79056		
252783.17	3811517.54	13.30784	252803.17
3811517.54	16.63312		
252823.17	3811517.54	21.07779	252843.17
3811517.54	27.16605		
252863.17	3811517.54	35.87587	252883.17
3811517.54	49.45627		
252903.17	3811517.54	74.74424	252923.17
3811517.54	134.30997		
252543.17	3811537.54	2.30948	252563.17
3811537.54	2.56099		
252583.17	3811537.54	2.85825	252603.17
3811537.54	3.21163		
252623.17	3811537.54	3.62823	252643.17
3811537.54	4.12796		
252663.17	3811537.54	4.74120	252683.17
3811537.54	5.50867		
252703.17	3811537.54	6.48709	252723.17
3811537.54	7.74233		
252743.17	3811537.54	9.37396	252763.17
3811537.54	11.53927		
252783.17	3811537.54	14.48321	252803.17
3811537.54	18.58671		
252823.17	3811537.54	24.33893	252843.17
3811537.54	32.58929		
252863.17	3811537.54	44.84481	252883.17
3811537.54	64.20410		
252903.17	3811537.54	97.22416	252923.17
3811537.54	153.20615		
252943.17	3811537.54	236.45773	252543.17
3811557.54	2.34186		
252563.17	3811557.54	2.58942	252583.17
3811557.54	2.88697		

252603.17	3811557.54	3.25110	252623.17
3811557.54	3.68825		
252643.17	3811557.54	4.21202	252663.17
3811557.54	4.85995		
252683.17	3811557.54	5.68053	252703.17
3811557.54	6.72844		
252723.17	3811557.54	8.07692	252743.17
3811557.54	9.83994		
252763.17	3811557.54	12.22667	252783.17
3811557.54	15.59804		
252803.17	3811557.54	20.63099	252823.17
3811557.54	28.12020		
252843.17	3811557.54	39.59983	252863.17
3811557.54	57.63283		
252883.17	3811557.54	87.55406	252903.17
3811557.54	140.66853		
252543.17	3811577.54	2.36924	252563.17
3811577.54	2.62078		
252583.17	3811577.54	2.91917	252603.17
3811577.54	3.28516		
252623.17	3811577.54	3.73517	252643.17
3811577.54	4.28490		
252663.17	3811577.54	4.96843	252683.17
3811577.54	5.83372		
252703.17	3811577.54	6.93388	252723.17
3811577.54	8.36130		
252743.17	3811577.54	10.26225	252763.17
3811577.54	12.89345		
252783.17	3811577.54	16.72547	252803.17
3811577.54	22.65428		
252823.17	3811577.54	32.16446	252843.17
3811577.54	48.46507		
252863.17	3811577.54	78.07038	252883.17
3811577.54	136.34334		
252543.17	3811597.54	2.39672	252563.17
3811597.54	2.65507		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

PAGE 197

\*\*\* MODELOPTs:      RegDFault      CONC      ELEV      FLGPOL      URBAN      ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      L0000165      ,      L0000166  
 ,      L0000167      ,      L0000168      ,      L0000169      ,  
                                  L0000170      ,      L0000171      ,      L0000172      ,      L0000173      ,      L0000174  
 ,      L0000175      ,      L0000176      ,      L0000177      ,



```

, L0000183      , L0000184      , L0000185      ,
, L0000191      , L0000192      , . . .      ,
L0000178      , L0000179      , L0000180      , L0000181      , L0000182
L0000186      , L0000187      , L0000188      , L0000189      , L0000190

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252583.17	3811597.54	2.95569	252603.17
3811597.54	3.31626		
252623.17	3811597.54	3.77422	252643.17
3811597.54	4.34614		
252663.17	3811597.54	5.06339	252683.17
3811597.54	5.96511		
252703.17	3811597.54	7.11032	252723.17
3811597.54	8.61148		
252743.17	3811597.54	10.64458	252763.17
3811597.54	13.51853		
252783.17	3811597.54	17.78022	252803.17
3811597.54	24.49175		
252823.17	3811597.54	35.95782	252843.17
3811597.54	58.58609		
252863.17	3811597.54	115.87869	252543.17
3811617.54	2.41798		
252563.17	3811617.54	2.68480	252583.17
3811617.54	2.99784		
252603.17	3811617.54	3.36665	252623.17
3811617.54	3.82154		
252643.17	3811617.54	4.39416	252663.17
3811617.54	5.12340		
252683.17	3811617.54	6.06358	252703.17
3811617.54	7.26127		
252723.17	3811617.54	8.84491	252743.17
3811617.54	11.02272		
252763.17	3811617.54	14.13069	252783.17
3811617.54	18.75619		
252803.17	3811617.54	26.06621	252823.17
3811617.54	39.13997		
252843.17	3811617.54	67.97245	252543.17
3811637.54	2.43903		
252563.17	3811637.54	2.71255	252583.17
3811637.54	3.03670		
252603.17	3811637.54	3.41750	252623.17

3811637.54	3.87733		
252643.17	3811637.54	4.45333	252663.17
3811637.54	5.18878		
252683.17	3811637.54	6.14842	252703.17
3811637.54	7.40374		
252723.17	3811637.54	9.07221	252743.17
3811637.54	11.37907		
252763.17	3811637.54	14.69722	252783.17
3811637.54	19.71870		
252803.17	3811637.54	27.67166	252823.17
3811637.54	42.11786		
252843.17	3811637.54	72.60724	252863.17
3811637.54	143.07499		
252543.17	3811657.54	2.45962	252563.17
3811657.54	2.73839		
252583.17	3811657.54	3.07214	252603.17
3811657.54	3.46947		
252623.17	3811657.54	3.94262	252643.17
3811657.54	4.52450		
252663.17	3811657.54	5.26363	252683.17
3811657.54	6.23284		
252703.17	3811657.54	7.54570	252723.17
3811657.54	9.30364		
252743.17	3811657.54	11.73637	252763.17
3811657.54	15.25252		
252783.17	3811657.54	20.63195	252803.17
3811657.54	29.07875		
252823.17	3811657.54	43.75395	252843.17
3811657.54	70.56578		
252863.17	3811657.54	119.32147	252883.17
3811657.54	207.64338		
252943.17	3811657.54	241.32342	252543.17
3811677.54	2.48270		
252563.17	3811677.54	2.76529	252583.17
3811677.54	3.10488		
252603.17	3811677.54	3.51484	252623.17
3811677.54	4.00905		
252643.17	3811677.54	4.61257	252663.17
3811677.54	5.36981		
252683.17	3811677.54	6.35246	252703.17
3811677.54	7.69008		
252723.17	3811677.54	9.53133	252743.17
3811677.54	12.10033		
252763.17	3811677.54	15.77102	252783.17
3811677.54	21.23489		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
                                  \*\*\*      18:49:39

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 , L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 , L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252803.17	3811677.54	29.72752	252823.17
3811677.54	43.30057		
252843.17	3811677.54	64.69685	252863.17
3811677.54	97.04559		
252883.17	3811677.54	143.83760	252903.17
3811677.54	199.39829		
252923.17	3811677.54	179.98376	252943.17
3811677.54	140.42702		
252543.17	3811697.54	2.50664	252563.17
3811697.54	2.79392		
252583.17	3811697.54	3.13920	252603.17
3811697.54	3.56019		
252623.17	3811697.54	4.07452	252643.17
3811697.54	4.70441		
252663.17	3811697.54	5.49117	252683.17
3811697.54	6.50138		
252703.17	3811697.54	7.86503	252723.17
3811697.54	9.76189		
252743.17	3811697.54	12.44884	252763.17
3811697.54	16.29642		
252783.17	3811697.54	21.74192	252803.17
3811697.54	29.61851		
252823.17	3811697.54	41.14301	252843.17
3811697.54	57.09843		
252863.17	3811697.54	77.16214	252883.17
3811697.54	97.50959		

252903.17	3811697.54	105.72845	252923.17
3811697.54	96.80807		
252943.17	3811697.54	84.00635	252543.17
3811717.54	2.53137		
252563.17	3811717.54	2.82560	252583.17
3811717.54	3.17630		
252603.17	3811717.54	3.60687	252623.17
3811717.54	4.13922		
252643.17	3811717.54	4.79949	252663.17
3811717.54	5.62817		
252683.17	3811717.54	6.68071	252703.17
3811717.54	8.06213		
252723.17	3811717.54	9.98647	252743.17
3811717.54	12.72851		
252763.17	3811717.54	16.63367	252783.17
3811717.54	21.83277		
252803.17	3811717.54	28.70480	252823.17
3811717.54	37.82696		
252843.17	3811717.54	48.77633	252863.17
3811717.54	59.65125		
252883.17	3811717.54	67.16611	252903.17
3811717.54	67.28155		
252923.17	3811717.54	61.59439	252943.17
3811717.54	54.94957		
252543.17	3811737.54	2.55462	252563.17
3811737.54	2.85615		
252583.17	3811737.54	3.21676	252603.17
3811737.54	3.65756		
252623.17	3811737.54	4.20544	252643.17
3811737.54	4.88941		
252663.17	3811737.54	5.75473	252683.17
3811737.54	6.86372		
252703.17	3811737.54	8.31320	252723.17
3811737.54	10.23040		
252743.17	3811737.54	12.84534	252763.17
3811737.54	16.45483		
252783.17	3811737.54	21.30936	252803.17
3811737.54	27.11672		
252823.17	3811737.54	33.71222	252843.17
3811737.54	40.41707		
252863.17	3811737.54	45.83554	252883.17
3811737.54	48.47579		
252903.17	3811737.54	47.00973	252923.17
3811737.54	43.08791		
252943.17	3811737.54	38.93249	252543.17
3811757.54	2.57745		
252563.17	3811757.54	2.88679	252583.17
3811757.54	3.25928		
252603.17	3811757.54	3.71212	252623.17
3811757.54	4.27521		

252643.17	3811757.54	4.98268	252663.17
3811757.54	5.88212		
252683.17	3811757.54	7.03707	252703.17
3811757.54	8.53340		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*      18:49:39

PAGE 199

\*\*\* MODELOPTs:    RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):    L0000165    , L0000166  
 , L0000167    , L0000168    , L0000169    ,  
                  L0000170    , L0000171    , L0000172    , L0000173    , L0000174  
 , L0000175    , L0000176    , L0000177    ,  
                  L0000178    , L0000179    , L0000180    , L0000181    , L0000182  
 , L0000183    , L0000184    , L0000185    ,  
                  L0000186    , L0000187    , L0000188    , L0000189    , L0000190  
 , L0000191    , L0000192    , . . .    ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10    IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252723.17	3811757.54	10.43707	252743.17
3811757.54	12.89848		
252763.17	3811757.54	16.08787	252783.17
3811757.54	20.19871		
252803.17	3811757.54	24.69613	252823.17
3811757.54	29.27029		
252843.17	3811757.54	33.31177	252863.17
3811757.54	35.93350		
252883.17	3811757.54	36.50250	252903.17
3811757.54	34.71231		
252923.17	3811757.54	31.86490	252943.17
3811757.54	29.02603		
252543.17	3811777.54	2.60230	252563.17
3811777.54	2.91820		
252583.17	3811777.54	3.30366	252603.17
3811777.54	3.77093		
252623.17	3811777.54	4.34861	252643.17

3811777.54	5.07572		
252663.17	3811777.54	6.00199	252683.17
3811777.54	7.18229		
252703.17	3811777.54	8.69346	252723.17
3811777.54	10.55524		
252743.17	3811777.54	12.81130	252763.17
3811777.54	15.50736		
252783.17	3811777.54	18.79927	252803.17
3811777.54	22.16198		
252823.17	3811777.54	25.19791	252843.17
3811777.54	27.52373		
252863.17	3811777.54	28.66050	252883.17
3811777.54	28.32704		
252903.17	3811777.54	26.62158	252923.17
3811777.54	24.47330		
252943.17	3811777.54	22.45866	252543.17
3811797.54	2.63134		
252563.17	3811797.54	2.95532	252583.17
3811797.54	3.34986		
252603.17	3811797.54	3.83089	252623.17
3811797.54	4.42464		
252643.17	3811797.54	5.16542	252663.17
3811797.54	6.09595		
252683.17	3811797.54	7.26595	252703.17
3811797.54	8.71731		
252723.17	3811797.54	10.48677	252743.17
3811797.54	12.55368		
252763.17	3811797.54	14.86529	252783.17
3811797.54	17.31780		
252803.17	3811797.54	19.67844	252823.17
3811797.54	21.64455		
252843.17	3811797.54	22.89102	252863.17
3811797.54	23.21256		
252883.17	3811797.54	22.54324	252903.17
3811797.54	20.98694		
252923.17	3811797.54	19.28271	252943.17
3811797.54	17.87517		
252543.17	3811817.54	2.66341	252563.17
3811817.54	2.99585		
252583.17	3811817.54	3.39809	252603.17
3811817.54	3.89105		
252623.17	3811817.54	4.49700	252643.17
3811817.54	5.24363		
252663.17	3811817.54	6.16292	252683.17
3811817.54	7.29318		
252703.17	3811817.54	8.65001	252723.17
3811817.54	10.25380		
252743.17	3811817.54	12.01540	252763.17
3811817.54	13.87758		
252783.17	3811817.54	15.72684	252803.17

3811817.54	17.35626			
	252823.17	3811817.54	18.61678	252843.17
3811817.54	19.24217			
	252863.17	3811817.54	19.09632	252883.17
3811817.54	18.31598			
	252903.17	3811817.54	17.05181	252923.17
3811817.54	15.70109			
	252943.17	3811817.54	14.56866	252543.17
3811837.54	2.69630			
	252563.17	3811837.54	3.03550	252583.17
3811837.54	3.44527			
	252603.17	3811837.54	3.94578	252623.17
3811837.54	4.55787			

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*    \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*    11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*    \*\*\*  
                                  \*\*\*    18:49:39

PAGE 200

\*\*\* MODELOPTs:    RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL    \*\*\*

INCLUDING SOURCE(S):    L0000165    ,    L0000166  
 , L0000167    , L0000168    , L0000169    ,  
                  L0000170    , L0000171    , L0000172    , L0000173    , L0000174  
 , L0000175    , L0000176    , L0000177    ,  
                  L0000178    , L0000179    , L0000180    , L0000181    , L0000182  
 , L0000183    , L0000184    , L0000185    ,  
                  L0000186    , L0000187    , L0000188    , L0000189    , L0000190  
 , L0000191    , L0000192    , . . .    ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub>    IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
252643.17	3811837.54	5.30163	252663.17
3811837.54	6.19600		
252683.17	3811837.54	7.25598	252703.17
3811837.54	8.49267		
252723.17	3811837.54	9.88949	252743.17
3811837.54	11.34782		
252763.17	3811837.54	12.82026	252783.17
3811837.54	14.17435		

252803.17	3811837.54	15.31467	252823.17
3811837.54	16.03006		
252843.17	3811837.54	16.19768	252863.17
3811837.54	15.86253		
252883.17	3811837.54	15.13032	252903.17
3811837.54	14.14155		
252923.17	3811837.54	13.06822	252943.17
3811837.54	12.09661		
252543.17	3811857.54	2.73288	252563.17
3811857.54	3.08012		
252583.17	3811857.54	3.49403	252603.17
3811857.54	3.99557		
252623.17	3811857.54	4.60137	252643.17
3811857.54	5.32591		
252663.17	3811857.54	6.17891	252683.17
3811857.54	7.15732		
252703.17	3811857.54	8.25306	252723.17
3811857.54	9.43473		
252743.17	3811857.54	10.61744	252763.17
3811857.54	11.74095		
252783.17	3811857.54	12.70991	252803.17
3811857.54	13.44334		
252823.17	3811857.54	13.83488	252843.17
3811857.54	13.77445		
252863.17	3811857.54	13.32650	252883.17
3811857.54	12.61304		
252903.17	3811857.54	11.76894	252923.17
3811857.54	10.92685		
252943.17	3811857.54	10.18162	252543.17
3811877.54	2.77101		
252563.17	3811877.54	3.12614	252583.17
3811877.54	3.54040		
252603.17	3811877.54	4.03554	252623.17
3811877.54	4.62473		
252643.17	3811877.54	5.31652	252663.17
3811877.54	6.11321		
252683.17	3811877.54	6.99573	252703.17
3811877.54	7.94455		
252723.17	3811877.54	8.92360	252743.17
3811877.54	9.86893		
252763.17	3811877.54	10.71652	252783.17
3811877.54	11.38980		
252803.17	3811877.54	11.82558	252823.17
3811877.54	11.98118		
252843.17	3811877.54	11.81493	252863.17
3811877.54	11.34552		
252883.17	3811877.54	10.68379	252903.17
3811877.54	9.94959		
252923.17	3811877.54	9.24506	252943.17
3811877.54	8.63232		



252951.79	3811537.40	252.14239	252907.13
3811561.60	161.90770		
252856.97	3811609.76	109.84467	252901.89
3811674.89	219.07107		
252905.13	3811677.64	200.94704	252911.37
3811676.89	207.19834		
252994.96	3811595.29	271.08510	252999.95
3811590.05	275.23643		
253004.20	3811578.82	270.39063	253009.44
3811562.85	245.61293		
253010.18	3811555.37	240.67468	253008.94
3811538.90	226.32162		
253002.20	3811507.21	213.37456	253000.70
3811483.50	161.41248		
253001.70	3811470.52	125.70352	253004.70
3811461.54	90.91756		
252970.76	3811450.81	87.47403	252923.10
3811499.97	113.72025		
252956.78	3811533.16	296.44240	252944.35
3811541.43	240.22817		
252936.90	3811545.47	220.35680	252929.46
3811549.50	203.57954		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 201

\*\*\* MODELOPTs:      RegDFault    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
    L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
    L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
    L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		

-----

252922.02	3811553.53	188.93968	252914.57
3811557.57	175.54913		
252899.96	3811568.48	161.55805	252892.80
3811575.36	160.51312		
252885.63	3811582.24	145.30487	252878.47
3811589.12	152.55541		
252871.30	3811596.00	141.44277	252864.14
3811602.88	122.99347		
252862.59	3811617.90	153.01365	252868.20
3811626.04	171.92154		
252873.82	3811634.18	201.47789	252879.43
3811642.33	219.17934		
252885.05	3811650.47	229.82251	252890.66
3811658.61	215.45294		
252896.28	3811666.75	207.08088	252918.34
3811670.09	259.47163		
252925.30	3811663.29	270.51052	252932.27
3811656.49	291.14481		
252939.23	3811649.69	303.38875	252946.20
3811642.89	310.86442		
252953.16	3811636.09	314.47621	252960.13
3811629.29	315.47998		
252967.10	3811622.49	314.77125	252974.06
3811615.69	311.12832		
252981.03	3811608.89	303.11082	252987.99
3811602.09	290.91781		
253002.08	3811584.43	252.66095	253006.82
3811570.84	260.67678		
253009.56	3811547.14	215.54720	253007.26
3811530.98	222.50547		
253005.57	3811523.06	220.89488	253003.89
3811515.13	219.67036		
253001.70	3811499.31	211.44735	253001.20
3811491.40	210.76356		
253001.20	3811477.01	137.71986	252996.22
3811458.86	102.10632		
252987.73	3811456.18	106.26688	252979.25
3811453.49	100.93035		
252963.95	3811457.83	88.77578	252957.14
3811464.86	108.13045		
252950.33	3811471.88	119.01034	252943.53
3811478.90	137.22896		
252936.72	3811485.92	133.92404	252929.91
3811492.95	121.81094		
252929.84	3811506.61	154.51634	252936.57
3811513.25	181.42047		
252943.31	3811519.88	237.72519	252950.04
3811526.52	259.26676		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden

Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 202

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 , L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 , L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252036.61	3810512.76	319.33959	(16020808)	252136.61
3810512.76	354.57371	(14022108)		
252236.61	3810512.76	341.39255	(16012708)	252336.61
3810512.76	148.96473	(12121208)		
252436.61	3810512.76	148.50280	(12121208)	252536.61
3810512.76	166.01775	(15011308)		
252636.61	3810512.76	158.91877	(14012208)	252736.61
3810512.76	168.30915	(15120708)		
252836.61	3810512.76	169.24792	(15120708)	252936.61
3810512.76	183.28968	(14020508)		
253036.61	3810512.76	193.46944	(15010908)	253136.61
3810512.76	192.47442	(15011908)		
253236.61	3810512.76	171.97095	(14012708)	253336.61
3810512.76	169.49827	(16011508)		
253436.61	3810512.76	166.94367	(16011508)	253536.61
3810512.76	145.76193	(12010508)		
253636.61	3810512.76	127.32072	(15122308)	253736.61
3810512.76	136.08853	(14121708)		
253836.61	3810512.76	124.02686	(14121708)	253936.61
3810512.76	116.89665	(15120808)		
254036.61	3810512.76	106.43359	(12012408)	252036.61
3810612.76	328.16320	(16020808)		

252136.61	3810612.76	287.37269	(12020908)	252236.61
3810612.76	240.49849	(12011208)		
252336.61	3810612.76	157.59288	(16012108)	252436.61
3810612.76	175.69083	(12121208)		
252536.61	3810612.76	179.15130	(15011308)	252636.61
3810612.76	188.01823	(13122308)		
252736.61	3810612.76	192.88134	(14012208)	252836.61
3810612.76	198.52929	(15120708)		
252936.61	3810612.76	209.84855	(14020508)	253036.61
3810612.76	220.31660	(15010908)		
253136.61	3810612.76	221.21012	(15011908)	253236.61
3810612.76	183.59038	(14012708)		
253336.61	3810612.76	201.70599	(16011508)	253436.61
3810612.76	168.96469	(16011508)		
253536.61	3810612.76	158.97105	(12010508)	253636.61
3810612.76	155.22181	(14121708)		
253736.61	3810612.76	146.78055	(14121708)	253836.61
3810612.76	135.35693	(15120808)		
253936.61	3810612.76	121.69699	(12012408)	254036.61
3810612.76	119.86517	(12010208)		
252036.61	3810712.76	220.33621	(16011408)	252136.61
3810712.76	157.80449	(16012508)		
252236.61	3810712.76	162.02870	(12020208)	252336.61
3810712.76	177.98844	(16122708)		
252436.61	3810712.76	191.95968	(12121208)	252536.61
3810712.76	197.99409	(12121208)		
252636.61	3810712.76	222.20456	(15011308)	252736.61
3810712.76	224.68602	(14012208)		
252836.61	3810712.76	234.73143	(15120708)	252936.61
3810712.76	243.44139	(14020508)		
253036.61	3810712.76	253.45427	(15010908)	253136.61
3810712.76	253.03492	(15011908)		
253236.61	3810712.76	215.00146	(16011508)	253336.61
3810712.76	227.35127	(16011508)		
253436.61	3810712.76	194.80635	(12010508)	253536.61
3810712.76	176.57499	(14121708)		
253636.61	3810712.76	175.96871	(14121708)	253736.61
3810712.76	159.19774	(15120808)		
253836.61	3810712.76	141.11090	(12012408)	253936.61
3810712.76	138.45695	(13121317)		
254036.61	3810712.76	128.60932	(14122208)	252036.61
3810812.76	152.23842	(16122208)		
252136.61	3810812.76	167.43725	(16120908)	252236.61
3810812.76	186.32060	(16012508)		
252336.61	3810812.76	196.34501	(12020208)	252436.61
3810812.76	214.41829	(16122708)		
252536.61	3810812.76	238.94348	(12121208)	252636.61
3810812.76	253.20267	(15011308)		
252736.61	3810812.76	257.56109	(14012208)	252836.61
3810812.76	279.54880	(15120708)		

252936.61	3810812.76	287.89140	(14020508)	253036.61
3810812.76	294.98400	(15010908)		
253136.61	3810812.76	286.17636	(15011908)	253236.61
3810812.76	276.58189	(16011508)		
253336.61	3810812.76	235.89158	(16011508)	253436.61
3810812.76	208.64921	(12010508)		
253536.61	3810812.76	213.99243	(14121708)	253636.61
3810812.76	190.89462	(15120808)		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
 \*\*\* 18:49:39

PAGE 203

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 , L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 , L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
253736.61	3810812.76	168.45302	(12010208)	253836.61
3810812.76	162.66302	(13121317)		
253936.61	3810812.76	148.40283	(14122208)	254036.61
3810812.76	124.76184	(14122208)		
252036.61	3810912.76	223.59688	(15011408)	252136.61
3810912.76	176.98990	(16122208)		
252236.61	3810912.76	199.75126	(16120908)	252336.61
3810912.76	225.07591	(15012008)		
252436.61	3810912.76	241.91578	(12020208)	252536.61
3810912.76	261.26757	(16012108)		
252636.61	3810912.76	283.45154	(12121208)	252736.61
3810912.76	312.41140	(13122308)		
252836.61	3810912.76	334.61376	(15120708)	252936.61

3810912.76	348.24717	(14020508)		
253036.61	3810912.76	356.53660	(12121908)	253136.61
3810912.76	328.26911	(14012708)		
253236.61	3810912.76	334.79081	(16011508)	253336.61
3810912.76	277.64332	(12010508)		
253436.61	3810912.76	264.15953	(14121708)	253536.61
3810912.76	234.61739	(15120808)		
253636.61	3810912.76	206.16599	(12010208)	253736.61
3810912.76	193.87279	(13121317)		
253836.61	3810912.76	171.81768	(14122208)	253936.61
3810912.76	140.76369	(13122517)		
254036.61	3810912.76	138.00668	(13122517)	252036.61
3811012.76	242.29348	(13120908)		
252136.61	3811012.76	195.66279	(15012108)	252236.61
3811012.76	208.32008	(16122208)		
252336.61	3811012.76	243.86041	(16120908)	252436.61
3811012.76	279.54332	(15012008)		
252536.61	3811012.76	303.65091	(12020208)	252636.61
3811012.76	350.62267	(12121208)		
252736.61	3811012.76	388.80301	(15011308)	252836.61
3811012.76	401.18749	(15120708)		
252936.61	3811012.76	433.98993	(14020508)	253036.61
3811012.76	460.29922	(15011908)		
253136.61	3811012.76	404.75680	(16011508)	253236.61
3811012.76	363.34669	(16011508)		
253336.61	3811012.76	330.49054	(14121708)	253436.61
3811012.76	297.88600	(15120808)		
253536.61	3811012.76	259.99497	(12010208)	253636.61
3811012.76	236.90551	(14122208)		
253736.61	3811012.76	198.89196	(14122208)	253836.61
3811012.76	176.77702	(13122517)		
253936.61	3811012.76	175.32452	(15020908)	254036.61
3811012.76	164.80264	(15020908)		
252036.61	3811112.76	301.65668	(12021708)	252136.61
3811112.76	261.27923	(13120908)		
252236.61	3811112.76	254.55534	(13120908)	252336.61
3811112.76	260.99943	(15012108)		
252436.61	3811112.76	309.48558	(16122208)	252536.61
3811112.76	360.34543	(15012008)		
252636.61	3811112.76	406.19427	(16122708)	252736.61
3811112.76	457.41126	(12121208)		
252836.61	3811112.76	516.60367	(14012208)	252936.61
3811112.76	565.30818	(14020508)		
253036.61	3811112.76	614.52831	(15011908)	253136.61
3811112.76	563.23934	(16011508)		
253236.61	3811112.76	436.75729	(12010508)	253336.61
3811112.76	395.60197	(15120808)		
253436.61	3811112.76	341.41194	(12010208)	253536.61
3811112.76	299.75638	(14122208)		
253636.61	3811112.76	235.87992	(13122517)	253736.61

```

3811112.76      231.69782 (15020908)
                253836.61 3811112.76      216.36257 (15020908)      253936.61
3811112.76      184.19824 (15020908)
                254036.61 3811112.76      159.22832 (12121217)      252036.61
3811212.76      340.49847 (15010808)
                252136.61 3811212.76      387.01102 (15010808)      252236.61
3811212.76      400.36520 (12021708)
                252336.61 3811212.76      329.94137 (13120908)      252436.61
3811212.76      346.73841 (13120908)
                252536.61 3811212.76      409.24862 (16122208)      252636.61
3811212.76      489.89153 (15012008)
                252736.61 3811212.76      578.75717 (12121208)      252836.61
3811212.76      695.43379 (15011308)
                252936.61 3811212.76      777.54318 (14020508)      253036.61
3811212.76      840.78356 (15011908)
                253136.61 3811212.76      677.88692 (16011508)      253236.61
3811212.76      582.89929 (14121708)

```

```

^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 204

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

```

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL      ***
                                INCLUDING SOURCE(S):      L0000165      , L0000166
, L0000167      , L0000168      , L0000169      ,
                L0000170      , L0000171      , L0000172      , L0000173      , L0000174
, L0000175      , L0000176      , L0000177      ,
                L0000178      , L0000179      , L0000180      , L0000181      , L0000182
, L0000183      , L0000184      , L0000185      ,
                L0000186      , L0000187      , L0000188      , L0000189      , L0000190
, L0000191      , L0000192      , . . .      ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

```

X-COORD (M) Y-COORD (M)      CONC      (YYMMDDHH)      X-COORD (M)
Y-COORD (M)      CONC      (YYMMDDHH)
-----
                253336.61 3811212.76      474.68320 (12010208)      253436.61
3811212.76      386.57874 (14122208)
                253536.61 3811212.76      327.42210 (15020908)      253636.61
3811212.76      303.03214 (15020908)

```

253736.61	3811212.76	247.39671	(15020908)	253836.61
3811212.76	208.40575	(12121217)		
253936.61	3811212.76	179.43281	(13121717)	254036.61
3811212.76	165.44138	(15120208)		
252036.61	3811312.76	367.74726	(15012908)	252136.61
3811312.76	370.43778	(15012908)		
252236.61	3811312.76	385.54448	(16120808)	252336.61
3811312.76	519.15460	(15010808)		
252436.61	3811312.76	414.05232	(14120508)	252536.61
3811312.76	502.62495	(13120908)		
252636.61	3811312.76	568.62768	(16122208)	252736.61
3811312.76	718.79581	(15012008)		
252836.61	3811312.76	938.87774	(12121208)	252936.61
3811312.76	1184.66155	(15120708)		
253036.61	3811312.76	1268.43772	(16011508)	253136.61
3811312.76	975.79598	(14121708)		
253236.61	3811312.76	722.82004	(13121317)	253336.61
3811312.76	523.07685	(13122517)		
253436.61	3811312.76	471.99736	(15020908)	253536.61
3811312.76	358.23489	(15020908)		
253636.61	3811312.76	289.43879	(16122308)	253736.61
3811312.76	259.63703	(15120208)		
253836.61	3811312.76	234.68584	(15120208)	253936.61
3811312.76	206.38070	(15120208)		
254036.61	3811312.76	178.37064	(15120208)	252036.61
3811412.76	347.46456	(15012608)		
252136.61	3811412.76	392.96189	(15012608)	252236.61
3811412.76	468.40844	(15012608)		
252336.61	3811412.76	511.55249	(15012908)	252436.61
3811412.76	561.39675	(15012908)		
252536.61	3811412.76	584.60056	(15010808)	252636.61
3811412.76	713.77018	(15010808)		
252736.61	3811412.76	880.13308	(13120908)	252836.61
3811412.76	1231.89873	(16012508)		
252936.61	3811412.76	2263.36733	(15120708)	253036.61
3811412.76	2169.91548	(12010508)		
253136.61	3811412.76	1275.51166	(14122208)	253236.61
3811412.76	897.37973	(15020908)		
253336.61	3811412.76	604.69214	(16122308)	253436.61
3811412.76	491.65514	(15120208)		
253536.61	3811412.76	404.20338	(15120208)	253636.61
3811412.76	324.23842	(15120208)		
253736.61	3811412.76	275.26710	(13121017)	253836.61
3811412.76	237.74289	(13121017)		
253936.61	3811412.76	205.49983	(13121017)	254036.61
3811412.76	178.27855	(13121017)		
252036.61	3811512.76	322.64173	(15122808)	252136.61
3811512.76	386.45577	(15122808)		
252236.61	3811512.76	463.92983	(15122808)	252336.61
3811512.76	537.83535	(15122808)		



252436.61	3811512.76	518.43064	(15122808)	252536.61
3811512.76	654.24181	(15122808)		
252636.61	3811512.76	877.93821	(15012608)	252736.61
3811512.76	1182.51323	(15010808)		
252836.61	3811512.76	1682.44870	(15010808)	253036.61
3811512.76	3111.22229	(14122208)		
253136.61	3811512.76	1474.38227	(15120208)	253236.61
3811512.76	936.57747	(13121017)		
253336.61	3811512.76	663.23590	(13121017)	253436.61
3811512.76	490.79469	(16010808)		
253536.61	3811512.76	396.51974	(16010808)	253636.61
3811512.76	328.71549	(16010808)		
253736.61	3811512.76	277.36942	(16010808)	253836.61
3811512.76	237.74976	(16010808)		
253936.61	3811512.76	206.48989	(16010808)	254036.61
3811512.76	181.32466	(16010808)		
252036.61	3811612.76	311.23597	(13011108)	252136.61
3811612.76	350.83964	(13011108)		
252236.61	3811612.76	400.82096	(13011108)	252336.61
3811612.76	461.04856	(13011108)		
252436.61	3811612.76	517.30527	(13011108)	252536.61
3811612.76	586.68462	(12123108)		
252636.61	3811612.76	809.67894	(12123108)	252736.61
3811612.76	1296.09308	(15120717)		
252836.61	3811612.76	2971.01842	(15120717)	253036.61
3811612.76	2128.98939	(13122317)		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 205

\*\*\* MODELOPTs:      RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE    1ST HIGHEST    1-HR AVERAGE CONCENTRATION  
 \*\*\*  
 VALUES FOR SOURCE GROUP: ALL                      INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
    L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
    L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
    L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10      IN MICROGRAMS/M\*\*3

\*\*

Y-COORD (M)	X-COORD (M)	Y-COORD (M) CONC	CONC	(YYMMDDHH)	X-COORD (M)
3811612.76	253136.61	3811612.76	1183.13325	(13122317)	253236.61
3811612.76	792.77367	(13122317)			
3811612.76	253336.61	3811612.76	588.21008	(13122317)	253436.61
3811612.76	460.40034	(13122317)			
3811612.76	253536.61	3811612.76	374.06022	(13122317)	253636.61
3811612.76	311.62317	(13122317)			
3811612.76	253736.61	3811612.76	264.95890	(13122317)	253836.61
3811612.76	228.94418	(13122317)			
3811612.76	253936.61	3811612.76	200.52128	(13122317)	254036.61
3811612.76	177.53428	(13122317)			
3811712.76	252036.61	3811712.76	270.00472	(15120717)	252136.61
3811712.76	339.54859	(15120717)			
3811712.76	252236.61	3811712.76	421.62732	(15120717)	252336.61
3811712.76	521.17720	(15120717)			
3811712.76	252436.61	3811712.76	610.97234	(15120717)	252536.61
3811712.76	597.18238	(15120717)			
3811712.76	252636.61	3811712.76	782.80633	(14122417)	252736.61
3811712.76	1237.60090	(16010117)			
3811712.76	252836.61	3811712.76	1959.14202	(12120617)	252936.61
3811712.76	1863.42800	(14010617)			
3811712.76	253036.61	3811712.76	1146.90312	(16121217)	253136.61
3811712.76	658.24868	(12013017)			
3811712.76	253236.61	3811712.76	437.06893	(14121617)	253336.61
3811712.76	329.54311	(14120417)			
3811712.76	253436.61	3811712.76	253.64503	(15120217)	253536.61
3811712.76	202.68123	(15120217)			
3811712.76	253636.61	3811712.76	171.09177	(13122317)	253736.61
3811712.76	158.27496	(13122317)			
3811712.76	253836.61	3811712.76	146.28717	(13122317)	253936.61
3811712.76	135.18598	(13122317)			
3811812.76	254036.61	3811712.76	125.07419	(13122317)	252036.61
3811812.76	341.37348	(15120717)			
3811812.76	252136.61	3811812.76	367.67595	(15120717)	252236.61
3811812.76	380.75637	(15122508)			
3811812.76	252336.61	3811812.76	421.09831	(16011117)	252436.61
3811812.76	407.35036	(14122417)			
3811812.76	252536.61	3811812.76	535.38562	(16010117)	252636.61
3811812.76	613.73782	(12120517)			
3811812.76	252736.61	3811812.76	834.17008	(15120917)	252836.61
3811812.76	980.93521	(14011008)			
3811812.76	252936.61	3811812.76	936.02597	(16122617)	253036.61
3811812.76	813.71946	(16121217)			
3811812.76	253136.61	3811812.76	458.41688	(12013017)	253236.61
3811812.76	344.73166	(12013017)			
3811812.76	253336.61	3811812.76	275.84073	(14121617)	253436.61

3811812.76	225.11194	(14121617)			
	253536.61	3811812.76	186.43149	(14120417)	253636.61
3811812.76	157.90325	(14120417)			
	253736.61	3811812.76	132.82529	(15120217)	253836.61
3811812.76	116.34292	(15120217)			
	253936.61	3811812.76	101.20347	(15120217)	254036.61
3811812.76	87.79410	(15120217)			
	252036.61	3811912.76	293.21683	(16011117)	252136.61
3811912.76	327.83866	(15121617)			
	252236.61	3811912.76	381.70229	(14122417)	252336.61
3811912.76	388.91786	(16010117)			
	252436.61	3811912.76	352.19960	(16010117)	252536.61
3811912.76	406.55039	(12120517)			
	252636.61	3811912.76	502.87020	(15120917)	252736.61
3811912.76	619.53327	(14011008)			
	252836.61	3811912.76	560.15663	(12120717)	252936.61
3811912.76	583.64561	(16122617)			
	253036.61	3811912.76	536.26778	(12122017)	253136.61
3811912.76	437.24188	(16121217)			
	253236.61	3811912.76	265.24913	(16120217)	253336.61
3811912.76	215.46527	(15010817)			
	253436.61	3811912.76	179.14754	(14121617)	253536.61
3811912.76	167.23485	(14121617)			
	253636.61	3811912.76	142.98281	(14121617)	253736.61
3811912.76	121.84503	(14120417)			
	253836.61	3811912.76	110.25092	(14120417)	253936.61
3811912.76	97.27088	(14120417)			
	254036.61	3811912.76	84.71951	(15120217)	252036.61
3812012.76	320.69423	(14122417)			
	252136.61	3812012.76	336.97928	(16010117)	252236.61
3812012.76	362.96898	(16010117)			
	252336.61	3812012.76	335.44811	(12120517)	252436.61
3812012.76	294.67889	(14120517)			
	252536.61	3812012.76	348.72610	(15120917)	252636.61
3812012.76	414.64967	(12120617)			

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 206

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 L0000178 , L0000179 , L0000180 , L0000181 , L0000182

, L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252736.61	3812012.76	402.01462	(14011008)	252836.61
3812012.76	385.11884	(12120717)		
252936.61	3812012.76	410.73196	(16122617)	253036.61
3812012.76	395.82471	(14010617)		
253136.61	3812012.76	374.87235	(16121217)	253236.61
3812012.76	250.77675	(15121517)		
253336.61	3812012.76	184.94149	(16120217)	253436.61
3812012.76	154.96819	(12013017)		
253536.61	3812012.76	133.86574	(15010817)	253636.61
3812012.76	209.49603	(14121617)		
253736.61	3812012.76	209.89152	(14121617)	253836.61
3812012.76	201.39515	(14121617)		
253936.61	3812012.76	170.99886	(14120917)	254036.61
3812012.76	206.04989	(14120917)		
252036.61	3812112.76	299.23362	(16010117)	252136.61
3812112.76	274.63275	(16010117)		
252236.61	3812112.76	321.92566	(12120517)	252336.61
3812112.76	333.16661	(15120917)		
252436.61	3812112.76	261.10075	(15120917)	252536.61
3812112.76	293.86608	(12120617)		
252636.61	3812112.76	325.60495	(14011008)	252736.61
3812112.76	273.26534	(15120417)		
252836.61	3812112.76	288.51063	(12010317)	252936.61
3812112.76	309.94283	(16122617)		
253036.61	3812112.76	308.29051	(14010617)	253136.61
3812112.76	294.49446	(12122017)		
253236.61	3812112.76	246.02615	(16121217)	253336.61
3812112.76	154.84418	(15121517)		
253436.61	3812112.76	138.31623	(16120217)	253536.61
3812112.76	117.96866	(12013017)		
253636.61	3812112.76	107.02196	(15010817)	253736.61
3812112.76	150.29447	(16123017)		
253836.61	3812112.76	164.47559	(14121617)	253936.61
3812112.76	158.04457	(14121617)		
254036.61	3812112.76	139.21425	(14121617)	252036.61
3812212.76	229.64305	(12120517)		

252136.61	3812212.76	293.91060	(12120517)	252236.61
3812212.76	311.47310	(15120917)		
252336.61	3812212.76	205.49239	(15120917)	252436.61
3812212.76	221.91423	(12021508)		
252536.61	3812212.76	251.17233	(14011008)	252636.61
3812212.76	231.94187	(14011008)		
252736.61	3812212.76	227.90561	(12120717)	252836.61
3812212.76	228.32456	(13120417)		
252936.61	3812212.76	245.22184	(16122617)	253036.61
3812212.76	244.27252	(14010617)		
253136.61	3812212.76	232.09580	(12122017)	253236.61
3812212.76	225.52588	(16121217)		
253336.61	3812212.76	166.45337	(15121517)	253436.61
3812212.76	113.89253	(16120217)		
253536.61	3812212.76	132.76814	(16120217)	253636.61
3812212.76	195.35540	(12012608)		
253736.61	3812212.76	158.57126	(12012608)	253836.61
3812212.76	148.37791	(16123017)		
253936.61	3812212.76	157.95399	(16123017)	254036.61
3812212.76	135.70980	(14121617)		
252036.61	3812312.76	260.04192	(12120517)	252136.61
3812312.76	281.07347	(15120917)		
252236.61	3812312.76	255.10495	(15120917)	252336.61
3812312.76	173.57101	(12021508)		
252436.61	3812312.76	202.56993	(12120617)	252536.61
3812312.76	206.57795	(14011008)		
252636.61	3812312.76	172.88805	(15120417)	252736.61
3812312.76	188.31059	(12120717)		
252836.61	3812312.76	185.24291	(13120417)	252936.61
3812312.76	200.67469	(16122617)		
253036.61	3812312.76	197.06531	(14010617)	253136.61
3812312.76	187.29224	(12122517)		
253236.61	3812312.76	191.86125	(16121217)	253336.61
3812312.76	162.49343	(16121217)		
253436.61	3812312.76	116.12475	(15121517)	253536.61
3812312.76	167.12675	(16120217)		
253636.61	3812312.76	176.58528	(16120217)	253736.61
3812312.76	179.65199	(12012608)		
253836.61	3812312.76	151.43382	(12012608)	253936.61
3812312.76	137.35631	(16123017)		
254036.61	3812312.76	147.84475	(16123017)	252036.61
3812412.76	244.33222	(15120917)		
252136.61	3812412.76	228.30314	(15120917)	252236.61
3812412.76	139.12435	(12021508)		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*                      \*\*\*  
    \*\*\*                      18:49:39

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252336.61	3812412.76	164.92728	(12120617)	252436.61
3812412.76	175.10883	(14011008)		
252536.61	3812412.76	155.00763	(14011008)	252636.61
3812412.76	146.78786	(12120717)		
252736.61	3812412.76	154.48616	(12010317)	252836.61
3812412.76	152.93125	(13120417)		
252936.61	3812412.76	168.40499	(16122617)	253036.61
3812412.76	161.70046	(14010617)		
253136.61	3812412.76	160.90670	(12122517)	253236.61
3812412.76	163.22473	(12122017)		
253336.61	3812412.76	154.31226	(16121217)	253436.61
3812412.76	146.46848	(15121517)		
253536.61	3812412.76	130.27766	(16120217)	253636.61
3812412.76	165.52681	(16120217)		
253736.61	3812412.76	168.12159	(16120217)	253836.61
3812412.76	169.44479	(12012608)		
253936.61	3812412.76	143.71362	(12012608)	254036.61
3812412.76	113.79934	(16123017)		
252036.61	3812512.76	221.63941	(15120917)	252136.61
3812512.76	208.14716	(12021508)		
252236.61	3812512.76	246.20578	(12120617)	252336.61
3812512.76	145.51995	(14011008)		
252436.61	3812512.76	197.34607	(14011008)	252536.61
3812512.76	204.77329	(16120617)		
252636.61	3812512.76	132.43779	(12120717)	252736.61
3812512.76	133.26887	(12010317)		
252836.61	3812512.76	130.33757	(14121817)	252936.61

3812512.76	144.14825	(16122617)		
253036.61	3812512.76	134.71411	(14010617)	253136.61
3812512.76	141.86808	(14010617)		
253236.61	3812512.76	137.61633	(12122017)	253336.61
3812512.76	138.37867	(16121217)		
253436.61	3812512.76	176.15804	(14122917)	253536.61
3812512.76	117.89407	(15121517)		
253636.61	3812512.76	131.37204	(16120217)	253736.61
3812512.76	160.70391	(16120217)		
253836.61	3812512.76	159.10663	(12012608)	253936.61
3812512.76	158.97185	(12012608)		
254036.61	3812512.76	130.89106	(12012608)	252543.17
3811477.54	651.02521	(15012608)		
252563.17	3811477.54	679.07043	(15012608)	252583.17
3811477.54	707.19809	(15012608)		
252603.17	3811477.54	735.16084	(15012608)	252623.17
3811477.54	763.14446	(15012608)		
252643.17	3811477.54	809.06742	(16120808)	252663.17
3811477.54	865.12860	(15010808)		
252683.17	3811477.54	926.71373	(15010808)	252703.17
3811477.54	985.51514	(15010808)		
252723.17	3811477.54	1041.34941	(15010808)	252743.17
3811477.54	1094.78682	(15010808)		
252763.17	3811477.54	1148.30924	(15010808)	252783.17
3811477.54	1206.53719	(15010808)		
252803.17	3811477.54	1276.73681	(15010808)	252823.17
3811477.54	1368.33745	(15010808)		
252843.17	3811477.54	1497.79224	(15010808)	252863.17
3811477.54	1692.84931	(15010808)		
252883.17	3811477.54	1996.55798	(15010808)	252903.17
3811477.54	2448.82714	(15010808)		
252923.17	3811477.54	3103.60678	(16120908)	252943.17
3811477.54	4055.36161	(14012208)		
252543.17	3811497.54	668.27003	(15012608)	252563.17
3811497.54	704.72441	(15012608)		
252583.17	3811497.54	742.01900	(15012608)	252603.17
3811497.54	779.94846	(15012608)		
252623.17	3811497.54	819.05307	(15012608)	252643.17
3811497.54	858.96651	(15012608)		
252663.17	3811497.54	899.40315	(15012608)	252683.17
3811497.54	940.18510	(15012608)		
252703.17	3811497.54	1013.85039	(15010808)	252723.17
3811497.54	1093.86007	(15010808)		
252743.17	3811497.54	1170.65948	(15010808)	252763.17
3811497.54	1243.87724	(15010808)		
252783.17	3811497.54	1315.58818	(15010808)	252803.17
3811497.54	1390.71957	(15010808)		
252823.17	3811497.54	1476.90907	(15010808)	252843.17
3811497.54	1592.28573	(16120908)		
252863.17	3811497.54	1743.85272	(16122708)	252883.17

3811497.54 1972.70413 (15010808)  
 252903.17 3811497.54 2444.14529 (15122808) 252923.17  
 3811497.54 3482.70160 (15012908)  
 \*\*\* AERMOD - VERSION 22112 \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*  
 \*\*\* 18:49:39

PAGE 208

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252543.17	3811517.54	669.47946	(15122808)	252563.17
3811517.54	704.67879	(15122808)		
252583.17	3811517.54	748.96041	(15012608)	252603.17
3811517.54	797.47395	(15012608)		
252623.17	3811517.54	848.55131	(15012608)	252643.17
3811517.54	901.89324	(15012608)		
252663.17	3811517.54	957.23201	(15012608)	252683.17
3811517.54	1014.18525	(15012608)		
252703.17	3811517.54	1072.52499	(15012608)	252723.17
3811517.54	1132.58731	(15012608)		
252743.17	3811517.54	1225.46345	(15010808)	252763.17
3811517.54	1335.08037	(15010808)		
252783.17	3811517.54	1440.91406	(15010808)	252803.17
3811517.54	1545.52315	(15010808)		
252823.17	3811517.54	1656.07155	(15010808)	252843.17
3811517.54	1780.51326	(15010808)		
252863.17	3811517.54	1948.29053	(16120908)	252883.17
3811517.54	2211.39876	(16012108)		



252903.17	3811517.54	2537.03322	(15012708)	252923.17
3811517.54	3067.21172	(14022108)		
252543.17	3811537.54	680.30191	(15122808)	252563.17
3811537.54	712.80489	(15122808)		
252583.17	3811537.54	757.81629	(15122808)	252603.17
3811537.54	806.18698	(15122808)		
252623.17	3811537.54	857.69210	(15122808)	252643.17
3811537.54	912.73810	(15122808)		
252663.17	3811537.54	978.49912	(15012608)	252683.17
3811537.54	1055.30274	(15012608)		
252703.17	3811537.54	1137.38536	(15012608)	252723.17
3811537.54	1223.93850	(15012608)		
252743.17	3811537.54	1314.32767	(15012608)	252763.17
3811537.54	1408.57609	(15012608)		
252783.17	3811537.54	1547.17660	(15010808)	252803.17
3811537.54	1710.38551	(15010808)		
252823.17	3811537.54	1878.60988	(15010808)	252843.17
3811537.54	2070.46905	(15010808)		
252863.17	3811537.54	2303.97412	(15010808)	252883.17
3811537.54	2582.49690	(15010808)		
252903.17	3811537.54	2982.48433	(12021708)	252923.17
3811537.54	3626.48928	(12120408)		
252943.17	3811537.54	5022.74110	(14022108)	252543.17
3811557.54	644.52722	(15122808)		
252563.17	3811557.54	688.66245	(15122808)	252583.17
3811557.54	737.79182	(15122808)		
252603.17	3811557.54	792.77720	(15122808)	252623.17
3811557.54	853.24909	(15122808)		
252643.17	3811557.54	919.51535	(15122808)	252663.17
3811557.54	992.96042	(15122808)		
252683.17	3811557.54	1074.73098	(15122808)	252703.17
3811557.54	1165.39109	(15122808)		
252723.17	3811557.54	1265.42490	(15122808)	252743.17
3811557.54	1390.61643	(15012608)		
252763.17	3811557.54	1531.03491	(15012608)	252783.17
3811557.54	1684.89119	(15012608)		
252803.17	3811557.54	1856.81210	(15012608)	252823.17
3811557.54	2086.44121	(15010808)		
252843.17	3811557.54	2366.22732	(15010808)	252863.17
3811557.54	2720.15752	(15010808)		
252883.17	3811557.54	3205.16658	(15010808)	252903.17
3811557.54	3968.28988	(12021708)		
252543.17	3811577.54	616.87220	(13011108)	252563.17
3811577.54	653.37290	(13011108)		
252583.17	3811577.54	693.80994	(13011108)	252603.17
3811577.54	739.57580	(13011108)		
252623.17	3811577.54	799.42516	(15122808)	252643.17
3811577.54	871.27704	(15122808)		
252663.17	3811577.54	953.15008	(15122808)	252683.17
3811577.54	1047.01432	(15122808)		

252703.17	3811577.54	1154.66142	(15122808)	252723.17
3811577.54	1278.83399	(15122808)		
252743.17	3811577.54	1422.85219	(15122808)	252763.17
3811577.54	1591.21802	(15122808)		
252783.17	3811577.54	1790.30240	(15122808)	252803.17
3811577.54	2030.81221	(15012608)		
252823.17	3811577.54	2329.54821	(15012608)	252843.17
3811577.54	2673.35368	(15012608)		
252863.17	3811577.54	3139.06231	(15010808)	252883.17
3811577.54	3964.74179	(15012908)		
252543.17	3811597.54	610.96975	(13011108)	252563.17
3811597.54	648.33026	(13011108)		

^ \*\*\* AERMOD - VERSION 22112 \*\*\*    \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*        11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*    \*\*\*  
                                  \*\*\*        18:49:39

PAGE 209

\*\*\* MODELOPTs:    RegDEFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE    1ST HIGHEST    1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL        \*\*\*  
                                  INCLUDING SOURCE(S):        L0000165        , L0000166  
 , L0000167        , L0000168        , L0000169        ,  
                                  L0000170        , L0000171        , L0000172        , L0000173        , L0000174  
 , L0000175        , L0000176        , L0000177        ,  
                                  L0000178        , L0000179        , L0000180        , L0000181        , L0000182  
 , L0000183        , L0000184        , L0000185        ,  
                                  L0000186        , L0000187        , L0000188        , L0000189        , L0000190  
 , L0000191        , L0000192        , . . .        ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10    IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252583.17	3811597.54	689.46901	(13011108)	252603.17
3811597.54	735.61645	(13011108)		
252623.17	3811597.54	789.56000	(13011108)	252643.17
3811597.54	851.43249	(13011108)		
252663.17	3811597.54	922.27691	(13011108)	252683.17
3811597.54	1003.67429	(13011108)		
252703.17	3811597.54	1098.11469	(13011108)	252723.17
3811597.54	1209.64192	(13011108)		
252743.17	3811597.54	1343.58162	(13011108)	252763.17

3811597.54	1527.85965	(15122808)		
252783.17	3811597.54	1770.67026	(15122808)	252803.17
3811597.54	2081.50031	(15122808)		
252823.17	3811597.54	2488.67745	(15122808)	252843.17
3811597.54	3032.66354	(15122808)		
252863.17	3811597.54	3733.96574	(15012908)	252543.17
3811617.54	596.09853	(12123108)		
252563.17	3811617.54	632.35959	(12123108)	252583.17
3811617.54	672.36190	(12123108)		
252603.17	3811617.54	716.52706	(12123108)	252623.17
3811617.54	766.95063	(12123108)		
252643.17	3811617.54	825.35025	(12123108)	252663.17
3811617.54	895.55043	(15120717)		
252683.17	3811617.54	990.51432	(15120717)	252703.17
3811617.54	1100.35154	(15120717)		
252723.17	3811617.54	1230.24999	(15120717)	252743.17
3811617.54	1387.45625	(15120717)		
252763.17	3811617.54	1582.33260	(15120717)	252783.17
3811617.54	1830.57813	(15120717)		
252803.17	3811617.54	2157.37630	(15120717)	252823.17
3811617.54	2610.45479	(15120717)		
252843.17	3811617.54	3264.27825	(15120717)	252543.17
3811637.54	595.20656	(15120717)		
252563.17	3811637.54	642.45695	(15120717)	252583.17
3811637.54	694.80081	(15120717)		
252603.17	3811637.54	752.52188	(15120717)	252623.17
3811637.54	816.92514	(15120717)		
252643.17	3811637.54	890.16914	(15120717)	252663.17
3811637.54	974.29375	(15120717)		
252683.17	3811637.54	1071.74706	(15120717)	252703.17
3811637.54	1184.52004	(15120717)		
252723.17	3811637.54	1316.25244	(15120717)	252743.17
3811637.54	1473.03243	(15120717)		
252763.17	3811637.54	1662.47367	(15120717)	252783.17
3811637.54	1894.47768	(15120717)		
252803.17	3811637.54	2176.88889	(15120717)	252823.17
3811637.54	2546.70122	(15121617)		
252843.17	3811637.54	3203.16145	(14122417)	252863.17
3811637.54	3991.52759	(16010117)		
252543.17	3811657.54	637.75577	(15120717)	252563.17
3811657.54	684.15163	(15120717)		
252583.17	3811657.54	735.12633	(15120717)	252603.17
3811657.54	790.84269	(15120717)		
252623.17	3811657.54	851.57580	(15120717)	252643.17
3811657.54	918.59617	(15120717)		
252663.17	3811657.54	993.63966	(15120717)	252683.17
3811657.54	1078.83680	(15120717)		
252703.17	3811657.54	1176.25331	(15120717)	252723.17
3811657.54	1285.07425	(15120717)		
252743.17	3811657.54	1407.15702	(15120717)	252763.17

```

3811657.54    1544.05259 (15120717)
                252783.17  3811657.54    1786.51834 (14122417)
3811657.54    2111.33796 (16010117)
                252823.17  3811657.54    2508.98055 (16010117)
3811657.54    2930.85076 (16010117)
                252863.17  3811657.54    3402.97344 (15120917)
3811657.54    4353.15895 (12120617)
                252943.17  3811657.54    3456.40123 (12020317)
3811677.54    652.79660 (15120717)
                252563.17  3811677.54    693.80050 (15120717)
3811677.54    737.89990 (15120717)
                252603.17  3811677.54    785.08613 (15120717)
3811677.54    835.10392 (15120717)
                252643.17  3811677.54    887.90928 (15120717)
3811677.54    943.71702 (15120717)
                252683.17  3811677.54    1002.95591 (15120717)
3811677.54    1088.46170 (15122508)
                252723.17  3811677.54    1192.50645 (14122417)
3811677.54    1350.19581 (14122417)
                252763.17  3811677.54    1547.66209 (16010117)
3811677.54    1769.54922 (16010117)

```

```

^ *** AERMOD - VERSION 22112 *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street *** 11/14/23
*** AERMET - VERSION 16216 ***
*** 18:49:39

```

PAGE 210

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

```

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL ***
                        INCLUDING SOURCE(S):  L0000165 , L0000166
, L0000167 , L0000168 , L0000169 ,
                L0000170 , L0000171 , L0000172 , L0000173 , L0000174
, L0000175 , L0000176 , L0000177 ,
                L0000178 , L0000179 , L0000180 , L0000181 , L0000182
, L0000183 , L0000184 , L0000185 ,
                L0000186 , L0000187 , L0000188 , L0000189 , L0000190
, L0000191 , L0000192 , . . . ,

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

```

X-COORD (M) Y-COORD (M) CONC (YMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YMMDDHH)
-----
-----

```

252803.17	3811677.54	1995.60701	(16010117)	252823.17
3811677.54	2202.34294	(16010117)		
252843.17	3811677.54	2562.91197	(15120917)	252863.17
3811677.54	2999.77278	(15120917)		
252883.17	3811677.54	3730.45331	(12120617)	252903.17
3811677.54	3956.68473	(14011008)		
252923.17	3811677.54	3218.70587	(12020317)	252943.17
3811677.54	2811.04245	(12020317)		
252543.17	3811697.54	636.84193	(15120717)	252563.17
3811697.54	668.45680	(15120717)		
252583.17	3811697.54	701.04238	(15120717)	252603.17
3811697.54	734.35395	(15120717)		
252623.17	3811697.54	780.36596	(15122508)	252643.17
3811697.54	833.32849	(15122508)		
252663.17	3811697.54	888.98319	(16011117)	252683.17
3811697.54	966.74610	(14122417)		
252703.17	3811697.54	1068.26878	(16010117)	252723.17
3811697.54	1201.44260	(16010117)		
252743.17	3811697.54	1341.29693	(16010117)	252763.17
3811697.54	1478.96843	(16010117)		
252783.17	3811697.54	1598.69906	(16010117)	252803.17
3811697.54	1710.12556	(12120517)		
252823.17	3811697.54	2010.35495	(15120917)	252843.17
3811697.54	2259.53527	(15120917)		
252863.17	3811697.54	2655.11971	(12120617)	252883.17
3811697.54	2903.04488	(14011008)		
252903.17	3811697.54	2595.32407	(12120717)	252923.17
3811697.54	2337.30311	(14121817)		
252943.17	3811697.54	2177.15534	(12020317)	252543.17
3811717.54	595.73075	(15122508)		
252563.17	3811717.54	631.07746	(15122508)	252583.17
3811717.54	666.65630	(15122508)		
252603.17	3811717.54	702.27792	(16011117)	252623.17
3811717.54	741.86886	(16011117)		
252643.17	3811717.54	807.88533	(14122417)	252663.17
3811717.54	881.66284	(16010117)		
252683.17	3811717.54	972.86811	(16010117)	252703.17
3811717.54	1064.56934	(16010117)		
252723.17	3811717.54	1153.91848	(16010117)	252743.17
3811717.54	1233.87480	(16010117)		
252763.17	3811717.54	1292.00749	(16010117)	252783.17
3811717.54	1419.45308	(15120917)		
252803.17	3811717.54	1631.68428	(15120917)	252823.17
3811717.54	1781.84120	(15120917)		
252843.17	3811717.54	2024.56186	(12120617)	252863.17
3811717.54	2228.47062	(14011008)		
252883.17	3811717.54	2170.80466	(14011008)	252903.17
3811717.54	1992.52908	(12120717)		
252923.17	3811717.54	1883.32167	(14121817)	252943.17
3811717.54	1764.86477	(14010617)		

252543.17	3811737.54	575.45142	(15122508)	252563.17
3811737.54	602.07915	(16011117)		
252583.17	3811737.54	636.87937	(14122417)	252603.17
3811737.54	687.22177	(14122417)		
252623.17	3811737.54	743.55349	(16010117)	252643.17
3811737.54	811.44380	(16010117)		
252663.17	3811737.54	878.62682	(16010117)	252683.17
3811737.54	941.64986	(16010117)		
252703.17	3811737.54	995.82451	(16010117)	252723.17
3811737.54	1034.62325	(16010117)		
252743.17	3811737.54	1078.94842	(12120517)	252763.17
3811737.54	1206.85732	(15120917)		
252783.17	3811737.54	1360.71439	(15120917)	252803.17
3811737.54	1460.11823	(15120917)		
252823.17	3811737.54	1612.97904	(12120617)	252843.17
3811737.54	1768.74819	(14011008)		
252863.17	3811737.54	1823.96447	(14011008)	252883.17
3811737.54	1625.31227	(14011008)		
252903.17	3811737.54	1597.91991	(12120717)	252923.17
3811737.54	1562.95375	(16122617)		
252943.17	3811737.54	1487.50386	(14010617)	252543.17
3811757.54	555.66459	(14122417)		
252563.17	3811757.54	594.29660	(14122417)	252583.17
3811757.54	638.38239	(16010117)		
252603.17	3811757.54	690.29824	(16010117)	252623.17
3811757.54	741.20117	(16010117)		
252643.17	3811757.54	788.76197	(16010117)	252663.17
3811757.54	829.91870	(16010117)		
252683.17	3811757.54	860.74704	(16010117)	252703.17
3811757.54	876.53436	(16010117)		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\*      \*\*\*  
    \*\*\*                      18:49:39

PAGE 211

\*\*\* MODELOPTs:      RegDFAULT    CONC    ELEV    FLGPOL    URBAN    ADJ\_U\*

\*\*\* THE    1ST HIGHEST    1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL      \*\*\*  
    INCLUDING SOURCE(S):      L0000165      , L0000166  
 , L0000167      , L0000168      , L0000169      ,  
    L0000170      , L0000171      , L0000172      , L0000173      , L0000174  
 , L0000175      , L0000176      , L0000177      ,  
    L0000178      , L0000179      , L0000180      , L0000181      , L0000182  
 , L0000183      , L0000184      , L0000185      ,  
    L0000186      , L0000187      , L0000188      , L0000189      , L0000190  
 , L0000191      , L0000192      , . . .      ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252723.17	3811757.54	942.14023	(12120517)	252743.17
3811757.54	1043.49253	(15120917)		
252763.17	3811757.54	1152.12544	(15120917)	252783.17
3811757.54	1223.78035	(15120917)		
252803.17	3811757.54	1320.05260	(12120617)	252823.17
3811757.54	1451.62681	(12120617)		
252843.17	3811757.54	1523.99221	(14011008)	252863.17
3811757.54	1467.71804	(14011008)		
252883.17	3811757.54	1366.12301	(12120717)	252903.17
3811757.54	1336.01477	(13120417)		
252923.17	3811757.54	1331.09977	(16122617)	252943.17
3811757.54	1292.31114	(16122617)		
252543.17	3811777.54	556.07138	(16010117)	252563.17
3811777.54	597.13620	(16010117)		
252583.17	3811777.54	637.11584	(16010117)	252603.17
3811777.54	674.12323	(16010117)		
252623.17	3811777.54	706.24578	(16010117)	252643.17
3811777.54	731.07369	(16010117)		
252663.17	3811777.54	745.66569	(16010117)	252683.17
3811777.54	766.83218	(12120517)		
252703.17	3811777.54	830.95460	(12120517)	252723.17
3811777.54	917.91781	(15120917)		
252743.17	3811777.54	998.88950	(15120917)	252763.17
3811777.54	1044.40266	(15120917)		
252783.17	3811777.54	1101.82212	(12120617)	252803.17
3811777.54	1227.01651	(12120617)		
252823.17	3811777.54	1276.02908	(14011008)	252843.17
3811777.54	1281.27109	(14011008)		
252863.17	3811777.54	1176.16743	(14011008)	252883.17
3811777.54	1173.61413	(12120717)		
252903.17	3811777.54	1146.51926	(13120417)	252923.17
3811777.54	1152.81818	(16122617)		
252943.17	3811777.54	1137.40753	(16122617)	252543.17
3811797.54	555.74191	(16010117)		
252563.17	3811797.54	585.49089	(16010117)	252583.17
3811797.54	611.54785	(16010117)		
252603.17	3811797.54	632.05647	(16010117)	252623.17
3811797.54	645.07306	(16010117)		
252643.17	3811797.54	648.46558	(16010117)	252663.17
3811797.54	690.05223	(12120517)		
252683.17	3811797.54	737.82231	(12120517)	252703.17

3811797.54	814.17228	(15120917)		
252723.17	3811797.54	877.84200	(15120917)	252743.17
3811797.54	914.31230	(15120917)		
252763.17	3811797.54	944.94559	(12021508)	252783.17
3811797.54	1050.29538	(12120617)		
252803.17	3811797.54	1103.52636	(12120617)	252823.17
3811797.54	1138.78539	(14011008)		
252843.17	3811797.54	1087.71617	(14011008)	252863.17
3811797.54	997.95084	(12120717)		
252883.17	3811797.54	1019.15444	(12120717)	252903.17
3811797.54	998.75170	(13120417)		
252923.17	3811797.54	1011.22804	(16122617)	252943.17
3811797.54	1009.74252	(16122617)		
252543.17	3811817.54	536.82876	(16010117)	252563.17
3811817.54	554.14489	(16010117)		
252583.17	3811817.54	565.87650	(16010117)	252603.17
3811817.54	570.57940	(16010117)		
252623.17	3811817.54	580.77844	(12120517)	252643.17
3811817.54	624.51377	(12120517)		
252663.17	3811817.54	664.53417	(15120917)	252683.17
3811817.54	728.56120	(15120917)		
252703.17	3811817.54	778.67688	(15120917)	252723.17
3811817.54	806.96829	(15120917)		
252743.17	3811817.54	821.63383	(12021508)	252763.17
3811817.54	908.44619	(12120617)		
252783.17	3811817.54	965.72504	(12120617)	252803.17
3811817.54	1004.10785	(14011008)		
252823.17	3811817.54	991.41588	(14011008)	252843.17
3811817.54	904.79487	(14011008)		
252863.17	3811817.54	895.20921	(12120717)	252883.17
3811817.54	892.56471	(12120717)		
252903.17	3811817.54	883.03130	(13120417)	252923.17
3811817.54	900.92225	(16122617)		
252943.17	3811817.54	904.01816	(16122617)	252543.17
3811837.54	502.05941	(16010117)		
252563.17	3811837.54	507.28142	(16010117)	252583.17
3811837.54	506.06571	(16010117)		
252603.17	3811837.54	533.53108	(12120517)	252623.17
3811837.54	568.10970	(12120517)		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 212

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

VALUES FOR SOURCE GROUP: ALL \*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION \*\*\*

INCLUDING SOURCE(S): L0000165 , L0000166



```

, L0000167      , L0000168      , L0000169      ,
                  L0000170      , L0000171      , L0000172      , L0000173      , L0000174
, L0000175      , L0000176      , L0000177      ,
                  L0000178      , L0000179      , L0000180      , L0000181      , L0000182
, L0000183      , L0000184      , L0000185      ,
                  L0000186      , L0000187      , L0000188      , L0000189      , L0000190
, L0000191      , L0000192      , . . .

```

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
Y-COORD (M)	CONC	(YYMMDDHH)		
252643.17	3811837.54	605.04981	(15120917)	252663.17
3811837.54	657.30942	(15120917)		
252683.17	3811837.54	697.42887	(15120917)	252703.17
3811837.54	719.46440	(15120917)		
252723.17	3811837.54	721.95406	(12021508)	252743.17
3811837.54	794.46906	(12120617)		
252763.17	3811837.54	849.89570	(12120617)	252783.17
3811837.54	881.98001	(14011008)		
252803.17	3811837.54	896.56278	(14011008)	252823.17
3811837.54	848.60354	(14011008)		
252843.17	3811837.54	761.52235	(12120717)	252863.17
3811837.54	803.52139	(12120717)		
252883.17	3811837.54	792.20639	(12010317)	252903.17
3811837.54	788.11105	(13120417)		
252923.17	3811837.54	810.46621	(16122617)	252943.17
3811837.54	815.38119	(16122617)		
252543.17	3811857.54	455.68515	(16010117)	252563.17
3811857.54	459.95341	(12120517)		
252583.17	3811857.54	491.85717	(12120517)	252603.17
3811857.54	519.19032	(12120517)		
252623.17	3811857.54	553.80615	(15120917)	252643.17
3811857.54	597.12354	(15120917)		
252663.17	3811857.54	629.91556	(15120917)	252683.17
3811857.54	647.46662	(15120917)		
252703.17	3811857.54	648.85007	(15011617)	252723.17
3811857.54	700.97848	(12120617)		
252743.17	3811857.54	758.45814	(12120617)	252763.17
3811857.54	784.66554	(12120617)		
252783.17	3811857.54	808.67908	(14011008)	252803.17
3811857.54	791.06458	(14011008)		
252823.17	3811857.54	726.38839	(14011008)	252843.17
3811857.54	703.73521	(12120717)		

252863.17	3811857.54	724.12494	(12120717)	252883.17
3811857.54	712.29921	(12010317)		
252903.17	3811857.54	707.11598	(13120417)	252923.17
3811857.54	733.06810	(16122617)		
252943.17	3811857.54	740.12597	(16122617)	252543.17
3811877.54	428.83476	(12120517)		
252563.17	3811877.54	455.14113	(12120517)	252583.17
3811877.54	476.77448	(12120517)		
252603.17	3811877.54	509.52696	(15120917)	252623.17
3811877.54	545.71123	(15120917)		
252643.17	3811877.54	572.79808	(15120917)	252663.17
3811877.54	587.19098	(15120917)		
252683.17	3811877.54	587.96611	(15011617)	252703.17
3811877.54	626.24924	(12021508)		
252723.17	3811877.54	677.33894	(12120617)	252743.17
3811877.54	708.43083	(12120617)		
252763.17	3811877.54	729.06012	(14011008)	252783.17
3811877.54	729.34380	(14011008)		
252803.17	3811877.54	691.83977	(14011008)	252823.17
3811877.54	618.52512	(14011008)		
252843.17	3811877.54	649.60769	(12120717)	252863.17
3811877.54	655.33243	(12120717)		
252883.17	3811877.54	644.55907	(12010317)	252903.17
3811877.54	639.14668	(13120417)		
252923.17	3811877.54	667.51279	(16122617)	252943.17
3811877.54	675.25212	(16122617)		
252951.79	3811537.40	5184.95142	(14022108)	252907.13
3811561.60	4096.69100	(15012908)		
252856.97	3811609.76	3874.08561	(15120717)	252901.89
3811674.89	4309.96901	(12120617)		
252905.13	3811677.64	3851.14168	(14011008)	252911.37
3811676.89	3569.57953	(12010317)		
252994.96	3811595.29	4383.52820	(14020408)	252999.95
3811590.05	4568.51789	(14020408)		
253004.20	3811578.82	4774.82559	(14020408)	253009.44
3811562.85	4859.79210	(16122308)		
253010.18	3811555.37	5016.26465	(16012008)	253008.94
3811538.90	4987.08693	(16012008)		
253002.20	3811507.21	4835.45674	(12012008)	253000.70
3811483.50	4315.41731	(12010508)		
253001.70	3811470.52	4425.81269	(12010508)	253004.70
3811461.54	4192.38249	(12010508)		
252970.76	3811450.81	4773.23390	(15010908)	252923.10
3811499.97	3438.81534	(15012908)		
252956.78	3811533.16	6039.61394	(14022108)	252944.35
3811541.43	5180.65627	(14022108)		
252936.90	3811545.47	4922.93392	(14022108)	252929.46
3811549.50	4704.35416	(14022108)		

▲ \*\*\* AERMOD - VERSION 22112 \*\*\*      \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\*                      11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\*  
 \*\*\* 18:49:39

PAGE 213

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION  
 VALUES FOR SOURCE GROUP: ALL \*\*\*  
 INCLUDING SOURCE(S): L0000165 , L0000166  
 , L0000167 , L0000168 , L0000169 ,  
 , L0000170 , L0000171 , L0000172 , L0000173 , L0000174  
 , L0000175 , L0000176 , L0000177 ,  
 , L0000178 , L0000179 , L0000180 , L0000181 , L0000182  
 , L0000183 , L0000184 , L0000185 ,  
 , L0000186 , L0000187 , L0000188 , L0000189 , L0000190  
 , L0000191 , L0000192 , . . . ,

\*\*\* DISCRETE CARTESIAN RECEPTOR POINTS

\*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M<sup>3</sup>

\*\*

X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)
252922.02	3811553.53	4501.58559 (14022108)	252914.57
3811557.57	4292.53438 (14022108)		
252899.96	3811568.48	4108.30636 (15012908)	252892.80
3811575.36	4040.39314 (15012908)		
252885.63	3811582.24	3773.77350 (15012908)	252878.47
3811589.12	4024.81406 (15012908)		
252871.30	3811596.00	3976.42078 (14010717)	252864.14
3811602.88	3916.35318 (14010717)		
252862.59	3811617.90	4268.50310 (14122417)	252868.20
3811626.04	4201.97636 (14122417)		
252873.82	3811634.18	4210.72251 (14122417)	252879.43
3811642.33	4178.87826 (12120617)		
252885.05	3811650.47	4355.19886 (12120617)	252890.66
3811658.61	4270.88949 (12120617)		
252896.28	3811666.75	4236.22189 (12120617)	252918.34
3811670.09	3742.57583 (12020317)		
252925.30	3811663.29	3585.47586 (12010317)	252932.27
3811656.49	3848.22905 (14022108)		
252939.23	3811649.69	4031.71885 (14022108)	252946.20
3811642.89	4163.52721 (14022108)		
252953.16	3811636.09	4257.22503 (14022108)	252960.13
3811629.29	4322.21356 (14022108)		
252967.10	3811622.49	4365.02305 (14022108)	252974.06

```

3811615.69    4364.01023 (14022108)
                252981.03  3811608.89  4317.15443 (14020408)    252987.99
3811602.09    4370.99113 (14020408)
                253002.08  3811584.43  4406.95274 (14020408)    253006.82
3811570.84    4820.79810 (16122308)
                253009.56  3811547.14  4764.42245 (16012008)    253007.26
3811530.98    4937.48714 (14121008)
                253005.57  3811523.06  4947.83845 (14121008)    253003.89
3811515.13    4864.51499 (12012008)
                253001.70  3811499.31  4576.25832 (12010508)    253001.20
3811491.40    4541.26265 (12010508)
                253001.20  3811477.01  4352.84805 (12010508)    252996.22
3811458.86    4773.44012 (16011508)
                252987.73  3811456.18  4943.18606 (14012708)    252979.25
3811453.49    5052.90571 (15011908)
                252963.95  3811457.83  4415.89795 (15010908)    252957.14
3811464.86    4328.09566 (15010908)
                252950.33  3811471.88  4193.22144 (12121008)    252943.53
3811478.90    4132.47426 (14012208)
                252936.72  3811485.92  3879.31145 (15012708)    252929.91
3811492.95    3655.85961 (12021708)
                252929.84  3811506.61  3469.22889 (14022108)    252936.57
3811513.25    3827.68092 (14022108)
                252943.31  3811519.88  4649.05803 (14022108)    252950.04
3811526.52    5063.33103 (14022108)

```

```

^ *** AERMOD - VERSION 22112 ***      *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***      11/14/23
*** AERMET - VERSION 16216 ***      ***
***      18:49:39

```

PAGE 214

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF MAXIMUM PERIOD ( 43848 HRS) RESULTS \*\*\*

\*\* CONC OF PM\_10 IN MICROGRAMS/M\*\*3

\*\*

```

NETWORK
GROUP ID          AVERAGE CONC          RECEPTOR (XR, YR, ZELEV,
ZHILL, ZFLAG) OF TYPE GRID-ID
-----
ALL      1ST HIGHEST VALUE IS 315.47998 AT ( 252960.13, 3811629.29, 4.03,
1212.61, 1.50) DC
        2ND HIGHEST VALUE IS 314.77125 AT ( 252967.10, 3811622.49, 3.99,

```

1212.61, 1.50) DC  
 3RD HIGHEST VALUE IS 314.47621 AT ( 252953.16, 3811636.09, 4.07,  
 1212.61, 1.50) DC  
 4TH HIGHEST VALUE IS 311.12832 AT ( 252974.06, 3811615.69, 3.98,  
 1212.61, 1.50) DC  
 5TH HIGHEST VALUE IS 310.86442 AT ( 252946.20, 3811642.89, 4.17,  
 1212.61, 1.50) DC  
 6TH HIGHEST VALUE IS 303.38875 AT ( 252939.23, 3811649.69, 4.31,  
 1212.61, 1.50) DC  
 7TH HIGHEST VALUE IS 303.11082 AT ( 252981.03, 3811608.89, 3.92,  
 1212.61, 1.50) DC  
 8TH HIGHEST VALUE IS 296.44240 AT ( 252956.78, 3811533.16, 3.28,  
 1212.61, 1.50) DC  
 9TH HIGHEST VALUE IS 291.14481 AT ( 252932.27, 3811656.49, 4.25,  
 1212.61, 1.50) DC  
 10TH HIGHEST VALUE IS 290.91781 AT ( 252987.99, 3811602.09, 3.86,  
 1212.61, 1.50) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
 GP = GRIDPOLR  
 DC = DISCCART  
 DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
 Street Hotel\Garden Street \*\*\* 11/14/23  
 \*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
 \*\*\* 18:49:39

PAGE 215

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	NETWORK AVERAGE CONC OF TYPE GRID-ID	DATE (YYMMDDHH)	RECEPTOR
ALL HIGH	1ST HIGH VALUE IS 6039.61394	ON 14022108: AT ( 252956.78,	
	3811533.16, 3.28, 1212.61, 1.50) DC		

\*\*\* RECEPTOR TYPES: GC = GRIDCART

GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 216

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 1 Warning Message(s)  
A Total of 4168 Informational Message(s)  
  
A Total of 43848 Hours Were Processed  
  
A Total of 3193 Calm Hours Identified  
  
A Total of 975 Missing Hours Identified ( 2.22 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W187 2432 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

\*\*\*\*\*  
\*\*\* AERMOD Finishes Successfully \*\*\*  
\*\*\*\*\*

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apoll\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23  
\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 1

\*\*\* MODELOPTs: RegDFault CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* MODEL SETUP OPTIONS SUMMARY

\*\*\*

\*\* Model Options Selected:

- \* Model Uses Regulatory DEFAULT Options
- \* Model Is Setup For Calculation of Average CONCentration Values.
- \* NO GAS DEPOSITION Data Provided.
- \* NO PARTICLE DEPOSITION Data Provided.
- \* Model Uses NO DRY DEPLETION. DDPLETE = F
- \* Model Uses NO WET DEPLETION. WETDPLT = F
- \* Stack-tip Downwash.
- \* Model Accounts for ELEVated Terrain Effects.
- \* Use Calms Processing Routine.
- \* Use Missing Data Processing Routine.
- \* No Exponential Decay.
- \* Model Uses URBAN Dispersion Algorithm for the SBL for 164 Source(s),  
for Total of 1 Urban Area(s):  
Urban Population = 88410.0 ; Urban Roughness Length = 1.000 m
- \* Urban Roughness Length of 1.0 Meter Used.
- \* ADJ\_U\* - Use ADJ\_U\* option for SBL in AERMET
- \* CCVR\_Sub - Meteorological data includes CCVR substitutions
- \* TEMP\_Sub - Meteorological data includes TEMP substitutions
- \* Model Accepts FLAGPOLE Receptor . Heights.
- \* The User Specified a Pollutant Type of: PM\_10

\*\*Model Calculates 1 Short Term Average(s) of: 1-HR  
and Calculates PERIOD Averages

\*\*This Run Includes: 164 Source(s); 1 Source Group(s); and 928  
Receptor(s)

with: 0 POINT(s), including  
0 POINTCAP(s) and 0 POINTHOR(s)  
and: 164 VOLUME source(s)  
and: 0 AREA type source(s)  
and: 0 LINE source(s)  
and: 0 RLINE/RLINEXT source(s)  
and: 0 OPENPIT source(s)  
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)  
and: 0 SWPOINT source(s)







First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN
ALBEDO	REF	WS	WD	HT	REF	TA	HT							
12	01	01	1	01	-3.5	0.080	-9.000	-9.000	-999.	55.	13.6	0.08	0.45	
1.00	1.04	49.		10.0	278.8	2.0								
12	01	01	1	02	-2.3	0.070	-9.000	-9.000	-999.	44.	13.5	0.08	0.45	
1.00	0.79	336.		10.0	277.0	2.0								
12	01	01	1	03	-3.2	0.078	-9.000	-9.000	-999.	52.	13.4	0.08	0.45	
1.00	0.99	31.		10.0	277.0	2.0								
12	01	01	1	04	-1.5	0.064	-9.000	-9.000	-999.	39.	15.8	0.08	0.45	
1.00	0.57	334.		10.0	277.0	2.0								
12	01	01	1	05	-1.8	0.066	-9.000	-9.000	-999.	41.	14.7	0.08	0.45	
1.00	0.65	356.		10.0	277.0	2.0								
12	01	01	1	06	-1.9	0.067	-9.000	-9.000	-999.	41.	14.5	0.08	0.45	
1.00	0.67	30.		10.0	276.4	2.0								
12	01	01	1	07	-2.8	0.075	-9.000	-9.000	-999.	49.	13.2	0.08	0.45	
1.00	0.92	351.		10.0	276.4	2.0								
12	01	01	1	08	-1.7	0.064	-9.000	-9.000	-999.	39.	13.9	0.08	0.45	
0.57	0.69	51.		10.0	277.5	2.0								
12	01	01	1	09	11.5	0.054	-9.000	-9.000	-999.	30.	-1.2	0.08	0.45	
0.31	0.35	25.		10.0	283.1	2.0								
12	01	01	1	10	44.2	0.083	-9.000	-9.000	-999.	58.	-1.2	0.06	0.45	
0.22	0.60	81.		10.0	288.8	2.0								
12	01	01	1	11	67.0	0.222	-9.000	-9.000	-999.	251.	-14.9	0.15	0.45	
0.19	1.86	169.		10.0	289.2	2.0								
12	01	01	1	12	79.1	0.256	-9.000	-9.000	-999.	311.	-19.3	0.17	0.45	
0.18	2.10	241.		10.0	289.9	2.0								
12	01	01	1	13	79.3	0.330	-9.000	-9.000	-999.	455.	-41.1	0.17	0.45	
0.17	2.93	256.		10.0	288.8	2.0								
12	01	01	1	14	68.3	0.345	-9.000	-9.000	-999.	485.	-54.4	0.17	0.45	
0.18	3.13	258.		10.0	288.1	2.0								
12	01	01	1	15	46.3	0.326	-9.000	-9.000	-999.	447.	-68.0	0.17	0.45	
0.21	3.01	254.		10.0	287.0	2.0								
12	01	01	1	16	15.2	0.335	-9.000	-9.000	-999.	464.	-224.4	0.17	0.45	
0.29	3.27	263.		10.0	285.9	2.0								
12	01	01	1	17	-16.5	0.211	-9.000	-9.000	-999.	241.	51.6	0.17	0.45	
0.54	2.23	260.		10.0	283.1	2.0								
12	01	01	1	18	-25.2	0.250	-9.000	-9.000	-999.	300.	68.9	0.17	0.45	
1.00	2.64	268.		10.0	283.1	2.0								
12	01	01	1	19	-6.1	0.104	-9.000	-9.000	-999.	99.	16.8	0.07	0.45	
1.00	1.45	294.		10.0	282.0	2.0								
12	01	01	1	20	-4.9	0.093	-9.000	-9.000	-999.	69.	15.1	0.07	0.45	
1.00	1.30	292.		10.0	280.4	2.0								
12	01	01	1	21	-9.9	0.134	-9.000	-9.000	-999.	118.	22.3	0.08	0.45	
1.00	1.77	311.		10.0	281.4	2.0								
12	01	01	1	22	-3.8	0.084	-9.000	-9.000	-999.	59.	14.0	0.08	0.45	
1.00	1.11	341.		10.0	279.9	2.0								
12	01	01	1	23	-3.4	0.079	-9.000	-9.000	-999.	54.	13.6	0.08	0.45	

```

1.00  1.01  318.  10.0  277.5  2.0
  12 01 01  1 24  -3.2  0.078 -9.000 -9.000 -999.  52.   13.4  0.08  0.45
1.00  0.99  353.  10.0  279.2  2.0

```

First hour of profile data

```

YR MO DY HR HEIGHT F  WDIR  WSPD AMB_TMP sigmaA  sigmaW  sigmaV
12 01 01 01  10.0 1  49.   1.04  278.8  99.0  -99.00 -99.00

```

F indicates top of profile (=1) or below (=0)

```

^ *** AERMOD - VERSION 22112 ***   *** C:\Users\apoll\Desktop\HARP2\HARP\Garden
Street Hotel\Garden Street ***   11/14/23
*** AERMET - VERSION 16216 ***   ***
***                               ***   18:49:39

```

PAGE 4

\*\*\* MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF MAXIMUM PERIOD ( 43848 HRS) RESULTS \*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

GROUP ID	NETWORK	AVERAGE CONC	RECEPTOR (XR, YR, ZELEV,
ZHILL, ZFLAG)	OF TYPE	GRID-ID	
ALL	1ST HIGHEST VALUE IS	315.47998 AT (	252960.13, 3811629.29, 4.03,
1212.61,	1.50) DC		
1212.61,	2ND HIGHEST VALUE IS	314.77125 AT (	252967.10, 3811622.49, 3.99,
1212.61,	1.50) DC		
1212.61,	3RD HIGHEST VALUE IS	314.47621 AT (	252953.16, 3811636.09, 4.07,
1212.61,	1.50) DC		
1212.61,	4TH HIGHEST VALUE IS	311.12832 AT (	252974.06, 3811615.69, 3.98,
1212.61,	1.50) DC		
1212.61,	5TH HIGHEST VALUE IS	310.86442 AT (	252946.20, 3811642.89, 4.17,
1212.61,	1.50) DC		
1212.61,	6TH HIGHEST VALUE IS	303.38875 AT (	252939.23, 3811649.69, 4.31,
1212.61,	1.50) DC		
1212.61,	7TH HIGHEST VALUE IS	303.11082 AT (	252981.03, 3811608.89, 3.92,
1212.61,	1.50) DC		
1212.61,	8TH HIGHEST VALUE IS	296.44240 AT (	252956.78, 3811533.16, 3.28,
1212.61,	1.50) DC		
1212.61,	9TH HIGHEST VALUE IS	291.14481 AT (	252932.27, 3811656.49, 4.25,
1212.61,	1.50) DC		

10TH HIGHEST VALUE IS 290.91781 AT ( 252987.99, 3811602.09, 3.86,  
1212.61, 1.50) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 5

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* THE SUMMARY OF HIGHEST 1-HR

RESULTS \*\*\*

\*\* CONC OF PM<sub>10</sub> IN MICROGRAMS/M\*\*3

\*\*

GROUP ID	NETWORK	DATE	RECEPTOR
(XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE GRID-ID	(YYMMDDHH)	
-----	-----	-----	-----
-----	-----	-----	-----

ALL HIGH 1ST HIGH VALUE IS 6039.61394 ON 14022108: AT ( 252956.78,  
3811533.16, 3.28, 1212.61, 1.50) DC

\*\*\* RECEPTOR TYPES: GC = GRIDCART  
GP = GRIDPOLR  
DC = DISCCART  
DP = DISCPOLR

▲ \*\*\* AERMOD - VERSION 22112 \*\*\* \*\*\* C:\Users\apol1\Desktop\HARP2\HARP\Garden  
Street Hotel\Garden Street \*\*\* 11/14/23

\*\*\* AERMET - VERSION 16216 \*\*\* \*\*\*  
\*\*\* 18:49:39

PAGE 6

\*\*\* MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ\_U\*

\*\*\* Message Summary : AERMOD Model Execution \*\*\*

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)  
A Total of 1 Warning Message(s)  
A Total of 4168 Informational Message(s)  
  
A Total of 43848 Hours Were Processed  
  
A Total of 3193 Calm Hours Identified  
  
A Total of 975 Missing Hours Identified ( 2.22 Percent)

\*\*\*\*\* FATAL ERROR MESSAGES \*\*\*\*\*  
\*\*\* NONE \*\*\*

\*\*\*\*\* WARNING MESSAGES \*\*\*\*\*  
ME W187 2432 MEOPEN: ADJ\_U\* Option for Stable Low Winds used in AERMET

HARP2 - HRACalc (dated 22118) 11/16/2023 11:51:17 AM - Output Log

GLCs loaded successfully  
Pollutants loaded successfully  
Pathway receptors loaded successfully

\*\*\*\*\*

RISK SCENARIO SETTINGS

Receptor Type: Resident  
Scenario: All  
Calculation Method: Derived

\*\*\*\*\*

EXPOSURE DURATION PARAMETERS FOR CANCER

Start Age: -0.25  
Total Exposure Duration: 1.25

Exposure Duration Bin Distribution

3rd Trimester Bin: 0.25  
0<2 Years Bin: 1.25  
2<9 Years Bin: 0  
2<16 Years Bin: 0  
16<30 Years Bin: 0  
16 to 70 Years Bin: 0

\*\*\*\*\*

PATHWAYS ENABLED

NOTE: Inhalation is always enabled and used for all assessments. The remaining pathways are only used for cancer and noncancer chronic assessments.

Inhalation: True  
Soil: True  
Dermal: True  
Mother's milk: True  
Water: False  
Fish: False  
Homegrown crops: True  
Beef: False  
Dairy: False  
Pig: False  
Chicken: True  
Egg: False

\*\*\*\*\*

INHALATION

Daily breathing rate: RMP

**\*\*Worker Adjustment Factors\*\***  
Worker adjustment factors enabled: NO

**\*\*Fraction at time at home\*\***  
3rd Trimester to 16 years: OFF  
16 years to 70 years: ON

\*\*\*\*\*  
SOIL & DERMAL PATHWAY SETTINGS

Deposition rate (m/s): 0.05  
Soil mixing depth (m): 0.01  
Dermal climate: Warm

\*\*\*\*\*  
HOMEGROWN CROP PATHWAY SETTINGS

Household type: HouseholdsthatGarden  
Fraction leafy: 0.137  
Fraction exposed: 0.137  
Fraction protected: 0.137  
Fraction root: 0.137

\*\*\*\*\*  
PIG, CHICKEN, & EGG PATHWAY SETTINGS

Surface area (m<sup>2</sup>): 0  
Volume (kg): 0  
Volume changes per year: 0

Pig  
Fraction consumed from contaminated water source: 0  
Fraction consumed of contaminated leafy crop: 0.25  
Fraction consumed of contaminated exposed crop: 0.25  
Fraction consumed of contaminated protected crop: 0.25  
Fraction consumed of contaminated root crop: 0.25

Chicken  
Fraction consumed from contaminated water source: 0  
Fraction consumed of contaminated leafy crop: 0.25  
Fraction consumed of contaminated exposed crop: 0.25  
Fraction consumed of contaminated protected crop: 0.25  
Fraction consumed of contaminated root crop: 0.25

Egg  
Fraction consumed from contaminated water source: 0  
Fraction consumed of contaminated leafy crop: 0.25  
Fraction consumed of contaminated exposed crop: 0.25  
Fraction consumed of contaminated protected crop: 0.25  
Fraction consumed of contaminated root crop: 0.25

\*\*\*\*\*

TIER 2 SETTINGS

Tier2 adjustments were used in this assessment. Please see the input file for details.

Tier2 - What was changed: ED or start age changed|

Calculating cancer risk

Cancer risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\residentialCancerRisk.csv

Cancer risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP

UPDATED\hra\residentialCancerRiskSumByRec.csv

Calculating chronic risk

Chronic risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\residentialNCChronicRisk.csv

Chronic risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP

UPDATED\hra\residentialNCChronicRiskSumByRec.csv

Calculating acute risk

Acute risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\residentialNCAcuteRisk.csv

Acute risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP

UPDATED\hra\residentialNCAcuteRiskSumByRec.csv

HRA ran successfully



















































































HARP2 - HRACalc (dated 22118) 11/16/2023 11:53:07 AM - Output Log

GLCs loaded successfully  
Pollutants loaded successfully  
Pathway receptors loaded successfully

\*\*\*\*\*

RISK SCENARIO SETTINGS

Receptor Type: Worker  
Scenario: All  
Calculation Method: Derived

\*\*\*\*\*

EXPOSURE DURATION PARAMETERS FOR CANCER

Start Age: 16  
Total Exposure Duration: 1.25

Exposure Duration Bin Distribution

3rd Trimester Bin: 0

0<2 Years Bin: 0

2<9 Years Bin: 0

2<16 Years Bin: 0

16<30 Years Bin: 1.25

16 to 70 Years Bin: 0

\*\*\*\*\*

PATHWAYS ENABLED

NOTE: Inhalation is always enabled and used for all assessments. The remaining pathways are only used for cancer and noncancer chronic assessments.

Inhalation: True  
Soil: True  
Dermal: True  
Mother's milk: False  
Water: False  
Fish: False  
Homegrown crops: False  
Beef: False  
Dairy: False  
Pig: False  
Chicken: False  
Egg: False

\*\*\*\*\*

INHALATION

Daily breathing rate: Moderate8HR

**\*\*Worker Adjustment Factors\*\***  
Worker adjustment factors enabled: NO

**\*\*Fraction at time at home\*\***  
3rd Trimester to 16 years: OFF  
16 years to 70 years: OFF

\*\*\*\*\*  
SOIL & DERMAL PATHWAY SETTINGS

Deposition rate (m/s): 0.05  
Soil mixing depth (m): 0.01  
Dermal climate: Warm

\*\*\*\*\*  
TIER 2 SETTINGS

Tier2 adjustments were used in this assessment. Please see the input file for details.

Tier2 - What was changed: ED or start age changed|

Calculating cancer risk

Cancer risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerCancerRisk.csv

Cancer risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerCancerRiskSumByRec.csv

Calculating chronic risk

Chronic risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerNCChronicRisk.csv

Chronic risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerNCChronicRiskSumByRec.csv

Calculating acute risk

Acute risk breakdown by pollutant and receptor saved to:

C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerNCAcuteRisk.csv

Acute risk total by receptor saved to: C:\Users\tlenihan\Desktop\Garden Street Hotel HARP updated\New folder\GARDEN STREET HOTEL HARP UPDATED\hra\workerNCAcuteRiskSumByRec.csv

HRA ran successfully

















































































