



City of Santa Barbara Building & Safety Division

Existing Building Access Compliance Form:

Project Cost **Equal to or Less Than** Valuation Threshold of \$203,611.00

				BLD20	
Pro	oject Address	Year	Built	Case Number	
CA	ALIFORNIA BUILDING CODE SECTION 11B-202.4	Accessibilit	y for Existin	g Buildings & Facilities.	
	existing buildings and facilities - When alterations, structural repairs on the specific area of alteration or addition shall be added.	r additions are	made to such bu	ildings or facilities, an accessible path	of travel
sha ext	ception 8: When the total cost of the project is equal to or less that the limited to 20% of the project valuation. When the cost of full ent possible without exceeding 20% of project cost. Accessible uirement is met.	compliance	exceeds 20%, c	ompliance shall be provided to the	maximu
1a.	Adjusted Cost of Construction for this Project (based on Marshal	ll & Swift Cost E	Estimator or simila	r) \$	
2a.	Cost of Construction over the last 3 years for this building or where no accessibility upgrades were included	r tenant space	only	\$	
3a.	Total Cost of Construction: (Add items 1a + 2a)			\$	
4a.	20% of Total Cost of Construction (Multiply Item 3a by 0.2)			\$	
	*This is the maximum an	nount required	d to upgrade ex	cisting Path of Travel items on this	project
PR	OVIDE "COSTS TO UPGRADE" THE ACCESSIBLE "PA	ATH OF TRA	AVEL" PER (CBC 11B-202.4 EXCEPTION 8	
	Please provide amounts for both columns and check the appropriate boxes for the items below:	Already Compliant	Cost to M Fully Com		
b.	An accessible entrance to & into the structure (level landings, lever hardware, min. door width, etc.)		\$	<u> </u>	
b.	An accessible route to the altered area (elevators, ramps, stairs, hallways, path from ROW, parking, etc.)		\$	\$	
ßb.	At least one accessible restroom for each sex (unless single use restroom as allowed by plumbing code)		\$	\$	
lb.	Accessible public telephone(s) (if provided)		\$	 \$	
b.	Accessible drinking fountains (if provided)		\$	\$	
бb.	Additional accessible parking, storage/alarms (if possible) (This refers to items that are above and beyond the minimum listed above)			\$	
b.	Total cost of providing accessible features		\$	\$ *Total does not need to exc	*
I ce	ertify that the above costs are based upon a valid estimate by a questigation by me or my authorized representative.	ualified perso	n or firm and e	existing compliance is based upon a	a site
inv	plicant Printed Name		Title/License	#	

Applicant completing this form is responsible for providing accurate information determined from a site investigation.

<u>Please reproduce this form onto the plans.</u> (See Detailed Instructions on page 5)

Accessible Features to be Evaluated	Ch	eck	Аp	propr	iate l	Box		Location on Plans	Compliance Cost	Compliance Cost
Licensed Professional Shall Determine Path of Travel Features Required to be Compliant with 2022 CBC & Chapters 11A & 11B	Already Compliant	Compliance Required	Under This Project					Location of Each Accessibility Requirement on Plans including Sheet/Detail Number	Show Cost of Work Necessary to Achieve Full Compliance	Show Cost of Each Element Provided Under This Permit Below (20% Hardship Rule does not apply to Area of Work)
SECTION 1b. Accessible Entrance(s)										
Entry Door(s)										
ISA Signage ⁴										
Level Landing Each Side & Legal Size ¹										
Min. 32" Wide Door Opening Clearance ¹										
Top Threshold to Landing: 1/2" max. ¹										
24" Exterior Pull Side ¹										
12" Push Side @ Interior ¹										
Lever or Panic Hardware ¹										
10" Smooth Kick Plate ¹										
5 lb max. Opening Force + Timed Sweep ¹										
								Section 1b Total		
SECTION 2b A. Exterior Accessible Route	e to A	cce	ess	ible F	Entra	ance	(s)	T		
Accessible Route from Public Sidewalk ⁵										
Min. 48" path to Accessible Entrance ⁶										
Ramps:										
Max. 1:12 slope										
Max. 1:48 Cross slope										
Handrails on both sides										
Site Signage ^{2,3}										
Accessible Parking (AP) 8										
Number of Van & Accessible Spaces								#Van #AP		
12' Van Stall w/ 5' Access Aisle on Right										
Stall(s) Signage										
Stall(s) Closest to Entry										
Access Aisle Width 5' & 8' max 1:48 Slope			_			α .	. ,	N. G. 1 1 . A		
SECTION 2b B: Interior Accessible Route	to A	ran	οf	' A lto			10n 2	2b Subtotal A		
5' landings on pull side of doors ¹	to A	Ica	10	Anc	1 au	<i>)</i> 11				
4' landings on push side of doors ¹										
Doors:										
18" strike edge clearance on pull side										
12" on push side with closer and latch										
Lever or "panic" hardware										
32" min. clear door opening										
Top Threshold to Landing: 1/2" max.										
Min. 44" corridor width > 10 occupants ⁹										
Tactile signage at exit/stairway doors ²										
Tactile signage at other rooms w/signs ²										
Ramps:										
Max. 1:12 slope										
Max 1:48 cross slope										
Handrails on both sides										
Page 2 of 4		П				Sect	ion 2	2b Subtotal B		
					-	Sect	ion :	2b Total		
				-						

SECTION 3b: Accessible Restroom			eck	App	ropri	iate B	Box	Location on Plans	Compliance Cost	Compliance Cost	
At Least One Accessible Restroom for Each Sex, Unless Unisex is Allowed	Already Compliant	Compliance Required	Under This Project			Men	Women	Location of Each Accessibility Requirement on Plans including Sheet/Detail Number	Show Cost of Work Necessary to Achieve Full Compliance	Show Cost of Each Element Provided Under This Permit Below (20% Hardship Rule does not apply to Area of Work)	
Accessible Signage on Door 10											
60" Circle ¹¹											
Doors: 1											
18" strike edge clearance on pull side											
12" on push side with closer and latch											
Lever or no hardware											
32" min. clear door opening											
Top Threshold to Landing: 1/2" max.											
Toilet Seat Height: 17" min to 19" max ¹²											
Toilet Bowl 17" to18" from center to Wall ¹²											
Toilet flush handle on wide side ¹²											
Grab bars: ¹²											
42" min. side grab bar length											
Side bar extends 24" in fromt of bowl											
36" min. rear grab bar length											
33"-36" grab bar height AFF											
Toilet Stall dimensions (11B-604):											
60" min. width (no other fixture can overlap)											
Front Entrance Stall:											
48" min. clear in front of bowl											
Side Entrance Stall:											
60" clearance in front of bowl											
Lavatory Clearances: ¹²											
Top of sink - 34" max.											
Knee Clearance - 9"-27" high x 11" deep											
Toe clearance: 9"h x 17"-19"d.											
Underside of Counter: 29"h x 8"d min.											
Lav faucet with lever handles											
Lav faucet 5lbs to operate max.											
Bottom of Mirror (not frame) 40" max. ¹³											
Toilet paper roll 19" AFF max, 7"-9" in front of WC											
Controls/Dispensers 40" high max. ¹³											
Urinals: ¹¹											
Lip height - 17" max.											
Projection from wall - 13.5" max.											
Page 3 of 4								Section 3b Total			

	(Che	ck .	Appı	ropri	ate B	ox	Location on Plans	Compliance Cost	Compliance Cost
	Already Compliant	Compliance Required	Under This Project					Location of Each Accessibility Requirement on Plans including Sheet/Detail Number	Show Cost of Work Necessary to Achieve Full Compliance	Show Cost of Each Element Provided Under This Permit Below (20% Hardship Rule does not apply to Area of Work)
SECTION 4b. Accessible Telephone (if Tele	epho	ne	is]	prov	ided)				
30"x48" clear approach										
27" min clear under phone enclosure										
48" max height to operable parts										
Volume control										
Text phone number										
								Section 4b Total		
SECTION 5b. Accessible Drinking Fountai	n (if	Dı	in	king	Fou	ntair	ı is p	provided)		
Hi/Lo Fountain - High spout 38"-43" high										
18"-19" projection from wall										
30"x48" clear approach										
Min. 27" clear under fountain										
Spout 36" max. above floor, 5" min. from front										
Recessed Alcove:										
32" clear width										
18" min. depth										
Wing Wall Alternate:										
Min. 32" clear width, 18" clear depth	Ш									
								Section 5b Total		
SECTION 6b: Additional Elements (if poss	ible))								
Elevator(s):16										
36" min. door opening	<u> </u>									
54"x80" min. clear cab size for center doors	L									
68"x54" min clear cab size for side doors	L									
Control Buttons:	L									
48" max. height for front approach	L									
54" max. height for side approach	<u> </u>		Щ							
42" max. height for hallway call button	<u> </u>									
Floor number at 60" AFF										
Tactile signs at controls/buttons										
Buttons min. 3/4" diameter, raised 1/8"										
Door to stay open min. 5 seconds										
Storage ¹⁷ & Alarms: ¹⁸	<u> </u>									
Accessible fixed storage	<u> </u>	H								
30"x48" clear approach	<u> </u>									
54" max. height for side approach	<u> </u>									
9" min. height for side reach	<u> </u>									
46" max. height over obstruction	<u> </u>									
Complying opening hardware	<u> </u>									
Strobes	<u> </u>									
Audible Alarm	<u> </u>	lacksquare	Ш					Cootion Ch Tital		
Page 4 of 4								Section 6b Total		

Detailed Instructions

This form must be completed by a Licensed Professional such as an Architect, Engineer, General Contractor, or other qualified individual with an understanding of California Accessibility after performing a thorough site inspection.

Provide the Project Address and the building permit Case Number (if known).

Put the cost of construction for this project in Line 1a.

Put the cost of any construction in the last 3 years in Line 2a.

Put the sum of Lines 1a and 2a in Line 3a.

Multiply Line 3a by .2 (20%) and put that amount in Line 4a. This is the **minimum** amount that must be applied to make non-compliant Path of Travel items compliant. **NOTE: This amount is in addition to the adjusted total cost of construction, not a portion of it.**

If all of the elements listed in 1b through 6b are FULLY COMPLIANT: check all appropriate check boxes, provide printed name, signature, license number and date. Then reproduce only Page 1 onto the plans and no further action is required.

If any of the Areas listed in 1b through 6b do not comply: provide an itemized cost in the appropriate column for each Area on sheets 2 through 4. For each improvement in the itemized list that will be provided as part of this project, place a mark in the column labeled "Compliance Required Under This Project". For each improvement in the itemized list that already complies, place a mark in the column labeled "Compliant". Put the totals from pages 2-4 in the appropriate sections on page one. Provide printed name, signature, license number and date. Reproduce pages 1 through 4 of this document onto the plans.

FOOTNOTES:

1 CBC Section 11B-206.5	10 CBC Sections 11B-216.8.1 & 11B703.7.2.6
2 CBC Sections 11B-703 & 1013.4	11 CBC Section 11B-605
3 CBC Section 11B-216.5	12 CBC Section 11B-213.3.4
4 CBC Section 11B-216.6	13 CBC Section 11B-603
5 CBC Section 11B-206.2.1	14 CBC Section 11B-217-1
6 CBC Section 11B-403	15 CBC Section 11B-211.1
7 CBC Section 11B-402.2 & 11B-405	16 CBC Section 11B-206.6
8 CBC Sections 11B-208 & 11B-502	17 CBC Section 11B-225.2
9 CBC Section 11B-403.5.1 Exception 2	18 CBC Section 11B-215.1

19 Path of Travel – An identifiable accessible route within an existing site, building or facility by means of which a particular area may be approached, entered and exited, and which connects a particular area with an exterior approach (including sidewalks, streets and parking areas), an entrance into the facility, and other parts of the facility. When alterations, structural repairs or additions are made to existing buildings or facilities, the term "path of travel" also includes the toilet and bathing facilities, telephones, drinking fountains and signs serving the area of work.