City of Santa Barbara Police Station Project - Comparative Evaluation of Five Alternatives Summary of Preliminary Environmental Review

LOUISE LOWRY DAVIS CENTER/SPENCER ADAMS PARK SITE ALTERNATIVE

Project: Discontinue current recreation and parking land uses. Redevelop with 72,000 SF police station, 131,255 SF parking structure (252 station/ employee spaces), 80 surface public spaces. Construction process up to 28 months, 25,000 cy grading.

Louise Lowry Davis Center Site: Location: 1232 De La Vina Street, Santa Barbara, CA 93101; APN 039-172-004, -005, -006; Intersection of De La Vina St. and W. Victoria St. Size: 3.21 Acres. Ownership: City of Santa Barbara. Existing Land Use: Public Recreation Center/City Park with lawn bowling, with paved parking and buildings onsite.

ENVIRONMENTAL IMPACT		IMPACT SIGNIFICANCE LEVEL	
AIR QUALITY	Criteria Air Pollutants (ozone precursors, Less than Significant Impact		
	particulates - mobile, stationary sources)	Measures to minimize effects identified with design	
	Greenhouse Gas (Co2e - mobile, stationary	Less than Significant Impact	
	sources)	Project design/CEQA for measures to reduce effects	
BIOLOGICAL	Mature Trees Lost (37 trees)	Potentially Significant Impact	
RESOURCES		Likely mitigable. Mitigation level determined	
		with project design and CEQA review.	
ENERGY Energy Consumption (mobile, stationary		Less than Significant Impact	
RESOURCES	sources)	Project design and CEQA review to refine impact	
		reduction measures to be incorporated.	
GEOPHYSICAL	Seismic, Geologic, Soil Conditions	Less than Significant Impacts With standard	
CONDITIONS	(liquefaction, high groundwater, soil types)	engineering, regulatory measures.	
HAZARDS	Soil Contamination, Hazardous Materials	Less than Significant Impacts	
	Risk of Upset, Fire Hazard	With standard regulatory provisions.	
HERITAGE	Archaeological Resources (sensitivity zone	Potentially Significant Impact	
RESOURCES	for subsurface resources from historic eras)	Likely mitigable with standard measures to be	
		determined with CEQA review.	
	Historic Resources (two historic structures	Potentially Significant Impact	
	on site)	Likely mitigable with project design & CEQA review.	
	Tribal Cultural Resources	Less than Significant Impact	
HYDROLOGY, WATER QUALITY	Flood Hazard (flood zone X minimal risk)	Less than Significant Impact	
	Drainage/Water Quality (Tier 3 SWMP;	Less than Significant Impacts With applicable	
	Construction BMPs)	standard measures determined with design.	
LAND USE	Policy Consistency (plans/zoning – possible	Potentially Significant Impact	
	inconsistency w/policies for continued park use)	- Total and Table 1	
	Growth-Inducing Effect	Less than Significant Impact	
NOISE	Long-Term Operations Noise	Less than Significant Impact	
	Temporary Construction Noise (residential,	Potentially Significant Impact	
	day care uses in proximity)	Likely mitigable. Project design and CEQA	
OPEN SPACE,	Open Space Resources, Scenic Views	review to determine specific mitigation.	
/ISUAL	Visual Compatibility, Lighting	Potentially Significant Impacts	
VISUAL	(Loss of public scenic views from park)	Design Review approval.	
PUBLIC FACILITIES	Fire, Police, Schools, Parks Services	Potentially Significant Book laws at	
& SERVICES	(Services demand; Loss of Park)	Potentially Significant Park Impact	
PUBLIC UTILITIES	Water, Wastewater, Solid Waste Demand	Less than Significant Fire/Police/School Impact	
	water, wastewater, solid waste Demand	Less than Significant impacts	
TRANSPORTATION	Long-term Operations - Traffic Congestion	Construction waste evaluation with CEQA review.	
	(peak-hour intersection traffic)	Less than Significant Impact	
	Circulation, Access, Alternate Modes	Loss than Significant In	
	(pedestrian, bicycle, bus, rail)	Less than Significant Impacts	
	Temporary Construction Traffic	Loss than Cignificant Invest	
	remporary construction frame	Less than Significant Impact	
		With standard measures applied.	

^{*}Note: This is a preliminary environmental evaluation to help inform the public and City Council's initial choice of a preferred site alternative to undergo project design and the official CEQA environmental review process prior to City decisions on site selection and project approval.

Santa Barbara Police Station Project

Louise Lowry Davis Center/Spencer Adams Park Site Alternative PRELIMINARY ENVIRONMENTAL REVIEW

August 2019

Site Alternative

The Louise Lowry Davis Center/Spencer Adams Park site includes properties at 1212 De la Vina St. (APN 039-172-004), 1232 De la Vina St. (APN 039-172-005), and 1235 Chapala St. (APN 039-172-006). The site is located at the corner of Victoria and De La Vina Streets, within the urbanized Downtown area. The site is approximately 3.21 acres, paved, and with a park, two buildings, and ornamental trees and landscaping across the site. The existing land use is a public recreation center and City park with lawn bowling facility. Surrounding land uses in the area include residences, schools, and small businesses.

Project Description

The project would involve the removal of the existing surface parking lot, trees and landscaping, including the lawn bowling facility, retention of both historic buildings with the potential of relocating the Louise Lowry Davis Center building to another part of the property, and discontinuation of some existing land uses.

Existing Santa Barbara City Police operations are located at four separate sites (215 Figueroa Street police station, 222 East Anapamu Street police station annex, 1200 Anacapa Street dispatch, and 415 Sola Street animal control) and would be relocated and consolidated at the new station facility.

The project would consist of a new up to 72,000 square foot Police Station building, a new 131,255 square foot secure parking structure to accommodate 252 parking spaces (128 for Police Department vehicles and 124 for employee vehicles), up to 80 public non-secured surface parking spaces, and up to 42 bicycle parking spaces. Both the Police Station building and the parking structure would include a basement and up to three aboveground stories, with an overall maximum height of approximately 60 feet. The Police Station building would likely be located between the existing 1235 Teen Center on the corner of Chapala and Victoria Streets and the Louise Lowry Davis Center on the corner of De La Vina and Victoria Streets. The parking structure would likely be located at the existing Spencer Adams Park Lawn Bowling Facility.

The Police operations would remain the same as presently exist at the current locations and would include the Investigative/Internal Operations Division, Field Operations Division, Community Support Services Division, and Common Areas (public lobby, multi-purpose meeting rooms, staff break rooms, fitness room, and locker rooms). The public lobby area would be separated from the secure staff areas.

The site preparation and construction process is estimated to take 28 months, including three months for the earthwork phase and 25 months for the construction phase.

Earthwork is estimated to involve excavation up to ten feet in depth involving 8,900 cubic yards cut for the Police Station building (based on a footprint of 24,000 sf x 10' depth) and 16,334 cubic yards cut for the parking structure (based on a footprint of 44,000 sf x 10' depth), for estimated total grading of 25,234 cubic yards, with soil to be exported from the site.

The project site, structures, and construction process would be designed to conform to applicable City and other agency regulations and policies, including measures for minimizing environmental effects.

AIR QUALITY

Long-Term Mobile and Stationary Source Criteria Air Pollutant Emissions (Ozone Precursors and Particulates): Police station operations would generate incremental air pollution emissions associated with daily vehicle traffic exhaust and building energy use, such as for typical heating and cooling equipment, as well as an emergency generator that would require a permit from the Santa Barbara County Air Pollution Control District (SBCAPCD). Police station operations would not involve creation of nuisance odor impacts.

Based on the SBCAPCD screening table (2017), office projects of less than 180,000 SF would not be expected to generate air pollutants exceeding the City and District 25 lbs/day project-specific impact significance threshold for reactive organic gases (ROG) or nitrogen oxides (NOx) (precursors for smog), or for other criteria air pollutants subject to local, State, and federal standards, including particulate matter. The project would also be within the scope of the land use and population growth assumptions of the Santa Barbara County Ozone Plan (2016), and therefore consistent with the regional air plan for the County and air basin. Project components would reduce air pollution emissions compared to existing police station operations, including from consolidation of functions at one location and increased use of electric vehicles, which would reduce vehicle trip emissions, and a more energy efficient structure and inclusion of alternative energy components such as solar energy which would reduce stationary source emissions.

An initial analysis via CalEEMod (v. 2016.3.2) identifies total long-term and construction emissions (table below), showing that emissions would be below the 240 lbs/day threshold that the APCD has adopted for its own projects (where it serves as the lead agency). In addition, mobile trip ROC and NOx emissions are identified at below, and are well below the 25 lbs per day thresholds similarly adopted by APCD.

The estimate for building emissions used CalEEMod energy defaults for government office buildings and parking lot categories. However, because the building is expected to achieve Leadership in Energy and Environmental Design (LEED) Silver certification, the emissions the emissions estimate is expected to be lower once the design is specified. In addition, mobile emissions were based on average fleet default characteristics for the site; these numbers may change based on specific trip rates and lengths from the selected site location. More specific emissions estimates will be identified once the project is designed.

<u>Less than significant long-term project-specific impact and contribution to cumulative effects associated with criteria air pollutants.</u>

	Construction + Operational Emissions (lbs/day)	Mobile Emissions (lbs/day)	Impact Significance Thresholds (Ibs/day)
ROG	53		240
NOx	102		240
PM10	38		80
Mobile ROG		5.1	25
Mobile NOx		17.3	25

Short-Term Construction Emissions: The SBCAPCD does not have impact significance thresholds for short-term construction equipment emissions of criteria pollutants, which are considered cumulatively not significant for the air basin. A guideline used for identifying substantial project-specific short-term emissions is the generation of combined emissions from construction equipment exceeding 25 tons of any pollutant over a 12-month period (the guideline is based on APCD rules that require offsets for

substantial emissions when associated with construction of a stationary source). Project construction equipment emissions would be minimized by California regulations for reducing diesel emissions (e.g., equipment registration; time limits for idling and use of auxiliary power units), and standard APCD measures for minimizing equipment emissions applied per City permitting procedures and contractor specifications (e.g., use of alternative-powered equipment; equipment maintenance; and use of catalytic converters).

Dust generation during project demolition and earthwork would generate particulates and could create temporary nuisance dust effects to nearby sensitive land uses over the estimated three-month period for the demolition and grading phase of work. City Building Code provisions require implementation of APCD-recommended measures to control and minimize dust effects, which per APCD guidelines are considered to fully mitigate fugitive dust emission impacts (applicable measures may include sprinklering of work areas; treatment of exported and stockpiled soils; gravel pads at access points; treatment of graded areas; and dust control monitor).

An initial construction emissions analysis using CalEEMod is based on default five days/week work schedules, is shown in the table below. <u>Less than significant short-term construction air pollution and dust emissions.</u>

	Construction emissions (tons/yr)	Impact Significance Guideline (tons/yr)	
ROG	1.115	25 (combined)	
СО	3.03		
NOx	4.16		
PM10	0.7211	1	
PM2.5	0.4374		
SUM TOTAL	9.46		

Greenhouse Gases: Project construction and long-term police operations would generate carbon dioxide and other greenhouse gas emissions that contribute to accelerated climate change. Various project components would minimize greenhouse gas generation compared to the existing police station and operations. These include consolidation of operations at one location and increased electric vehicle use (associated vehicle trip/emissions reductions), more energy-efficient facility under green building code provisions, and use of renewable energy sources. An initial CalEEMod analysis estimates project GHG generation, including amortized construction impacts, at 2,477 tons of carbon dioxide equivalents (CO₂e) per year. This is less than the SBCAPCD project-specific impact significance threshold of 10,000 tons CO₂e/year.

The project would be within the scope of the growth assumptions and analysis in the adopted City Climate Action Plan (2012) and associated Addendum to the General Plan Program environmental impact report, which found that total citywide greenhouse gas emissions and per capita vehicle emissions would meet City and State reduction targets and would not constitute a significant environmental impact. Project components pertaining to land use, vehicle use, and energy would be consistent with and implement applicable Climate Plan policies for reducing greenhouse gas generation. The project would be within the scope of the City Council adoption finding for the Climate Action Plan, which found that no significant greenhouse gas impacts would result from forecasted General Plan buildout. Consistent with City policy, the project design will build in elements to minimize GHG emissions.

Less than significant project-specific effect and contribution to cumulative greenhouse gas generation affecting climate change.

BIOLOGICAL RESOURCES

The project site is largely paved and located within an urbanized setting with vehicle parking lot use and buildings on-site. The property currently has 37 mature ornamental/horticultural trees, along with grass adjacent to De La Vina Street. Tree species include American sweetgum, Japanese maple, Norfolk Island palm, Canary Island date palm, Moreton Bay fig, Southern magnolia, California fan palm, camphor tree, Victorian box, bunya bunya, fern pine, Chilean wine palm, gold medallion tree, and marine arbutus. Other plants and shrubs include bird of paradise, English ivy, and a variety of roses.

The onsite vegetation has some limited biological value as habitat for urban-adapted wildlife species, such as birds and squirrels. The site has potential for nesting and roosting birdactivity, including in the large Moreton Bay fig tree along Anapamu Street, and in the fern pine along De la Vina Street. Bird species observed during the Dudek site visit in 2019 include Anna's hummingbirds and yellow-rumped warblers.

The City Master Environmental Assessment (MEA) identifies the site as urban, with no important biological resources, including for upland habitats, coastal/creek/wetland habitats, special wildlife areas; or areas supporting listed or protected wildlife or vegetation species.

Long-Term Impact: Removal of existing trees is anticipated in order to accommodate redevelopment with the police station. The loss of up to 37 existing specimen trees would represent a potentially significant long-term biological resources impact from loss of the biological value of the trees for wildlife habitat, air quality and shade, water quality, and visual aesthetics. Until the project is designed, it is unclear whether the impact due to tree loss would be partially mitigated or fully mitigated by onsite and/or offsite replacement tree plantings. Potentially significant long-term biological resources impacts/ likely feasibly mitigable to a less than significant level.

Short-Term Impact: Most wildlife species utilizing the site (e.g., birds, squirrels) will move away during construction. Potential construction-related impacts associated with nesting birds would be addressed with standard measures to avoid effects to nesting birds until the young have fledged. Potential effects to any nearby specimen trees to be retained would be addressed with standard measures to provide temporary fencing as needed; avoid placing materials or vehicles over root zones; and proper treatment of any roots encountered with the project work. <u>Potentially significant short-term biological resources impacts/ mitigable to less than significant level with standard measures</u>.

ENERGY RESOURCES

Energy Consumption: A preliminary estimate of energy consumption by the new police station facility operations from stationary sources (such as electricity and natural gas for space heating/cooling, data/communications, etc.) is 693,523 killowatt-hours/year. Additional energy consumption would occur from mobile vehicles associated with operations.

The project would be subject to California and City green building code provisions requiring energy efficiency. The project is proposed to include renewable energy components as part of building design (e.g., solar panels) which would reduce energy demand and consumption from the initial estimate. The consolidation of police operations from four locations to one location, and the increased use of electric vehicles in the fleet, would reduce energy associated with vehicle use. The project would be subject to the City policy that all new City buildings be designed to achieve Leadership in Energy and Environmental Design (LEED) Silver certification for energy efficiency. The City also adopted the Architecture 2030 challenge for the built environment to become carbon neutral by the year 2030, and adopted goals for 100% renewable energy for municipal facilities by 2030 and 100% renewable energy for the City's community electricity supply by 2030. The City has moved forward on a community choice energy program, a strategic energy plan, and is moving toward stronger policies and programs to implement

carbon neutrality involving onsite inclusion of renewable energy onsite and offsets for increased energy use associated with GHG. A refined energy impact analysis of the police station project would be done based on project design. Project energy use would be further minimized with specific project design. <u>Less than significant energy impact with respect to energy inefficiency or unnecessary energy use</u>.

Consistency with Energy Plans: The City General Plan and City Climate Action Plan (which is associated with State climate policies that involve energy efficiency) and Strategic Energy Plan include policies directing increased energy efficiency and green building for new development for both City operations and communitywide; implementing programs to improve energy efficiency of all City facilities; increasing use of renewable energy for City operations; and reduction of vehicle miles traveled in City operations and citywide. The police station project would be subject to these City policies and green building code provisions, and would further demonstrate compliance through the project design and CEQA environmental review process. Less than significant energy impact associated with conflicts or inconsistency with State and local energy plans.

GEOPHYSICAL CONDITIONS

Seismicity: All areas of Santa Barbara and the larger region are subject to earthquake ground shaking and applicable building code safety standards for engineering design. The site is not located within hazard zones for known earthquake faults, or tsunami or seiche (i.e., large earthquake-induced waves at the shoreline or within an enclosed water body).

The MEA identifies that the site is potentially subject to moderate liquefaction (loss of shear strength of saturated soil during earthquake shaking). Liquefaction is a common condition usually feasibly addressed with standard engineering methods for site preparation and foundation design (such as through overexcavation and recompaction, and/or use of foundation design tying to lower level bedrock), and which is required to be addressed to safety criteria per building code regulations. <u>Less than significant seismic impacts</u>.

Geology and Soils: The MEA identifies the site as potentially subject to moderate soil erosion, high expansive soils, and moderately shallow groundwater. These are all conditions typically feasibly addressed with standard engineering methods for site preparation and foundation design, and which are required to be addressed to safety criteria per building code regulations. <u>Less than significant geology and soil impacts.</u>

Essential Facility: The project is an essential public facility that involves more stringent location and construction standards for seismic and other geophysical conditions. Initial assessment by City Public Works engineers and consultants is that the site is technically feasible to meet design standards for essential facilities. The redevelopment of the site would be subject to existing regulatory provisions for addressing geophysical conditions per safety criteria. The project would not exacerbate existing geophysical hazards. Less than significant geophysical impacts for essential facility.

Short-Term Impacts: Project earthwork and construction could be affected by geophysical conditions such as shallow groundwater and soil erosion, which would be feasibly addressed with required standard measures such as dewatering and erosion control measures as identified in building code regulations and the City Erosion and Sediment Control Guidelines. Less than significant short-term geophysical Impacts.

HAZARDS

Hazardous Materials: The State Geotracker and EnviroStor websites do not identify any known soil or groundwater contamination on the project site that could affect project development, occupants, or the surrounding area. Four prior cleanup sites associated with soil and groundwater contamination are within

1000 feet of the project site. All sites are shown to be remediated and closed. Due to the remediated status and localized nature of the incidents, these prior cases do not have the potential to affect the project development, occupants, or the surrounding area.

Limited quantities of chemicals would be used during Police Station operations for activities such as maintenance, cleaning, and landscaping. These chemicals are subject to existing regulations for use, storage, transport, and disposal, such that no public safety impact to surrounding land uses, employees, the public, or environment would result. <u>Less than significant hazardous materials impacts</u>.

Public Safety: No oil wells, major pipelines or transmission lines, or existing operations with substantial hazardous materials use are located in close proximity to the site. The project would not involve siting of sensitive land uses near land uses or facilities with substantial public safety risk of upset. <u>Less than significant public safety impacts</u>.

Aircraft: The site is not located close to an airport or within a designated runway safety or land use safety zone. There is no intention to include a helicopter pad in this project. The project would not be subject to aviation hazards and has no potential to create such hazards. Less than significant aviation hazard impact.

Fire Hazard: The site location is not within a designated High Fire Hazard Zone. The project land use does not have the potential to exacerbate existing level of fire hazard. Building code and fire code requirements addressing structural fire safety would be required. <u>Less than significant fire hazard impact</u>.

Short-Term Construction Impacts: Standard City construction processes provide for best management practices to protect against pollution from typical hazardous materials such as equipment fuels. In the event of unanticipated discovery of hazardous materials during earthwork, State regulatory processes are followed, including notification of County Health Department regulators to establish any needed assessment or remediation, such that no significant effect to workers, the public, or environment would result. Standard City construction best management practices for fire-safe use of mechanical equipment is a building code requirement and would be implemented through contractor specifications. Less than significant construction-related hazard impacts.

HERITAGE RESOURCES

Archaeological Resources: The City MEA identifies the site as within an area potentially sensitive for subsurface archaeological resources from the Spanish Colonial & Mexican (1782-1849), Hispanic-American Transition (1848-1870), American City (1870-1900), and Early 20th Century (1900-1925) historical periods.

The project is expected to involve excavation up to ten feet deep for a basement component to the structure. This earthwork would likely reach depths below areas previously disturbed from past and current development on the site, indicating the potential for encountering intact archaeological relics from historic periods, such as remnants of past adobe structures or trash pits. Based on the City MEA Guidelines provisions, an archaeological investigation of the site would be required in conjunction with environmental review of the project and prior to permit approval for the project. Per provisions of CEQA and City resource protection policies, any feasible measures identified as needed to avoid or minimize potentially significant effects on cultural resources (e.g., consultation with Chumash representatives; monitoring of earthwork; collection, documentation, analysis, curation of artifacts) would be applied as project requirements.

Standard requirements per the MEA Guidelines and Santa Barbara Municipal Code 22.12 provisions would also apply regarding unanticipated discovery of a resource during earthwork, including notification of

construction workers, suspending work pending resource assessment by an archaeologist, consultation with a Chumash representative, special procedures per regulations for discovery of potential human remains, and implementation of any feasible measures needed to protect resources and avoid significant effects. <u>Potentially significant archaeological resources impacts, likely mitigable to a less than significant level with standard measures</u>.

Historical Resources: The existing Louise Lowry Davis Center at 1232 De la Vina Street was constructed in 1922 and designated by the City as a Structure of Merit in 1991. The Teen Center building at 1235 Chapala Street (former Santa Barbara High School Science Building) was constructed in 1922, is listed on the City's Potential Historic Resources List, and was assessed as eligible to be designated as a Structure of Merit.

Initial project concept for this site indicates that the historic structures would not be demolished, but would be retained on the site for continued community uses, with one or both potentially relocated onsite.

One of the three parcels at the site (1235 Chapala Street) is located in the El Pueblo Viejo Historic District, and the project would require review by the Historic Landmarks Commission.

As part of project design, analysis, and permitting, a Historic Structures/Sites Report would be required to evaluate potential project impacts on the existing historic resources, and identify any feasible project design measures necessary to avoid significant impacts. Established procedures for assessment of resources, and measures for appropriate treatment of resources would be applied. (Consultation with City Historian N. Hernandez). Potentially significant historical resources impact.

Tribal Cultural Resources: No known important tribal cultural resources involving religious, spiritual, or social significance exist at the site. As per procedures identified above for archaeological resources, in the event of unanticipated discovery of resources during earthwork, established procedures for assessment, tribal consultation, and measures for appropriate treatment of resources would be applied to avoid a significant impact. <u>Less than significant tribal cultural resources impact</u>.

HYDROLOGY AND WATER QUALITY

Flood Hazard: The project site is designated in Zone X (unshaded) for area of minimal flood hazard. The project site is not located in a Special Flood Hazard Risk Zone. This is evidenced on the Federal Emergency Management Agency (FEMA) Flood Map number 06083C1387J, effective September 28, 2018. Applicable design provisions of Federal and State flood regulations and the City Floodplain Ordinance would be required to ensure no significant flood-related impact would result. The project would not exacerbate any existing flood hazard. Less than significant flood hazard impact.

Drainage and Water Quality: The proposed project would result in changes to the drainage pattern on the project site. The project would be required to be designed to meet the Tier 3 storm water runoff requirements of the City's Storm Water Management Plan, Ordinance (SBMC 22.87), and best management practice guidelines, including for discharge rate, volume reduction, and water quality treatment. Specific approaches to meeting these requirements would be identified as part of the project design. Less than significant long-term drainage and water quality impact with application of ordinance requirements through project design.

Project construction would be subject to City Building Code provisions and Best Management Practices (BMP) Guidelines to control any erosion, siltation, or pollution effects from site runoff to ensure that no substantial effects to surface or groundwater would result. Specific approaches to meeting these requirements would be identified as part of the project design. Possible techniques to control erosion and

sediment during construction may include straw wattles, silt fences, and sediment filters/barriers. <u>Less</u> than significant short-term drainage and water quality impact.

LAND USE

The site is located in the Central Business District. The General Plan land use designation for the site is Parks and Open Space. Sites with a Parks and Open Space land use designation comprise 11% of the land in the City. The Parks and Recreation Element of the General Plan identifies eight classifications of park and recreational facilities. The Louise Lowry Davis Center is a special use facility and Spencer Adams Park is a community park. The General Plan notes that the expansion of Spencer Adams Park was recommended in the 1981 Parks and Recreation Facilities and Programming Master Plan (PRFPMP). The General Plan does not recommend any changes for the Louise Lowry Davis Center. The Historic Landmarks Commission recently approved the rehabilitation to the Senior Center. A police station is not an allowed use under the General Plan Parks and Open Space land use designation.

The site is located in the Downtown neighborhood of the General Plan. The Downtown is bounded on the north by Sola Street; on the south by Ortega Street; on the east by Santa Barbara Street; and on the west by De la Vina Street. The Downtown Neighborhood is the most intensively used part of the City. In addition to its primary function as a viable commercial center, with a desired balance of retail, office, historical features, restaurant, institutional, financial and cultural arts, it is becoming the home to many City residents as more mixed-use and residential land uses are developing Downtown. A police station is consistent with other uses in the mixed-use Downtown neighborhood.

The project site zoning designation is P-R (Park and Recreation) Zone. The P-R Zone is intended to, in part, protect and promote park lands; establish categories of park and recreation facilities; establish an appropriate system of review for proposed uses, improvements or development; and, maintain and protect neighborhoods that are adjacent to parks and recreation facilities, while providing for the appropriate types or intensity of land use of parks and recreation facilities, for the benefit of the community. The Louise Lowry Davis Center is classified as a Community Building and the Spencer Adams Park is classified as a Sports Facility. A police station is not an allowed use in the P-R Zone.

Growth-Inducing Effect: The existing police service operations at four locations would be consolidated at the new facility and no substantial increase in service levels is proposed as part of the project. The project would not involve substantial population or employment growth or the associated creation of substantial housing demand. A limited number of temporary construction jobs would be involved with the project development. The project would be built in an urbanized area that is currently served by all required infrastructure. No substantial extension or expansion of utilities that could support additional growth beyond the project is involved. Less than significant growth-inducing impact.

Consistency with Land Use Plans and Policies: As noted above, a police station is not consistent with the General Plan land use designation of Parks and Open Space and is not an allowed use in the P-R Zone. Determinations as to whether a use or a change in the intensity of use is allowed in a particular park category and the appropriate review process are made by the Community Development Director.

A change from a park and recreational use to another use, such as a police station, on the site, would require a majority vote of the City Council as well as a majority vote of the electorate per City Charter Section 520, Disposition of Real Property or a Public Utility. The project would also require approval of a General Plan Amendment and a Zoning Map Amendment by the City Council. In addition, Planning Commission approval of a Development Plan would also be required, which includes findings that the use is consistent with the Zoning Ordinance and with the principles of sound community planning (i.e., the General Plan). With the above actions by the electorate, City Council, and Planning Commission, the

project could be found consistent with plans and policies, and no significant environmental impact would be identified.

Some General Plan policies and implementation actions applicable to the project, which were adopted in part for the purpose of mitigating environmental impacts, are as follows:

Land Use Element Policy LG12.2 (Building Size, Bulk and Scale).

Fiscal Health Policy EF27 (City Services and Facilities).

Historic Resources Element Policy HR1. (Protect Historic and Archaeological Resources).

Environmental Resources Element Policy ER1 (Climate Change).

Environmental Resources Element Policy ER1.2 (Greenhouse Gas Emission)

Environmental Resources Element Policy ER5.1 (Energy Efficient Buildings).

Environmental Resources Element Policy ER11. (Native and Other Trees and Landscaping).

Conservation Element Policy 4.0 (Trees)

Conservation Element Policy 4.1 (Mature trees)

Circulation Element Policy C1. (Transportation Infrastructure Enhancement and Preservation)

Potentially Significant Impact related to policy inconsistency.

MINERAL AND AGRICULTURAL RESOURCES

Mineral Resources: The site is paved and developed and contains no known mineral resources. No impact to important mineral resources would result. *Less than significant mineral resources impact*.

Agricultural Resources: The site is developed and contains no agricultural cultivation. The State Map of Agricultural Resources identifies the site as urban. No impact to important agricultural soil or farmland resources would result. Less than significant agricultural resources impact.

NOISE

The City Master Environmental Assessment (MEA) identifies the Louise Lowry Davis Center/Spencer Adams Park site as being subject to average ambient noise levels of 60-65 decibels dBA (Ldn or CNEL scales). The primary noise source affecting the site is vehicular traffic.

The City General Plan identifies noise compatibility guidelines for siting of various land uses in areas with suitable average ambient noise levels, and the City Noise Ordinance (SBMC Chapter 9.16) governs operational and construction noise limits within the City.

The project is a professional services office building and is neither a noise-sensitive* nor noise-generating land use. There are sensitive land uses nearby, including a high school on the same block to the northeast, along with a retirement community to the southeast. Residential units exist around the site, fronting Bath, Victoria, and Anapamu Streets. Spencer Adams Park is a sports facility on the current site.

*Noise-sensitive land uses are those involving extensive occupancy or exposure by sensitive individuals, including residences; nursing homes, retirement homes and other community care facilities; schools; and large family day care facilities. Land uses not considered sensitive land uses include retail, commercial services, and offices.

Compatibility of Proposed Land Use: The noise compatibility standards of the City General Plan noise policies identify a normally acceptable maximum average exterior ambient noise level for a professional office building as 75 dBA CNEL or Ldn. The existing average ambient noise level at Louise Lowry Davis Center/Spencer Adams Park is less than 75 dBA. The siting of the project at this location would not subject persons using the building to long-term average ambient noise levels in excess of the compatibility

standard for the use, and the project would not conflict with City noise policies. Building Code provisions would require the police station to be constructed to meet an average interior noise level of 50 dBA or less, which is the maximum average interior noise level for a professional office building.

Long-Term Operations Noise: The current parking lot use at the property involves some vehicle and parking noise, largely masked to the surrounding area due to distance and background roadway noise. The police station use would similarly involve some vehicle and parking noise (332 parking spaces, primarily within a two-story parking structure and some surface parking), which would not represent a substantial net increase in noise to the surrounding area.

Stationary equipment associated with the building, such as for air conditioning, would be at sufficient distance from surrounding land uses and would be subject to City building code provisions such that no substantial noise effects to sensitive land uses would result.

Similar to other office land uses, noise associated with long-term police station operations would not involve substantial noise effects to surrounding noise-sensitive land uses. The canine kennel and the firearm training range activities would be located within the structure of the building and would not result in noise impacts to the surrounding area. No regular noise from sirens or loudspeakers would occur, however under rare circumstances officers may leave the station under siren. This would be similar to locations everywhere in the City which also experience periodic siren noise, which constitutes minor temporary nuisance noise. Less than significant long-term operational noise impact.

Short-Term Construction Noise: Short-term noise impacts are associated with substantial grading and construction activity in close proximity to noise-sensitive receptors for an extensive duration. Equipment noise levels can vary substantially through a construction period, and depend on the type of equipment, number of pieces operating, and equipment maintenance. Construction equipment may generate noise levels of more than 80 dB(A) at a distance of 50 feet, and the shorter impulsive noises from other construction equipment (such as pile drivers and drills) can be higher, up to and exceeding 100 dB(A). Noise during construction is generally intermittent and sporadic, and after completion of the initial demolition, grading and site preparation activities, tends to be quieter.

Noise from grading, construction equipment, and truck traffic would affect surrounding residential and school uses during a construction period estimated at up to 28 months. Estimated phasing of the process includes grading/site preparation – 3 months; construction of garage and police station - 15 months; and interior building finishing – 6 months. Equipment and vehicle staging is expected to initially occur within adjacent road rights-of-way, and then onsite.

Surrounding area residences are on average 450 feet from the site (the closest is approximately 150 feet away), the high school is located approximately 150 feet from the site, and the retirement community is approximately 600 feet from the site. Noise generally diminishes by six decibels for every doubling of the distance from the source, and may be further moderated if there are intervening structures or other noise. Construction equipment noise of 80 dbA Leq (noise level at the time it is occurring, not averaged over time) at fifty feet would be reduced to approximately 32 dbA Leq at the property line of the residences (68 dbA Leq at the nearest residence), 68 dbA Leq at the high school, and 14 dbA Leq at the retirement community respectively. These estimated noise effects would be moderated by factors including intervening traffic, structure walls, and interior noise such as air conditioning.

Temporary nuisance noise effects would be reduced with the implementation of standard measures for neighborhood noticing, limitations on construction days and hours, equipment shielding, and the installation of temporary sound control devices, such as blankets. <u>Potentially significant, mitigable short-term construction noise impact</u>.

OPEN SPACE AND VISUAL RESOURCES

Open Space and Visual Resources: The Louise Lowry Davis Center/Spencer Adams Park site is paved and developed with structures and a small park with a lawn bowling facility. The MEA identifies the site as urban and not containing any important open space onsite, such as a unique visual resource, or shoreline or hillside resources. Public scenic views of the hillsides are primarily attained in the downtown area of the City through the street corridors. However, the site includes an existing public gathering area (Spencer Adams Park), and mountain views are visible from the location. Further analysis of this issue would be required as part of project design and CEQA environmental review. <u>Potentially significant visual impact from loss of public scenic views</u>.

Visual Compatibility. The City has an established design review process and guidelines addressing visual compatibility of development projects. A police station will require some special design criteria for a secure facility. Initial assessment of the project indicates that the site size is adequate to meet basic onsite zoning standards for height, setbacks, and landscaping. The project would require design review board approvals including findings of visual compatibility with the neighborhood pursuant to adopted City design guidelines. Less than significant onsite visual compatibility impacts.

Lighting. The existing site has no outdoor lighting standards, although surrounding streets have streetlights. A City ordinance governs outdoor lighting. The project would include outdoor lighting for safe access and security. City ordinance provisions require lighting to be hooded and directed to the ground which would avoid any substantial lighting or glare impacts to surrounding land uses, roadway travel, or habitat. Project lighting design would require design review board approval. The construction process may utilize some temporary localized lighting during some phases, which would not represent a substantial lighting effect to the surrounding area. Less than significant lighting impacts.

PUBLIC FACILITIES AND SERVICES (Fire, Police, Schools, Parks)

The need for a new police station is based on space and seismic deficits of existing facilities, and the operational benefits expected from consolidating services currently at four locations.

The City General Plan program environmental impact report (2011) analysis concluded that fire, police, and parks service levels are adequate to serve the existing and forecasted future City population, with budget and program considerations addressed on an ongoing basis with City processes for assessing and approving budgets and programs for facilities and services. School facilities and services are provided based on State programs and budgets.

The project does not involve an increase in the ongoing police service level. The police station would consolidate police operations and employees from four current downtown locations at the new police station facility, for improved safety, efficiency, and effectiveness, a beneficial public facility effect. The project would not be expected to generate a substantial increase in long-term employment or associated increased demand for housing or public services such as police and fire, and schools. <u>Less than significant impacts associated with police, fire, and school services.</u>

The existing Spencer Adams Park on the site has a community lawn bowling facilities, which would be removed to accommodate redevelopment with the police station project. <u>Potentially significant effect</u> from loss of a public park.

PUBLIC UTILITIES (Water, Wastewater, Solid Waste)

The project site is within an urban area served by City water treatment and distribution services, wastewater collection and treatment services, and City-contracted solid waste and recycling pick-up

services using the Santa Barbara County Tajiguas Landfill. The new police station facility would feasibly tie in to City water and wastewater service utility lines at the property, as well as telecommunications lines, and would receive solid waste and recycling pick-up services.

Water: Based on City water demand factor for institutional land use, the new station would generate an estimated 1.22 acre-feet per year of annual water demand for indoor/outdoor water use (72,000 SF x 0.17 AFY/1000 SF = 1.22 AFY). The City and larger region has experienced a recent multiple-year drought, a periodic condition. The City Long-Term Water Supply Plan identifies a long-term water supply for the City through a combination of sources including Lake Cachuma and Tecolote Tunnel; Gibraltar Reservoir, Devils Canyon and Mission Tunnel; groundwater; State Water Project allotment; desalination; recycled water, conservation, and efficiency improvements.

Wastewater: A requirement for development is adequate wastewater facilities and services. City wastewater facilities include collectors and mains and the El Estero Water Resource Center treatment plant facilities. The wastewater treatment plant has a design capacity of 11 million gallons per day (mgd) and can treat a maximum of 34 mgd. Currently the plant receives between 6 -8 mgd.

For general planning purposes, wastewater generation is estimated at roughly 83% of water use for office and institutional land uses. The Police station would use approximately 1,088 gallons per day based on 1.22 AFY cited above. Thus, the additional wastewater flow from the police station building into the system would be would be approximately 903 gallons per day.

The police station project is within the citywide growth forecast analyzed in the certified Final Program EIR (2011) for the General Plan Update. The analysis concluded that City wastewater facilities would be adequate for existing development/population together with forecasted citywide growth to 2030.

More detailed analysis of the police station would be done as part of project design and CEQA environmental review to confirm adequacy of mains and collector system in the vicinity of the project, and as needed to require any localized upgrades as part of the project. City wastewater facilities would adequately serve the police station project. Estimated project wastewater generation can be accommodated by the City sewer system and sewage treatment plant, and would represent a <u>less than significant</u> impact.

TRANSPORTATION

Transportation issues include traffic, access, circulation and safety. Vehicle, bicycle, and pedestrian, and mass transit modes of transportation are all considered, as well as emergency vehicle access. The City General Plan Circulation Element contains policies addressing circulation and traffic in the City, along with other transportation plans.

Project Specific Traffic: City Transportation staff performed a preliminary traffic analysis for the project. The project site is located in Area 1 of the adopted City of Santa Barbara Traffic Model (Traffic Model). Per the Traffic Model, the weekday AM Peak Hour Trip (PHT) generation rate is 0.56 trips per 1,000 square feet of floor area for the land use type of Police and Fire Services. The weekday PM Peak Hour Trip (PHT) generation rate is 0.67 trips per 1,000 square feet of floor area. Given the 72,000 square foot police station, it is anticipated that there would be 40.32 AM Peak Hour Trips and 48.64 PM Peak Hour Trips.

The existing land use designation is Parks and Open Space, and existing land uses include the Louise Lowry Davis Center, Twelve 35 Teen Center, and Spencer Adams Park/Santa Barbara Lawn Bowls Club. The Louise Lowry Davis Center and Twelve 35 Teen Center would remain and the Davis Center could possibly be relocated onsite, while the Spencer Adams Park would be demolished to accommodate the proposed

police station. The Institute of Transportation Engineers (ITE) information report on trip generation was used to determine traffic generation rates; which vary based upon use and location. The ITE manual does not list a specific rate for Lawn Bowling Clubs, however, the Recreational Community Center use description includes outdoor athletic fields/courts and is most closely related. The existing Lawn Bowling use located in Model Area 1 does not have an AM Peak Hour Trip rate (PHT) as the hours of operation commence in the evening. The PM Peak Hour Trip rate (PHT) is 2.39 trips per 1,000 square feet of floor area for the use, "Recreational Community Center".

Trip generation is generally identified as a net change where existing trips generated at the site are subtracted from project trip estimates. After subtracting out the trip credits associated with the existing Lawn Bowling use, the project would result in a net increase of 40.32 AM Peak Hour Trips (PHT) and 42.19 PM Peak Hour Trips (PHT).

Estimated distribution of new forecasted trips to and from the site was identified. Project peak hour trips are predominately police service activities versus commute trips because the staff are primarily on 12 hour shifts. The trips were distributed to and from the project site based on police service location and demand. Approximately 50% of the trips were distributed among the Downtown, Eastside, and Riviera areas; 7% for East Beach and Coast Village Road areas; 8% for Waterfront area; 10% for Westside and Mesa areas; and 25% for Upper State Street, Samarkand, San Roque areas and beyond.

An impacted roadway intersection is defined by Santa Barbara policy as operation at a vehicle traffic volume-to-intersection capacity ratio exceeding 77% during peak hours, which represents a high "C" level of service (LOS) within the A to F range of operating conditions. The 2011 General Plan EIR identified up to 27 intersections where significant traffic congestion either exists or is expected to occur by the year 2030 during peak travel times. A significant project-specific traffic effect would result if a project's net peak-hour traffic generation would constitute 1% or more of the intersection capacity at one of the identified 27 intersections. If a significant effect occurs, it could also be found inconsistent with City Policy.

Specific intersections of concern during the analysis would include the following in the nearby area, since they are either currently impacted or forecasted to be impacted by 2030: Carrillo and Highway 101 NB Ramps, Carrillo and Highway 101 SB Ramps, Mission and Castillo, Mission and Highway 101 NB Ramps and Mission and Highway 101 SB Ramps.

Forecasted project traffic trips were distributed based on the above approximate percentage demand areas to the intersection of concern. The number of new project trips distributed these intersections are less than 16 trips to a significant turning movement, and would be less than 1% of intersection capacity during peak hour, and therefore represent a less than significant traffic impact. This initial traffic analysis also indicates that the project at this location would likely not require a further traffic model assessment with the City Traffic Model as part of the CEQA environmental review.

Less than significant long-term operations traffic impact.

Note: City Council adopted Traffic Impact Significance Thresholds are used to evaluate whether a project has a significant impact under the California Environmental Quality Act (CEQA). Legislation (Senate Bill 743, 2013) directs that local jurisdictions in California move away from Intersection Level of Service - a measure of traffic congestion - to Vehicle Miles Traveled as a criterion to evaluate whether a project results in a significant impact. Cities are required to implement Senate Bill 743 by July 1, 2020. It is anticipated that in the City of Santa Barbara, Intersection Level of Service will still remain as a policy consistency issue and not as an impact under CEQA environmental review.

Short-Term Construction Traffic: The project would generate construction-related traffic that would occur over the 28-month construction period and would vary depending on the stage of construction. The duration of demolition and earthwork for site preparation is estimated at three months, construction for 19 months, and interior finishing for six months. Truck trips would be associated with export of demolition materials and cut soils, and transport of construction equipment, construction materials, and workers.

The Transportation Division's initial assessment is that, given traffic levels in the area and the duration of the construction process, short-term construction-related traffic would be a less than significant impact. Standard conditions of approval would be applied, including restrictions on the hours permitted for construction trips outside of peak traffic hours, approval of routes for construction traffic, and designation of specific construction staging and parking areas.

Less than significant construction traffic impact with standard measures.

Cumulative Traffic: The project was also analyzed regarding its contribution to cumulative traffic effects. A considerable project contribution to cumulative traffic effects would result when a project's net peak-hour traffic together with other cumulative traffic from existing and reasonably foreseeable projects would cause an intersection to exceed 0.77 V/C; or when the project would contribute peak-hour traffic to an intersection already exceeding 0.77 V/C.

The program EIR for the 2011 General Plan provided a citywide cumulative traffic analysis to the year 2030 using this threshold, identifying numerous intersections with existing or forecasted significant traffic congestion impacts. In adopting the General Plan, the City Council made findings of overriding consideration that the benefits of the Plan overrode the significant traffic impacts, thereby deeming the cumulative traffic impacts as acceptable. This project is within the growth assumptions of the EIR analysis and it is considered to contribute to the significant cumulative effects identified in the Program EIR. Potentially considerable contribution to significant citywide cumulative traffic impacts, evaluated previously in Program EIR.

Bicycle/Pedestrian/Public Transit: Transit stops serving the City's Oak Park route exist across the street on De La Vina Street. On the other side of the block are bus routes to Goleta, State/Hollister/UCSB, the Goleta Express, UCSB Express, and the Crosstown Shuttle on Chapala Street between W Victoria and W Anapamu Streets. The MTD Transit Center is one block away at Figueroa and Chapala Streets. These transit stops are anticipated to provide adequate transit resources for the project demands.

The Bicycle Master Plan identifies W Anapamu Street, which fronts the project site, as a location for a future Class III Enhanced Route. There are existing sidewalks and parkways along the project's frontages along Chapala, W Victoria, De La Vina, and W Anapamu Streets. The Pedestrian Master Plan requires for local streets with a right of way that is 80 feet or greater, such as Chapala St, to have a eight foot wide sidewalk, four foot parkway or furnishing zone, six inch curb and two foot, six inch frontage zone. For local streets with a right of way that is 60 feet or greater, such as W Victoria, De La Vina and W Anapamu Streets, to have a six foot wide sidewalk, four foot parkway or furnishing zone, six inch curb and one foot, six inch frontage zone. The project would be conditioned to comply with the Pedestrian Master Plan.

The new project would not require substantial additional transit facilities, bike lanes or pedestrian facilities. <u>Less than significant project impacts associated with pedestrian, bicycle, and public transit facilities</u>.

Access/ Circulation/ Safety Hazards: The California Highway System Roadway Classification Map classifies Chapala Street as a one-way two-lane "Other Principal Arterial" street, West Victoria Street as a two-way two-lane "Major Collector" street, De La Vina Street as a one-way two-lane "Minor Arterial" street, and West Anapamu Street as a two-way two-lane "Minor Arterial" street. All streets are fully improved along the project frontage.

The project is not anticipated to necessitate changes to the existing roadway alignment and lane configurations. The property frontages along W. Victoria Street and Chapala Street have one driveway curb cut each and the project is not expected to require additional curb cuts. The driveway aprons would need to be upgraded to meet current ADA standards and the Pedestrian Master Plan.

To be in compliance with the City's Traffic Management Strategy, the project would have to be evaluated to ensure there is appropriate connection to the transportation system, and could require improvements to the design or its interface with the public right-of-way, in order to ensure safe access and minimize a project's disruption to the traffic flow of adjacent streets.

The project would be required to meet emergency and fire access criteria.

Less than significant impacts associated with vehicular access, circulation, safety, and emergency access.

References

Project description materials

California Environmental Quality Act (CEQA), State CEQA Guidelines, and City of Santa Barbara CEQA Guidelines

California Department of Toxic Substances Control Envirostor web site

California Water Resources Control Board GeoTracker web site

California Water Resources Control Board NPDES general permit

Charter of the City of Santa Barbara

City of Santa Barbara Climate Action Plan and Program EIR Addendum (2012)

City of Santa Barbara Bicycle Master Plan (2016)

City of Santa Barbara Erosion and Sediment Control Guidelines (2012)

City of Santa Barbara General Plan

City of Santa Barbara General Plan Program Environmental Impact Report (2011) and Addenda

City of Santa Barbara Long-Term Water Supply Plan (2012) and Urban Water Plans

City of Santa Barbara Master Environmental Assessment (MEA) Maps and Guidelines

City of Santa Barbara Municipal Code and Zoning Ordinance

City of Santa Barbara Needs Assessment Validation for New Santa Barbara Police Station (Cearnal, McClaren, 2018)

City of Santa Barbara Pedestrian Master Plan (2006)

City of Santa Barbara Planning Division/ City Historian, personal communication (N. Hernandez, 08-6-2019)

City of Santa Barbara Police Station Needs Assessment Study (Leach Mounce Architects, 2012)

City of Santa Barbara Storm Water Management Plan, Ordinance, and Guidelines

City of Santa Barbara Public Works Department, personal communication (P. Maldonado, August 2019)

FEMA, Flood Zone Information Maps (2019)

Santa Barbara County Ozone Plan (Clean Air Plan) (Santa Barbara County Air Pollution Control District, 2016)

Santa Barbara County Solid Waste Thresholds (2008, reprinted 2015)

Scope and Content of Air Quality Sections of Environmental Documents (Santa Barbara County Air Pollution Control District, 2017)

City Staff Preparers

Community Development Department, Planning Division (B. Shelton, K. Kennedy)

Public Works Department, Engineering Division (S. Iza, B. Hess, A. Spryka, R. Rajbanshi, Consultant T. Hughes, MEC)

Public Works Department, Transportation Division (R. Dayton, J. Grant, C. Swanson, K. Malmulski)

Attachments

- 1 Aerial Photograph Project Location and Concept Layout
- 2 Master Environmental Assessment Maps
- 3 Historic Resources Map
- 4 Soil Contamination Information
- 5 CalEEMod Air Emissions Calculations



Reported on 07/23/2019 02:52 PM

Parcel Number:

039-172-004

Project Address: Case Number:

Project Description:

Visual

Visual Unique:

N/A

Visual Hillside:

N/A

Visual Shoreline:

N/A

Biological

Airport Habitats:

N/A

Airport Restoration Areas:

N/A

Coastal Zone Resources:

N/A

Creek and Wetland Habitats:

N/A

Special Wildlife Areas:

N/A

Upland Habitats - Vegetation:

URBAN

Key Riparian Bird Habitat Areas:

N/A

Sensitive Species_Points:

N/A

Environmental Hazards

High Fire Hazard Areas:

N/A

Tsunami Runup:

N/A

FEMA Flood 2018:

X

250' Freeway Setback:

N/A

Shoreline Hazards:

N/A

Archaeological

Prehistoric Sites And Watercourses:

N/A

N/A

Mission Archaeological:

Hispanic Archaeological:

SPANISH ARCHEOLOGY

Spanish Colonial & Mexican (1782-1849):

American City Archaeological:

AMP

Early 20th Century Archaeological: 20TH

Noise

Noise:

<60 DBA LDN, **60-65 DBA LDN**



Reported on 07/23/2019 02:52 PM

Geological

Geologic Units:

OLDER ALLUVIAL DEPOSITS (UPPER AND MIDDLE PLEISTOCENE)

Radon Potential:

Relative Landslide Potential Areas: LOW

Slope Failures Area:

N/A

Slope Movement Classification:

N/A

Soil Types:

MILPITAS-POSITAS FINE SANDY LOAMS, 2 TO 9 PERCENT SLOPES

Fault Hazard Zones (200 Ft

buffer):

N/A

Liquefaction Potential:

MODERATE

Expansive Soils:

HIGH


Erosion Potential:

MODERATE


Shallow Groundwater:

MODERATELY SHALLOW

Vicinity Map




Visual: Visual Unique






Visual: Visual Hillside




Visual: Visual Shoreline






Biological: Airport Habitats




Biological: Airport Restoration Areas







Biological: Coastal Zone Resources



Biological: Creek And Wetland Habitats



Biological: Special Wildlife Areas




Biological: Upland Habitats






Biological: Key Riparian Bird Habitats




Biological: Sensitive Species







Environmental Hazards: High Fire Hazard




Environmental Hazards: Tsunami Runup



Environmental Hazards: Flood Zones 2018




Environmental Hazards: 250' Freeway Setback







Environmental Hazards: Shoreline Hazards



Archaeological: Prehistoric Sites And Watercourses



Archaeological: Archaeological: Mission Complex & Waterworks (1786-1835)




Archaeological: Spanish Colonial & Mexican (1782-1849)



Archaeological: Hispanic-American Transition Period (1848-1870)



Archaeological: American Period (1870-1900)



Archaeological: Early 20th Century (1900-1925)









Noise




Geological: Geologic Units




Geological: Radon Potential



Geological: Landslide Potential




Geological: Slope Failures [USGS (2006), Urban (2004)]





Geological: Slope Movement Classification




Geological: Soil Types






Geological: Fault Hazard Zones




Geological: Liquefaction Potential







Geological: Expansive Soils



Geological: Erosion Potential




Geological: Shallow Groundwater Potential



END OF REPORT





Reported on 07/23/2019 02:52 PM

Parcel Number:

039-172-005

Project Address: Case Number:

Project Description:

Visual

Visual Unique:

N/A

Visual Hillside:

N/A

Visual Shoreline:

N/A

Biological

Airport Habitats:

N/A

Airport Restoration Areas:

N/A

Coastal Zone Resources:

N/A

Creek and Wetland Habitats:

N/A

Special Wildlife Areas:

N/A

Upland Habitats - Vegetation:

URBAN

Key Riparian Bird Habitat Areas:

N/A

Sensitive Species_Points:

N/A

Environmental Hazards

High Fire Hazard Areas:

N/A

Tsunami Runup:

N/A

FEMA Flood 2018:

X

250' Freeway Setback:

N/A

Shoreline Hazards:

N/A

Archaeological

Prehistoric Sites And Watercourses:

N/A

Mission Archaeological:

N/A

Spanish Colonial & Mexican

(1782-1849):

SPANISH ARCHEOLOGY

Hispanic Archaeological:

1850

American City Archaeological:

AMP

Early 20th Century Archaeological: 20TH

Noise

Noise:

<60 DBA LDN, 60-65 DBA LDN



Reported on 07/23/2019 02:52 PM

Geological

Geologic Units:

OLDER ALLUVIAL DEPOSITS (UPPER AND MIDDLE PLEISTOCENE)

Radon Potential:

Relative Landslide Potential Areas: LOW

Slope Failures Area:

N/A

Slope Movement Classification:

N/A

Soil Types:

MILPITAS-POSITAS FINE SANDY LOAMS, 2 TO 9 PERCENT SLOPES

Fault Hazard Zones (200 Ft

buffer):

N/A

Liquefaction Potential:

MODERATE

Expansive Soils:

HIGH


Erosion Potential:

MODERATE

Shallow Groundwater:

MODERATELY SHALLOW

Vicinity Map



Visual: Visual Unique



Visual: Visual Hillside




Visual: Visual Shoreline



Biological: Airport Habitats



Biological: Airport Restoration Areas



Biological: Coastal Zone Resources



Biological: Creek And Wetland Habitats





Biological: Special Wildlife Areas



Biological: Upland Habitats



Biological: Key Riparian Bird Habitats



Biological: Sensitive Species



Environmental Hazards: High Fire Hazard



Environmental Hazards: Tsunami Runup



Environmental Hazards: Flood Zones 2018



Environmental Hazards: 250' Freeway Setback



Environmental Hazards: Shoreline Hazards



Archaeological: Prehistoric Sites And Watercourses



Archaeological: Archaeological: Mission Complex & Waterworks (1786-1835)



Archaeological: Spanish Colonial & Mexican (1782-1849)



Archaeological: Hispanic-American Transition Period (1848-1870)



Archaeological: American Period (1870-1900)



Archaeological: Early 20th Century (1900-1925)








Noise




Geological: Geologic Units




Geological: Radon Potential



Geological: Landslide Potential




Geological: Slope Failures [USGS (2006), Urban (2004)]



Geological: Slope Movement Classification




Geological: Soil Types




Geological: Fault Hazard Zones



Geological: Liquefaction Potential




Geological: Expansive Soils





0 72 Fee

Geological: Erosion Potential



Geological: Shallow Groundwater Potential



END OF REPORT





Reported on 07/23/2019 02:52 PM

Parcel Number:

039-172-006

Project Address: Case Number:

Project Description:

Visual

Visual Unique:

N/A

Visual Hillside:

N/A

Visual Shoreline:

N/A

Biological

Airport Habitats:

N/A

Airport Restoration Areas:

N/A

Coastal Zone Resources:

N/A

Creek and Wetland Habitats:

N/A

Special Wildlife Areas:

N/A

Upland Habitats - Vegetation:

URBAN

Key Riparian Bird Habitat Areas:

N/A

Sensitive Species_Points:

N/A

Environmental Hazards

High Fire Hazard Areas:

N/A

Tsunami Runup:

N/A

FEMA Flood 2018:

X

250' Freeway Setback:

N/A

Shoreline Hazards:

N/A

Archaeological

Prehistoric Sites And Watercourses:

N/A

N/A

Mission Archaeological:

Spanish Colonial & Mexican

(1782-1849):

1850

Hispanic Archaeological:

November

American City Archaeological:

AMP

Early 20th Century Archaeological:

20TH

Noise

Noise:

<60 DBA LDN, 60-65 DBA LDN

SPANISH ARCHEOLOGY



Reported on 07/23/2019 02:52 PM

Geological

Geologic Units:

OLDER ALLUVIAL DEPOSITS (UPPER AND MIDDLE PLEISTOCENE)

Radon Potential:

Relative Landslide Potential Areas: LOW

Slope Failures Area:

N/A

Slope Movement Classification:

N/A

Soil Types:

MILPITAS-POSITAS FINE SANDY LOAMS, 2 TO 9 PERCENT SLOPES

Fault Hazard Zones (200 Ft

buffer):

N/A

Liquefaction Potential:

MODERATE

Expansive Soils:

HIGH


Erosion Potential:

MODERATE


Shallow Groundwater:

MODERATELY SHALLOW


Vicinity Map




Visual: Visual Unique




Visual: Visual Hillside




Visual: Visual Shoreline




Biological: Airport Habitats




Biological: Airport Restoration Areas




Biological: Coastal Zone Resources




Biological: Creek And Wetland Habitats




Biological: Special Wildlife Areas




Biological: Upland Habitats



Biological: Key Riparian Bird Habitats




Biological: Sensitive Species






Environmental Hazards: High Fire Hazard




Environmental Hazards: Tsunami Runup






Environmental Hazards: Flood Zones 2018




Environmental Hazards: 250' Freeway Setback






Environmental Hazards: Shoreline Hazards




Archaeological: Prehistoric Sites And Watercourses






Archaeological: Archaeological: Mission Complex & Waterworks (1786-1835)



Archaeological: Spanish Colonial & Mexican (1782-1849)






Archaeological: Hispanic-American Transition Period (1848-1870)



Archaeological: American Beriod (1870 1000





Archaeological: Early 20th Century (1900-1925)








Noise






Geological: Geologic Units




Geological: Radon Potential





Geological: Landslide Potential




Geological: Slope Failures [USGS (2006), Urban (2004)]





Geological: Slope Movement Classification




Geological: Soil Types






Geological: Fault Hazard Zones




Geological: Liquefaction Potential






Geological: Expansive Soils




Geological: Erosion Potential







Geological: Shallow Groundwater Potential



END OF REPORT








Louise Lowry Davis Center Site Alternative





Louise Lowry Davis Center/Spencer Adams Park



Moscon

County on

Solution

Solutio

Legend

City Limits

Assessor's Parcels - City Designated City Landmarks

- Designated City Landmark as of 09 parcels / 0.4% of City);
- Designated City Landmark Tree parcels / 0.0% of City)
- Designated Structures Of Meri
- Designated City Landmarks Se Designated Structures Of Meri
- Potential Historic Resources 2015 Aerial Imagery
 - Red: Band_1
 - Green: Band_2
 - Blue: Band_3
 World Street Map

1:2,611



435.204

© City of Santa Barbara

WGS_1984_Web_Mercator_Auxiliary_Sphere

217.602

Reported on 08/06/2019 11:06 AM


435.204 Feet


MAP DISCLAIMER

This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATAARE PROVIDED WITHOUT A WARRANTY OF ANY KIND. This map was created using the City of Santa Barbara Mapping Analysis and Printing System application.

Notes

APN 039-172-004; -005;-006. 1212 De la Vina, 1220 De la Vina, 1235 Chapala St.





Page 1 of 32

Date: 7/18/2019 2:47 PM

cota + Iouis Iowry - Santa Barbara County APCD Air District, Annual

louis lowry Santa Barbara County APCD Air District, Annual

1.0 Project Characteristics

1.1 Land Usage

(lb/MWhr)

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Government Office Building	70.85	1000sqft	1.63	70,850.00	252
Enclosed Parking with Elevator	166.50	1000sqft	3.82	166,500.00	0

(lb/MWhr)

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.9	Precipitation Freq (Days)	37
Climate Zone	8			Operational Year	2022
Utility Company	Southern California	a Edison			
CO2 Intensity	702.44	CH4 Intensity	0.029	N2O Intensity	0.006

(lb/MWhr)

1.3 User Entered Comments & Non-Default Data

Page 2 of 32

Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

Project Characteristics -

Land Use - Number of employees

Off-road Equipment - defaults

Demolition -

Construction Phase - No demolition on site Assumed site prep: grading is 1:2 Assumed Building Construction:Paving:Arch Coating is 10:1:1

Grading - Assume 4.39 acres prepped and graded Assume grading + site prep adds upto 20,000

Trips and VMT - Changed demolition No. trips worker (/day) to zero

On-road Fugitive Dust - Zeroed out demolition

Vehicle Trips - Use default

Iouis Iowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

Page 3 of 32

Table Name	Column Name	Default Value	New Value		
tblConstructionPhase	NumDays	20.00	0.00		
tblConstructionPhase	NumDays	10.00	28.00		
tblConstructionPhase	NumDays	20.00	56.00		
tblConstructionPhase	NumDays	230.00	420.00		
tblConstructionPhase	NumDays	20.00	42.00		
tblConstructionPhase	NumDays	20.00	42.00		
tblConstructionPhase	PhaseEndDate	1/28/2020	12/31/2019		
tblConstructionPhase	PhaseEndDate	2/11/2020	3/6/2020		
tblConstructionPhase	PhaseEndDate	3/10/2020	4/29/2020		
tblConstructionPhase	PhaseEndDate	1/26/2021	10/19/2021		
tblConstructionPhase	PhaseEndDate	2/23/2021	3/25/2021		
tblConstructionPhase	PhaseEndDate	3/23/2021	4/22/2021		
tblGrading	AcresOfGrading	28.00	4.39		
tblGrading	AcresOfGrading	0.00	4.39		
tblGrading	MaterialExported	0.00	10,000.00		
tblGrading	Material Exported	0.00	10,000.00		
tblLandUse	Population	0.00	252.00		
tblOnRoadDust	AverageVehicleWeight	2.40	0.00		
tblOnRoadDust	HaulingPercentPave	100.00	0.00		
tblOnRoadDust	MaterialMoistureContent	0.50	0.00		
tblOnRoadDust	MaterialSiltContent (8.50	0.00		
tblOnRoadDust	MeanVehicleSpeed	40.00	0.00		
tblOnRoadDust	RoadSiltLoading	0.10	0.00		
tblOnRoadDust	VendorPercentPave	100.00	0.00		
tblOnRoadDust	WorkerPercentPave	100.00	0.00		
tbiTripsAndVMT	WorkerTripNumber	15.00	0.00		

Page 4 of 32

Date: 7/18/2019 2:47 PM

Iouis Iowry - Santa Barbara County APCD Air District, Annual

2.0 Emissions Summary

2.1 Overall Construction <u>Unmitigated Construction</u>

	ROG	NOx	со	802	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Year					tor	s/yr							МТ	/yr		
2020	0.4083	4.1565	3.0348	6.5500e- 003	0.5321	0.1890	0.7211	0.2611	0.1764	0.4374	0.0000	592.2257	592.2257	0.1148	0.0000	595.0964
2021	1.1519	2.5540	2.4329	4.8500e- 003	0.0877	0.1175	0.2053	0.0239	0.1104	0.1342	0.0000	432.7541	432.7541	0.0808	0.0000	434.7744
Maximum	1.1519	4.1565	3.0348	6.5500e- 003	0.5321	0.1890	0.7211	0.2611	0.1764	0.4374	0.0000	592.2257	592.2257	0.1148	0.0000	595.0964

Mitigated Construction

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					tor	ns/yr							МТ	/yr		
2020	0.4083	4.1565	3.0348	6.5500e- 003	0.5321	0.1889	0.7211	0.2611	0.1764	0.4374	0.0000	592.2252	592.2252	0.1148	0.0000	595.0959
2021	1.1519	2.5540	2.4329	4.8500e- 003	0.0877	0.1175	0.2053	0.0239	0.1104	0.1342	0.0000	432.7538	432.7538	0.0808	0.0000	434.7740
Maximum	1.1519	4.1565	3.0348	6.5500e- 003	0.5321	0.1889	0.7211	0.2611	0.1764	0.4374	0.0000	592.2252	592.2252	0.1148	0.0000	595.0959

Page 5 of 32

louis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-1-2020	3-31-2020	1.5799	1.5799
2	4-1-2020	6-30-2020	1.2086	1.2086
3	7-1-2020	9-30-2020	0.8625	0.8625
4	10-1-2020	12-31-2020	0.8646	0.8646
5	1-1-2021	3-31-2021	1.6258	1.6258
6	4-1-2021	6-30-2021	1.1185	1.1185
7	7-1-2021	9-30-2021	0.7837	0.7837
		Highest	1.6258	1.6258

CalEEMod Version: CalEEMod.2016.3.2 Page 6 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

2.2 Overall Operational Unmitigated Operational

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ns/yr							MT	/yr		
Area	0.3756	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003
Energy	3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	661.2473	661,2473	0.0265	5.9900e- 003	663.6947
Mobile	0.9363	3.1574	8.2660	0.0189	1.6725	0.0194	1.6919	0.4492	0.0182	0.4674	0.0000	1,734.922 8	1,7 34 .922 8	0.0960	0.0000	1,737.32 7
Waste			├ !	:	 	0.0000	0.0000	 !	0.0000	0.0000	13.6829	0.0000	13.6829	0.6785	0.0000	30.6453
Water						0.0000	0.0000	 -	0.0000	0.0000	4.9798	33.8864	38.8662	0.0185	0.0111	42.6431
Total	1.3153	3.1892	8.2949	0.0190	1.6725	0.0218	1.6943	0.4492	0.0206	0.4698	18.6627	2,430.060	2,448.723	0.8196	0.0171	2,474.31

Page 7 of 32

Iouis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

2.2 Overall Operational Mitigated Operational

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ns/yr							МТ	lyr		
Area	0.3756	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003
Energy	3.4900e- 003	0.0317	0.0267	1.9000e- 004	 	2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	661.2473	661.2473	0.0265	5.9900e- 003	663.6947
Mobile	0.9363	3.1574	8.2660	0.0189	1.6725	0.0194	1.6919	0.4492	0.0182	0.4674	0.0000	1,734.922 8	1,734.922 8	0.0960	0.0000	1,737.323 7
Waste						0.0000	0.0000		0.0000	0.0000	13.6829	0.0000	13.6829	0.6785	0.0000	30.6453
Water			!			0.0000	0.0000		0.0000	0.0000	4.9798	33.8864	38.8662	0.0185	0.0111	42.6431
Total	1.3153	3.1892	8.2949	0.0190	1.6725	0.0218	1.6943	0.4492	0.0206	0.4698	18.6627	2,430.060	2,448.723 5	0.8196	0.0171	2,474.311

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Iouis Iowry - Santa Barbara County APCD Air District, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2020	12/31/2019	5	0	
2	Site Preparation	Site Preparation	1/29/2020	3/6/2020	5	28	
3	Grading	Grading	2/12/2020	4/29/2020	5	56	
4	Building Construction	Building Construction	3/11/2020	10/19/2021	5	420	
 5	Paving	Paving	1/27/2021	3/25/2021	5	42	
 6	Architectural Coating	Architectural Coating	2/24/2021	4/22/2021	5	42	

Acres of Grading (Site Preparation Phase): 4.39

Acres of Grading (Grading Phase): 4.39

Acres of Paving: 3.82

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 106,275; Non-Residential Outdoor: 35,425; Striped Parking Area: 9,990 (Architectural Coating – sqft)

OffRoad Equipment

louis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

Page 9 of 32

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84:	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46;	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1:	6.00	78	0.48

Trips and VMT

CalEEMod Version: CalEEMod.2016.3.2 Page 10 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	0.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	989.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	989.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	93.00	39.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	19.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.3 Site Preparation - 2020

000

Unmitigated Construction On-Site

	ROG	NOx	co	802	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ıs/yr							мт	/уг		
Fugitive Dust					0.2553	0.0000	0.2553	0.1393	0.0000	0.1393	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0571	0.5938	0.3012	5.3000e- 004		0.0308	0.0308	 	0.0283	0.0283	0.0000	46.8030	46.8030	0.0151	0.0000	47.1814
Total	0.0571	0.5938	0.3012	5.3000e- 004	0.2553	0.0308	0.2860	0.1393	0.0283	0.1676	0.0000	46.8030	46.8030	0.0151	0.0000	47.1814

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

3.3 Site Preparation - 2020
Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	4.0600e- 003	0.1514	0.0441	3.8000e- 004	8.4300e- 003	6.1000e- 004	9.0400e- 003	2.3100e- 003	5.9000e- 004	2.9000e- 003	0.0000	38.7040	38.7040	3.5500e- 003	0.0000	38.7928
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.1000e- 004	6.8000 e - 004	5.9800e- 003	1.0000e- 005	1.5600e- 003	1.0000e- 005	1.5700e- 003	4.1000e- 004	1.0000e- 005	4.2000e- 004	0.0000	1.2712	1.2712	4.0000e- 005	0.0000	1.2723
Total	4.8700e- 003	0.1520	0.0500	3.9000e- 004	9.9900e- 003	6.2000e- 004	0.0106	2.7200e- 003	6.0000e- 004	3.3200e- 003	0.0000	39.9752	39.9752	3.5900e- 003	0.0000	40.0651

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ıs/yr							МТ	/уг		
Fugitive Dust					0.2553	0.0000	0.2553	0.1393	0.0000	0.1393	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0571	0.5938	0.3012	5.3000e- 004		0.0308	0.0308	 	0.0283	0.0283	0.0000	46.8029	46.8029	0.0151	0.0000	47.181
Total	0.0571	0.5938	0.3012	5.3000e- 004	0.2553	0.0308	0.2860	0.1393	0.0283	0.1676	0.0000	46.8029	46.8029	0.0151	0.0000	47.1813

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 32 Date: 7/18/2019 2:47 PM

Iouis Iowry - Santa Barbara County APCD Air District, Annual

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	4.0600e- 003	0.1514	0.0441	3.8000e- 004	8.4300e- 003	6.1000e- 004	9.0400e- 003	2.3100e- 003	5.9000e- 004	2.9000e- 003	0.0000	38.7040	38.7040	3.5500e- 003	0.0000	38.7928
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.1000e- 004	6.8000e- 004	5.9800e- 003	1.0000e- 005	1.5600e- 003	1.0000e- 005	1.5700e- 003	4.1000e- 004	1.0000e- 005	4.2000e- 004	0.0000	1.2712	1.2712	4.0000e- 005	0.0000	1.2723
Total	4.8700e- 003	0.1520	0.0500	3.9000e- 004	9.9900e- 003	6.2000e- 004	0.0106	2.7200e- 003	6.0000e- 004	3.3200e- 003	0.0000	39.9752	39.9752	3.5900e- 003	0.0000	40.0651

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Fugitive Dust					0.1710	0.0000	0.1710	0.0929	0.0000	0.0929	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0680	0.7388	0.4495	8.3000e- 004		0.0357	0.0357		0.0328	0.0328	0.0000	72.9645	72.9645	0.0236	0.0000	73.5545
Total	0.0680	0.7388	0.4495	8.3000e- 004	0.1710	0.0357	0.2066	0.0929	0.0328	0.1257	0.0000	72.9645	72.9645	0.0236	0.0000	73.5545

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

3.4 Grading - 2020 Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	lyr		
Hauling	4.0600e- 003	0.1514	0.0441	3.8000e- 004	8.4300e- 003	6.1000e- 004	9.0400e- 003	2.3100e- 003	5.9000e- 004	2.9000e- 003	0.0000	38.7040	38.7040	3.5500e- 003	0.0000	38.7928
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3500e- 003	1.1400e- 003	9.9700e- 003	2.0000e- 005	2.5900e- 003	2.0000e- 005	2.6100e- 003	6.9000e- 004	2.0000e- 005	7.0000e- 004	0.0000	2.1186	2.1186	7.0000e- 005	0.0000	2.1205
Total	5.4100e- 003	0.1525	0.0540	4.0000e- 004	0.0110	6.3000e- 004	0.0117	3.0000e- 003	6.1000e- 004	3.6000e- 003	0.0000	40.8227	40.8227	3.6200e- 003	0.0000	40.9133

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ıs/yr							МТ	/yr	7	
Fugitive Dust				l	0.1710	0.0000	0.1710	0.0929	0.0000	0.0929	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0680	0.7388	0.4495	8.3000e- 004	 	0.0357	0.0357	 	0.0328	0.0328	0.0000	72.9644	72.9644	0.0236	0.0000	73.5544
Total	0.0680	0.7388	0.4495	8.3000e- 004	0.1710	0.0357	0.2066	0.0929	0.0328	0.1257	0.0000	72.9644	72.9644	0.0236	0.0000	73.5544

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

3.4 Grading - 2020 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/ут		
Hauling	4.0600e- 003	0.1514	0.0441	3.8000e- 004	8.4300e- 003	6.1000e- 004	9.0400e- 003	2.3100e- 003	5.9000e- 004	2.9000e- 003	0.0000	38.7040	38.7040	3.5500e- 003	0.0000	38.7928
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3500e- 003	1.1400e- 003	9.9700e- 003	2.0000e- 005	2.5900e- 003	2.0000e- 005	2.6100e- 003	6.9000e- 004	2.0000e- 005	7.0000e- 004	0.0000	2.1186	2.1186	7.0000e- 005	0.0000	2.1205
Total	5.4100e- 003	0.1525	0.0540	4.0000e- 004	0.0110	6.3000e- 004	0.0117	3.0000e- 003	6.1000e- 004	3.6000e- 003	0.0000	40.8227	40.8227	3.6200e- 003	0.0000	40.9133

3.5 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					tor	ıs/yr							МТ	/yr		
Off-Road	0.2247	2.0337	1.7859	2.8500e- 003		0.1184	0.1184		0.1113	0.1113	0.0000	245.5066	245.5066	0.0599	0.0000	247.0040
Total	0.2247	2.0337	1.7859	2.8500e- 003		0.1184	0.1184	†	0.1113	0.1113	0.0000	245.5066	245.5066	0.0599	0.0000	247.0040

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

3.5 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	co	\$02	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ns/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0166	0.4588	0.1602	9.8000e- 004	0.0240	2.4700e- 003	0.0265	6.9400e- 003	2.3600e- 003	9.3000e- 003	0.0000	96.4263	96.4263	7.2800e- 003	0.0000	96.6084
Worker	0.0317	0.0267	0.2339	5.5000e- 004	0.0609	4.0000e- 004	0.0613	0.0162	3.7000e- 004	0.0166	0.0000	49.7275	49.7275	1.7000e- 003	0.0000	49.7699
Total	0.0483	0.4856	0.3941	1.5300e- 003	0.0849	2.8700e- 003	0.0878	0.0231	2.7300e- 003	0.0259	0.0000	146.1538	146.1538	8.9800e- 003	0.0000	146.378

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.2247	2.0337	1.7859	2.8500e- 003		0.1184	0.1184		0.1113	0.1113	0.0000	245.5063	245.5063	0.0599	0.0000	247.003
Total	0.2247	2.0337	1.7859	2.8500e- 003		0.1184	0.1184		0.1113	0.1113	0.0000	245.5063	245.5063	0.0599	0.0000	247.003

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

3.5 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ns/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0166	0.4588	0.1602	9.8000e- 004	0.0240	2.4700e- 003	0.0265	6.9400e- 003	2.3600e- 003	9.3000e- 003	0.0000	96.4263	96.4263	7.2800e- 003	0.0000	96.608
Worker	0.0317	0.0267	0.2339	5.5000e- 004	0.0609	4.0000e- 004	0.0613	0.0162	3.7000e- 004	0.0166	0.0000	49.7275	49.7275	1.7000e- 003	0.0000	49.769
Total	0.0483	0.4856	0.3941	1.5300e- 003	0.0849	2.8700e- 003	0.0878	0.0231	2.7300e- 003	0.0259	0.0000	146.1538	146.1538	8.9800e- 003	0.0000	146.378

3.5 Building Construction - 2021 Unmitigated Construction On-Site

	ROG	NOx	со	\$02	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tons	s/yr							МТ	/yr		
Off-Road	0.1977	1.8129	1.7238	2.8000e- 003		0.0997	0.0997		0.0937	0.0937	0.0000	240.9028	240.9028	0.0581	0.0000	242.3558
Total	0.1977	1.8129	1.7238	2.8000e- 003		0.0997	0.0997		0.0937	0.0937	0.0000	240.9028	240.9028	0.0581	0.0000	242.3558

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 32 Date: 7/18/2019 2:47 PM

· Iouis lowry - Santa Barbara County APCD Air District, Annual

3.5 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ns/yr							МТ	¹ lyr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0135	0.4126	0.1401	9.5000e- 004	0.0236	1.2200e- 003	0.0248	6.8000e- 003	1.1700e- 003	7.9800e- 003	0.0000	93.8285	93.8285	7.1400e- 003	0.0000	94.0070
Worker	0.0288	0.0234	0.2077	5.2000e- 004	0.0597	3.8000e- 004	0.0601	0.0159	3.5000e- 004	0.0162	0.0000	47.1324	47.1324	1.4700e- 003	0.0000	47.1692
Total	0.0423	0.4360	0.3478	1.4700e- 003	0.0833	1.6000e- 003	0.0849	0.0227	1.5200e- 003	0.0242	0.0000	140.9608	140.9608	8.6100e- 003	0.0000	141.1762

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.1977	1.8129	1.7238	2.8000e- 003		0.0997	0.0997		0.0937	0.0937	0.0000	240.9025	240.9025	0.0581	0.0000	242.3555
Total	0.1977	1.8129	1.7238	2.8000e- 003		0.0997	0.0997		0.0937	0.0937	0.0000	240.9025	240.9025	0.0581	0.0000	242.3555

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

3.5 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	ns/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0135	0.4126	0.1401	9.5000e- 004	0.0236	1.2200e- 003	0.0248	6.8000e- 003	1.1700e- 003	7.9800e- 003	0.0000	93.8285	93.8285	7.1400e- 003	0.0000	94.0070
Worker	0.0288	0.0234	0.2077	5.2000e- 004	0.0597	3.8000e- 004	0.0601	0.0159	3.5000e- 004	0.0162	0.0000	47.1324	47.1324	1.4700e- 003	0.0000	47.1692
Total	0.0423	0.4360	0.3478	1.4700e- 003	0.0833	1.6000e- 003	0.0849	0.0227	1.5200e- 003	0.0242	0.0000	140.9608	140.9608	8.6100e- 003	0.0000	141.176

3.6 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/ут		
Off-Road	0.0264	0.2713	0.3077	4.8000e- 004		0.0142	0.0142		0.0131	0.0131	0.0000	42.0493	42.0493	0.0136	0.0000	42.3893
Paving	0.0000		!	 		0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0264	0.2713	0.3077	4.8000e- 004	İ	0.0142	0.0142		0.0131	0.0131	0.0000	42.0493	42.0493	0.0136	0.0000	42.3893

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 32 Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

3.6 Paving - 2021
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					ton	ıs/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000
Worker	9.4000e- 004	7.6000e- 004	6.7600e- 003	2.0000e- 005	1.9500e- 003	1.0000e- 005	1.9600e- 003	5.2000e- 004	1.0000e- 005	5.3000e- 004	0.0000	1.5350	1.5350	5.0000e- 005	0.0000	1.536
Total	9,4000e- 004	7.6000e- 004	6.7600e- 003	2.0000e- 005	1.9500e- 003	1.0000e- 005	1.9600e- 003	5.2000e- 004	1.0000e- 005	5.3000e- 004	0.0000	1.5350	1.5350	5.0000e- 005	0.0000	1.536

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					ton	ıs/yr							МТ	/ут		
Off-Road	0.0264	0.2713	0.3077	4.8000e- 004		0.0142	0.0142		0.0131	0.0131	0.0000	42.0493	42.0493	0.0136	0.0000	42.3893
Paving	0.0000			 	 	0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0264	0.2713	0.3077	4.8000e- 004		0.0142	0.0142	<u> </u>	0.0131	0.0131	0.0000	42.0493	42.0493	0.0136	0.0000	42.3893

CalEEMod Version: CalEEMod.2016.3.2 Page 20 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

3.6 Paving - 2021 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.4000e- 004	7.6000e- 004	6.7600e- 003	2.0000e- 005	1.9500e- 003	1.0000e- 005	1.9600e- 003	5.2000e- 004	1.0000e- 005	5.3000e- 004	0.0000	1.5350	1.5350	5.0000e- 005	0.0000	1.5362
Total	9.4000e- 004	7.6000e- 004	6.7600e- 003	2.0000e- 005	1.9500e- 003	1.0000e- 005	1.9600e- 003	5.2000e- 004	1.0000e- 005	5.3000e- 004	0.0000	1.5350	1.5350	5.0000e- 005	0.0000	1.5362

3.7 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ıs/yr							МТ	/уг		
Archit. Coating	0.8789		•			0.0000	0.0000	i	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6000e- 003	0.0321	0.0382	6.0000e- 005		1.9800e- 003	1.9800e- 003	 	1.9800e- 003	1.9800e- 003	0.0000	5.3618	5.3618	3.7000e- 004	0.0000	5.3710
Total	0.8835	0.0321	0.0382	6.0000e- 005		1.9800e- 003	1.9800e- 003		1.9800e- 003	1.9800e- 003	0.0000	5.3618	5.3618	3.7000e- 004	0.0000	5.3710

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

3.7 Architectural Coating - 2021 Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000
Worker	1.1900e- 003	9.6000e- 004	8.5700e- 003	2.0000e- 005	2.4600e- 003	2.0000e- 005	2.4800e- 003	6.5000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.9444	1.9444	6.0000e- 005	0.0000	1.945
Total	1.1900e- 003	9.6000e- 004	8.5700e- 003	2.0000e- 005	2.4600e- 003	2.0000e- 005	2.4800e- 003	6.5000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.9444	1.9444	6.0000e- 005	0.0000	1.945

Mitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	ıs/yr							МТ	/yr		
Archit. Coating	0.8789					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6000e- 003	0.0321	0.0382	6.0000e- 005		1.9800e- 003	1.9800e- 003	 	1.9800e- 003	1.9800e- 003	0.0000	5.3618	5.3618	3.7000e- 004	0.0000	5.3710
Total	0.8835	0.0321	0.0382	6.0000e- 005		1.9800e- 003	1.9800e- 003		1.9800e- 003	1.9800e- 003	0.0000	5.3618	5.3618	3.7000e- 004	0.0000	5.3710

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

3.7 Architectural Coating - 2021 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1900e- 003	9.6000e- 004	8.5700e- 003	2.0000e- 005	2.4600e- 003	2.0000e- 005	2.4800e- 003	6.5000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.9444	1.9444	6.0000e- 005	0.0000	1.9459
Total	1.1900e- 003	9.6000e- 004	8.5700e- 003	2.0000e- 005	2.4600e- 003	2.0000e- 005	2.4800e- 003	6.5000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.9444	1.9444	6.0000e- 005	0.0000	1.9459

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Page 23 of 32

Iouis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					tor	ıs/yr							МТ	/yr		
Mitigated	0.9363	3.1574	8.2660	0.0189	1.6725	0.0194	1.6919	0.4492	0.0182	0.4674	0.0000	1,734.922 8	1,734.922 8	0.0960	0.0000	1,737.323
Unmitigated	0.9363	3.1574	8.2660	0.0189	1.6725	0.0194	1.6919	0.4492	0.0182	0.4674	0.0000	1,734.922 8	1,734.922 8	0.0960	0.0000	1,737.323 7

4.2 Trip Summary Information

	Ave	rage Daily Trip F	Rate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Government Office Building	4,883.69	0.00	0.00	4,408,834	4,408,834
Total	4,883.69	0.00	0.00	4,408,834	4,408,834

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	6.60	5.50	6.40	0.00	0.00	0.00	0	0	0
Government Office Building	6.60	5.50	6.40	33.00	62.00	5.00	50	34	16

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Government Office Building	0.563532	0.028682	0.205515	0.123285	0.020921	0.005572	0.017481	0.019425	0.002786	0.002265	0.006886	0.002647	0.001003
Enclosed Parking with Elevator	0.563532	0.028682	0.205515	0.123285	0.020921	0.005572	0.017481	0.019425	0.002786	0.002265	0.006886	0.002647	0.001003

Page 24 of 32

Iouis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	s/yr							МТ	lyr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	626.6906	626.6906	0.0259	5.3500e- 003	628.9326
Electricity Unmitigated				<u> </u>		0.0000	0.0000		0.0000	0.0000	0.0000	626.6906	626.6906	0.0259	5.3500e- 003	628.9326
NaturalGas Mitigated	3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003	;	2.4100e- 003	2.4100e- 003	0.0000	34.5568	34.5568	6.6000e- 004	6.3000e- 004	34.7621
NaturalGas Unmitigated	3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	34.5568	34.5568	6.6000e- 004	6.3000e- 004	34.7621

Page 25 of 32

Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					tor	ıs/yr							МТ	/yr		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Government Office Building	647569	3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003	 	2.4100e- 003	2.4100e- 003	0.0000	34.5568	34,5568	6.6000e- 004	6.3000e- 004	34.7621
Total		3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	34.5568	34.5568	6.6000e- 004	6.3000e- 004	34.7621

Mitigated

	NaturalGa s Use	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					tor	ıs/yr							МТ	/yr		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Government Office Building	647569	3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	34.5568	34.5568	6.6000e- 004	6.3000e- 004	34.7621
Total		3.4900e- 003	0.0317	0.0267	1.9000e- 004		2.4100e- 003	2.4100e- 003		2.4100e- 003	2.4100e- 003	0.0000	34.5568	34.5568	6.6000e- 004	6.3000e- 004	34.7621

Page 26 of 32

Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N20	CO2e
Land Use	kWh/yr		М	T/yr	
Enclosed Parking with Elevator	975690	310.8757	0.0128	2.6600e- 003	311.9879
Government Office Building	991192	315.8149	0.0130	2.7000e- 003	316.9447
Total		626.6906	0.0259	5.3600e- 003	628.9326

Mitigated

	Electricity Use	Total CO2	CH4	N20	CO2e
Land Use	kWh/yr		М	T/yr	
Enclosed Parking with Elevator	975690	310.8757	0.0128	2.6600e- 003	311.9879
Government Office Building	991192	315.8149	0.0130	2.7000e- 003	316.9447
Total		626.6906	0.0259	5.3600e- 003	628.9326

6.0 Area Detail

6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2016.3.2 Page 27 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					tor	s/yr							МТ	/yr		
Mitigated	0.3756	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003
Unmitigated	0.3756	2.0000e- 005	2.1800e- 003	0.0000	†	1.0000e- 005	1.0000e- 005	÷	1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	is/yr							мт	lyr		
Architectural Coating	0.0879					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.2875					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.0000e- 004	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e 003
Total	0.3756	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e 003

CalEEMod Version: CalEEMod.2016.3.2 Page 28 of 32 Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

6.2 Area by SubCategory Mitigated

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							мт	/yr		
Architectural Coating	0.0879					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.2875					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	2.0000e- 004	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003
Total	0.3756	2.0000e- 005	2.1800e- 003	0.0000		1.0000e- 005	1.0000e- 005		1.0000e- 005	1.0000e- 005	0.0000	4.2400e- 003	4.2400e- 003	1.0000e- 005	0.0000	4.5200e- 003

7.0 Water Detail

7.1 Mitigation Measures Water

Page 29 of 32

Iouis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

	Total CO2	CH4	N2O	CO2e
Category		M	Г/уг	
Mitigated	38.8662	0.0185	0.0111	42.6431
Unmitigated	38.8662	0.0185	0.0111	42.6431

7.2 Water by Land Use Unmitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		М1	Г/уг	
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000
Government Office Building	14.075 / 8.62664	38.8662	0.0185	0.0111	42.6431
Total		38.8662	0.0185	0.0111	42.6431

Page 30 of 32

· louis lowry - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		M	Г/уг	
Enclosed Parking with Elevator	0/0	0.0000	0.0000	0.0000	0.0000
Government Office Building	14.075 / 8.62664	38.8662	0.0185	0.0111	42.6431
Total		38.8662	0.0185	0.0111	42.6431

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e					
		MT/yr							
Mitigated	13.6829	0.6785	0.0000	30.6453					
Unmitigated	13.6829	0.6785	0.0000	30.6453					

Date: 7/18/2019 2:47 PM

louis lowry - Santa Barbara County APCD Air District, Annual

8.2 Waste by Land Use Unmitigated

1014	12 M-833			
tons		МТ	/yr	
0	0.0000	0.0000	0.0000	0.0000
5.89	13.6829	0.6785	0.0000	30.6453
	13.6829	0.6785	0.0000	30.6453
	0 0 055.89	0 0.0000 55.89 13.6829	0 0.0000 0.0000 55.89 13.6829 0.6785	0 0.0000 0.0000 0.0000 55.89 13.6829 0.6785 0.0000

Mitigated

Waste Disposed	Total CO2	CH4	N20	CO2e
tons		M	∏/yr	
0	0.0000	0.0000	0.0000	0.0000
65.89	13.6829	0.6785	0.0000	30.6453
	13.6829	0.6785	0.0000	30.6453
	Disposed tons	0 0.0000 65.89 13.6829	Disposed M tons M 0 0.0000 0.0000 65.89 13.6829 0.6785	Disposed MT/yr 0 4 0.0000 0.0000 0.0000 65.89 4 13.6829 0.6785 0.0000

9.0 Operational Offroad

	THE RESERVE OF THE PERSON NAMED IN COLUMN 1	AND REAL PROPERTY.	AND ADDRESS OF THE PARTY OF THE	THE RESERVE THE STATE OF THE ST		-
Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

Page 32 of 32

Date: 7/18/2019 2:47 PM

Iouis lowry - Santa Barbara County APCD Air District, Annual

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

	The second secon					
Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number
_qu.p	The state of the s

11.0 Vegetation

Page 1 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

cota + Iouis Iowry Santa Barbara County APCD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Government Office Building	70.85	1000sqft	1.63	70,850.00	252
Enclosed Parking with Elevator	166.50	1000sqft	3.82	166,500.00	0

1.2 Other Project Characteristics

 Urbanization
 Urban
 Wind Speed (m/s)
 2.9
 Precipitation Freq (Days)
 37

 Climate Zone
 8
 Operational Year
 2022

Utility Company Southern California Edison

CO2 Intensity 702.44 CH4 Intensity 0.029 N2O Intensity 0.006 (Ib/MWhr) (Ib/MWhr) 0.009

1.3 User Entered Comments & Non-Default Data

Page 2 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

Project Characteristics -

Land Use - Number of employees

Off-road Equipment - defaults

Demolition -

Construction Phase - No demolition on site
Assumed site prep: grading is 1:2
Assumed Building Construction:Paving:Arch Coating is 10:1:1

Grading - Assume 4.39 acres prepped and graded Assume grading + site prep adds upto 20,000

Trips and VMT - Changed demolition No. trips worker (/day) to zero

On-road Fugitive Dust - Zeroed out demolition

Vehicle Trips - Use default

louis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

Page 3 of 27

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	0.00
tblConstructionPhase	NumDays	10.00	28.00
tblConstructionPhase	NumDays	20.00	56.00
tblConstructionPhase	NumDays	230.00	420.00
tblConstructionPhase	NumDays	20.00	42.00
tblConstructionPhase	NumDays	20.00	42.00
tblConstructionPhase	PhaseEndDate	1/28/2020	12/31/2019
tblConstructionPhase	PhaseEndDate	2/11/2020	3/6/2020
tblConstructionPhase	PhaseEndDate	3/10/2020	4/29/2020
tblConstructionPhase	PhaseEndDate	1/26/2021	10/19/2021
tblConstructionPhase	PhaseEndDate	2/23/2021	3/25/2021
tblConstructionPhase	PhaseEndDate	3/23/2021	4/22/2021
tblGrading	AcresOfGrading	28.00	4.39
tblGrading	AcresOfGrading	0.00	4.39
tblGrading	MaterialExported	0.00	10,000.00
tblGrading	MaterialExported	0.00	10,000.00
tbiLandUse	Population	0.00	252.00
tblOnRoadDust	AverageVehicleWeight	2.40	0.00
tblOnRoadDust	HaulingPercentPave	100.00	0.00
tblOnRoadDust	MaterialMoistureContent	0.50	0.00
tblOnRoadDust	MaterialSiltContent	8.50	0.00
tblOnRoadDust	MeanVehicleSpeed	40.00	0.00
tblOnRoadDust	RoadSiltLoading	0.10	0.00
tblOnRoadDust	VendorPercentPave	100.00	0.00
tblOnRoadDust	WorkerPercentPave	100.00	0.00
tblTripsAndVMT	WorkerTripNumber	15.00	0.00

Date: 7/18/2019 2:44 PM

· louis lowry - Santa Barbara County APCD Air District, Summer

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/s	day							lb/d	lay		
2020	7.0389	84.7426	42.9691	0.1108	25.4666	3.5372	29.0038	13.5749	3.2566	16.8316	0.0000	11,342.274 5	11,342.274 5	2.5429	0.0000	11,405.84
2021	45.7198	36.0751	37.0241	0.0689	1.0330	1.7469	2.7799	0.2792	1.6345	1.9137	0.0000	6,743.882 0	6,743.882 0	1.4447	0.0000	6,780.000
Maximum	45.7198	84.7426	42.9691	0.1108	25.4666	3.5372	29.0038	13.5749	3.2566	16.8316	0.0000	11,342.27 45	11,342.27 45	2.5429	0.0000	11,405.84 76

Mitigated Construction

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Year					lb/	day							lb/c	iay		
2020	7.0389	84.7426	42.9691	0.1108	25.4666	3.5372	29.0038	13.5749	3.2566	16.8316	0.0000	11,342.274	11,342.274 5	2.5429	0.0000	11,405.8
2021	45.7198	36.0751	37.0241	0.0689	1.0330	1.7469	2.7799	0.2792	1.6345	1.9137	0.0000	6,743.882 0	6,743.882 0	1.4447	0.0000	6,780.00
Maximum	45.7198	84.7426	42.9691	0.1108	25.4666	3.5372	29.0038	13.5749	3.2566	16.8316	0.0000	11,342.27 45	11,342.27 45	2,5429	0.0000	11,405.8 76

Page 5 of 27

Date: 7/18/2019 2:44 PM

· Iouis lowry - Santa Barbara County APCD Air District, Summer

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2016.3.2 Page 6 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

2.2 Overall Operational Unmitigated Operational

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Area	2.0590	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554
Energy	0.0191	0.1739	0.1461	1.0400e- 003		0.0132	0.0132		0.0132	0.0132		208.7249	208.7249	4.0000e- 003	3.8300e- 003	209,965
Mobile	7.4529	23.5541	60.3900	0.1478	13.1497	0.1481	13.2979	3.5253	0.1387	3.6640		15,004.67 59	15,004.67 59	0.7959		15,024.5 43
Total	9.5311	23.7283	60.5604	0.1488	13.1497	0.1615	13.3112	3.5253	0.1521	3.6773		15,213.45 27	15,213.45 27	0.8001	3.8300e- 003	15,234.5 50

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb	day							lb/o	lay		
Area	2.0590	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554
Energy	0.0191	0.1739	0.1461	1.0400e- 003	 :	0.0132	0.0132		0.0132	0.0132		208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.965
Mobile	7.4529	23.5541	60.3900	0.1478	13.1497	0.1481	13.2979	3.5253	0.1387	3.6640		15,004.67 59	15,004.67 59	0.7959		15,024.5 43
Total	9.5311	23.7283	60.5604	0.1488	13.1497	0.1615	13.3112	3.5253	0.1521	3.6773		15,213.45 27	15,213.45 27	0.8001	3.8300e- 003	15,234.5 50

Page 7 of 27

Iouis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2020	12/31/2019	5	0	
2	Site Preparation	Site Preparation	1/29/2020	3/6/2020	5	28	
3	Grading	Grading	2/12/2020	4/29/2020	5	56	• • • • • • • • • • • • • • • • • • • •
4	Building Construction	Building Construction	3/11/2020	10/19/2021	5	420	••••••
5	Paving	Paving	1/27/2021	3/25/2021	5	42	
6 6	Architectural Coating	Architectural Coating	2/24/2021	4/22/2021	5	42	• • • • • • • • • • • • • • • • • • • •

Acres of Grading (Site Preparation Phase): 4.39

Acres of Grading (Grading Phase): 4.39

Acres of Paving: 3.82

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 106,275; Non-Residential Outdoor: 35,425; Striped Parking Area: 9,990 (Architectural Coating – sqft)

OffRoad Equipment

Page 8 of 27

· louis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors		6.00	78	0.48

Trips and VMT

Page 9 of 27

louis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	0.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	989.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	989.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	93.00	39.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1;	19.00	0.00	0.00	8.30	6.40	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day							lb/d	lay		
Fugitive Dust					18.2325	0.0000	18.2325	9.9486	0.0000	9.9486			0.0000			0.0000
Off-Road	4.0765	42.4173	21.5136	0.0380	 	2.1974	2.1974		2.0216	2.0216		3,685.1 01 6	3,685.101 6	1.1918		3,714.89 5
Total	4.0765	42.4173	21.5136	0.0380	18.2325	2.1974	20.4299	9.9486	2.0216	11.9703		3,685.101 6	3,685.101	1.1918		3,714.89

CalEEMod Version: CalEEMod.2016.3.2 Page 10 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.3 Site Preparation - 2020 Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Hauling	0.2870	10.5729	3.0861	0.0275	0.6136	0.0434	0.6570	0.1679	0.0415	0.2094		3,064.737 5	3,064.737 5	0.2772		3,071.66
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	-	0.0000
Worker	0.0563	0.0436	0.4218	1.0300e- 003	0.1137	7.2000e- 004	0.1144	0.0302	6.7000e- 004	0.0308		102.3172	102.3172	3.4200e- 003		102.402
Total	0.3433	10.6165	3.5079	0.0285	0.7273	0.0441	0.7714	0.1980	0.0422	0.2402		3,167.054	3,167.054	0.2806		3,174.07

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Fugitive Dust					18.2325	0.0000	18.2325	9.9486	0.0000	9.9486			0.0000			0.0000
Off-Road	4.0765	42.4173	21.5136	0.0380		2.1974	2.1974	<u></u>	2.0216	2.0216	0.0000	3,685.101 6	3,685.101 6	1.1918	ļ	3,714.89 5
Total	4.0765	42.4173	21.5136	0.0380	18.2325	2.1974	20.4299	9.9486	2.0216	11.9703	0.0000	3,685.101 6	3,685.101 6	1.1918		3,714.89

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.2870	10.5729	3.0861	0.0275	0.6136	0.0434	0.6570	0.1679	0.0415	0.2094		3,064.737	3,064.737 5	0.2772		3,071.667
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0563	0.0436	0.4218	1.0300e- 003	0.1137	7.2000e- 004	0.1144	0.0302	6.7000e- 004	0.0308		102.3172	102.3172	3.4200e- 003		102.4028
Total	0.3433	10.6165	3.5079	0.0285	0.7273	0.0441	0.7714	0.1980	0.0422	0.2402		3,167.054 7	3,167.054 7	0.2806		3,174.070

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day							lb/d	lay		
Fugitive Dust			:		6.1052	0.0000	6.1052	3.3192	0.0000	3.3192			0.0000			0.0000
Off-Road	2.4288	26.3859	16.0530	0.0297		1.2734	1.2734	; :	1.1716	1.1716		2,872.485 1	2,872.485	0.9290		2,895.710
Total	2.4288	26.3859	16.0530	0.0297	6.1052	1.2734	7.3787	3.3192	1.1716	4.4908		2,872.485 1	2,872.485	0.9290		2,895.710

Page 12 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.4 Grading - 2020 Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb	/day							lb/c	day		
Hauling	0.1435	5.2865	1.5431	0.0138	0.3068	0.0217	0.3285	0.0839	0.0207	0.1047		1,532.368 7	1,532.368 7	0.1386		1,535.833
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0364	0.3515	8.6000e- 004	0.0947	6.0000e- 004	0.0953	0.0251	5.6000e- 004	0.0257		85.2644	85.2644	2.8500e- 003		85.3357
Total	0.1904	5.3228	1.8946	0.0146	0.4016	0.0223	0.4238	0.1091	0.0213	0.1304		1,617.633 1	1,617.633 1	0.1415		1,621.169

Mitigated Construction On-Site

	ROG	NOx	со	\$02	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Fugitive Dust					6.1052	0.0000	6.1052	3.3192	0.0000	3.3192			0.0000			0.0000
Off-Road	2.4288	26.3859	16.0530	0.0297		1.2734	1.2734	 	1.1716	1.1716	0.0000	2,872.485 1	2,872.485 1	0.9290		2,895.710
Total	2.4288	26.3859	16.0530	0.0297	6.1052	1.2734	7.3787	3.3192	1.1716	4.4908	0.0000	2,872.485	2,872.485	0.9290		2,895.710

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 27 Date: 7/18/2019 2:44 PM

Iouis Iowry - Santa Barbara County APCD Air District, Summer

3.4 Grading - 2020 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb	/day							lb/d	lay		
Hauling	0.1435	5.2865	1.5431	0.0138	0.3068	0.0217	0.3285	0.0839	0.0207	0.1047	72500 TEI	1,532.368	1,532.368 7	0.1386		1,535.833
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0364	0.3515	8.6000e- 004	0.0947	6.0000e- 004	0.0953	0.0251	5.6000e- 004	0.0257		85.2644	85.2644	2.8500e- 003		85.3357
Total	0.1904	5.3228	1.8946	0.0146	0.4016	0.0223	0.4238	0.1091	0.0213	0.1304		1,617.633	1,617.633	0.1415		1,621.169

3.5 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/s	day							lb/d	lay		
Off-Road	2.1198	19.1860	16.8485	0.0269	i	1.1171	1.1171		1.0503	1.0503		2,553.063	2,553.063 1	0.6229		2,568.634
Total	2.1198	19.1860	16.8485	0.0269	İ	1.1171	1.1171		1.0503	1.0503		2,553.063 1	2,553.063 1	0.6229		2,568.634 5

CalEEMod Version: CalEEMod.2016.3.2 Page 14 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.5 Building Construction - 2020 Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	ay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	i	0.0000	0.0000	0.0000		0.0000
Vendor	0.1529	4.2738	1.4386	9.3200e- 003	0.2310	0.0230	0.2540	0.0665	0.0220	0.0885	i	1,012.685 3	1,012.685 3	0.0742		1,014.539
Worker	0.2907	0.2254	2.1793	5.3100e- 003	0.5873	3.7400e- 003	0.5911	0.1558	3.4500e- 003	0.1593	1	528.6390	528.6390	0.0177		529.0813
Total	0.4436	4,4991	3.6179	0.0146	0.8183	0.0268	0.8450	0.2223	0.0255	0.2477		1,541.324	1,541.324	0.0918		1,543.62

Mitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Off-Road	2.1198	19.1860	16.8485	0.0269		1.1171	1.1171		1.0503	1.0503	0.0000	2,553.063	2,553.063	0.6229		2,568.63
Oil rioda	O)		: :		i		i i	i	i	i i		, 1 ;	1 ;			5

Page 15 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.5 Building Construction - 2020 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lbi	/day							lb/o	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1529	4.2738	1.4386	9.3200e- 003	0.2310	0.0230	0.2540	0.0665	0.0220	0.0885		1,012.685 3	1,012.685 3	0.0742		1,014.53
Worker	0.2907	0.2254	2.1793	5.3100e- 003	0.5873	3.7400e- 003	0.5911	0.1558	3.4500e- 003	0.1593		528.6390	528.6390	0.0177		529.081
Total	0.4436	4.4991	3.6179	0.0146	0.8183	0.0268	0.8450	0.2223	0.0255	0.2477		1,541.324	1,541.324	0.0918		1,543.62

3.5 Building Construction - 2021 Unmitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day							lb/d	ay		
000	4.0000															
Off-Road	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586	:	0.9013	0.9013		2,553.363	2,553.363	0.6160		2,568.76

CalEEMod Version: CalEEMod.2016.3.2 Page 16 of 27 Date: 7/18/2019 2:44 PM

Iouis Iowry - Santa Barbara County APCD Air District, Summer

3.5 Building Construction - 2021 Unmitigated Construction Off-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/o	ay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1263	3.9229	1.2811	9.2200e- 003	0.2310	0.0115	0.2425	0.0665	0.0110	0.0775		1,004.471 7	1,004.471 7	0.0741	-	1,006.324
Worker	0.2695	0.2007	1.9749	5.1300e- 003	0.5873	3.6200e- 003	0.5910	0.1558	3.3400e- 003	0.1592		510.6853	510.6853	0.0157	 	511.0778
Total	0.3957	4.1237	3.2561	0.0144	0.8183	0.0152	0.8334	0.2223	0.0144	0.2366		1,515.157 0	1,515.157 0	0.0898		1,517.402

Mitigated Construction On-Site

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	ay		
Off-Road	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013	0.0000	2,553.363 9	2,553.363 9	0.6160		2,568.7
Total	1.9009	17.4321	16.5752	0.0269		0.9586	0.9586		0.9013	0.9013	0.0000	2,553.363	2,553.363	0.6160		2,568.7

CalEEMod Version: CalEEMod.2016.3.2 Page 17 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.5 Building Construction - 2021 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb	/day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1263	3.9229	1.2811	9.2200e- 003	0.2310	0.0115	0.2425	0.0665	0.0110	0.0775		1,004.471 7	1,004.471 7	0.0741		1,006.32
Worker	0.2695	0.2007	1.9749	5.1300e- 003	0.5873	3.6200e- 003	0.5910	0.1558	3.3400e- 003	0.1592		510.6853	510.6853	0.0157		511.077
Total	0.3957	4.1237	3.2561	0.0144	0.8183	0.0152	0.8334	0.2223	0.0144	0.2366		1,515.157 0	1,515.157 0	0.0898		1,517.40

3.6 Paving - 2021 Unmitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/d	lay							lb/d	lay		
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235		2,207.210	2,207.210 9	0.7139		2,225.057
Paving	0.0000			 	 	0.0000	0.0000	 	0.0000	0.0000			0.0000			0.0000
Total	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235		2,207.210	2,207.210 9	0.7139		2,225.057

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.6 Paving - 2021
Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	/day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0435	0.0324	0.3185	8.3000e- 004	0.0947	5.8000e- 004	0.0953	0.0251	5.4000e- 004	0.0257		82.3686	82.3686	2.5300e- 003		82.4319
Total	0.0435	0.0324	0.3185	8.3000e- 004	0.0947	5.8000e- 004	0.0953	0.0251	5.4000e- 004	0.0257		82.3686	82.3686	2.5300e- 003		82.4319

Mitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/s	day							lb/d	lay		
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	0.0000	2,207.210 9	2,207.210 9	0.7139		2,225.057
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	0.0000	2,207.210 9	2,207.210 9	0.7139		2,225.057

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.6 Paving - 2021 Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0435	0.0324	0.3185	8.3000e- 004	0.0947	5.8000e- 004	0.0953	0.0251	5.4000e- 004	0.0257		82.3686	82.3686	2.5300e- 003		82.431
Total	0.0435	0.0324	0.3185	8.3000e- 004	0.0947	5.8000e- 004	0.0953	0.0251	5.4000e- 004	0.0257		82.3686	82.3686	2.5300e- 003		82.431

3.7 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Archit. Coating	41.8502					0.0000	0.0000	i i	0.0000	0.0000			0.0000			0.0000
Off-Road	0.2189	1.5268	1.8176	2.9700e- 003		0.0941	0.0941		0.0941	0.0941		281.4481	281.4481	0.0193		281.9309
Total	42.0691	1.5268	1.8176	2.9700e- 003		0.0941	0.0941		0.0941	0.0941		281.4481	281.4481	0.0193		281.9309

Page 20 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

3.7 Architectural Coating - 2021 Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0551	0.0410	0.4035	1.0500e- 003	0.1200	7.4000e- 004	0.1207	0.0318	6.8000e- 004	0.0325		104.3336	104.3336	3.2100e- 003		104.413
Total	0.0551	0.0410	0.4035	1.0500e- 003	0.1200	7.4000e- 004	0.1207	0.0318	6.8000e- 004	0.0325		104.3336	104.3336	3.2100e- 003		104.413

Mitigated Construction On-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					16/	day							lb/d	ay		
Archit. Coating	41.8502		i			0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2189	1.5268	1.8176	2.9700e- 003		0.0941	0.0941	 	0.0941	0.0941	0.0000	281.4481	281.4481	0.0193		281.9309
Total	42.0691	1.5268	1.8176	2.9700e- 003		0.0941	0.0941	 	0.0941	0.0941	0.0000	281.4481	281.4481	0.0193		281.9309

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 27 Date: 7/18/2019 2:44 PM

· Iouis Iowry - Santa Barbara County APCD Air District, Summer

3.7 Architectural Coating - 2021

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	50000000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0551	0.0410	0.4035	1.0500e- 003	0.1200	7.4000e- 004	0.1207	0.0318	6.8000e- 004	0.0325		104.3336	104.3336	3.2100e- 003		104.413
Total	0.0551	0.0410	0.4035	1.0500e- 003	0.1200	7.4000e- 004	0.1207	0.0318	6.8000e- 004	0.0325		104.3336	104.3336	3.2100e- 003		104.413

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Page 22 of 27

louis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Category					lb/	day				S TO S TO S			lb/d	ay		
Mitigated	7.4529	23.5541	60.3900	0.1478	13.1497	0.1481	13.2979	3.5253	0.1387	3.6640		15,004.67 59	15,004.67 59	0.7959		15,024.57 43
Unmitigated	7.4529	23.5541	60.3900	0.1478	13.1497	0.1481	13.2979	3.5253	0.1387	3.6640		15,004.67 59	15,004.67 59	0.7959	 	15,024.57 43

4.2 Trip Summary Information

	Ave	rage Daily Trip F	Rate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Enclosed Parking with Elevator	0.00	0.00	0.00		
Government Office Building	4,883.69	0.00	0.00	4,408,834	4,408,834
Total	4,883.69	0.00	0.00	4,408,834	4,408,834

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	ie %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Enclosed Parking with Elevator	6.60	5.50	6.40	0.00	0.00	0.00	0	0	0
Government Office Building	6.60	5.50	6.40	33.00	62.00	5.00	50	34	16

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Government Office Building	0.563532	0.028682	0.205515	0.123285	0.020921	0.005572	0.017481	0.019425	0.002786	0.002265	0.006886	0.002647	0.001003
Enclosed Parking with Elevator	0.563532	0.028682	0.205515	0.123285	0.020921	0.005572	0.017481	0.019425	0.002786	0.002265	0.006886	0.002647	0.001003

Page 23 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

		ROG		NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category							lb/	day							lb/c	day		
NaturalGas Mitigated	+	0.0191	0.	1739	0.1461	1.0400e- 003		0.0132	0.0132		0.0132	0.0132		208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.9653
			1		Comment of the same of the sam	1	•	•	i i			•	C	• · · · · · · · · · · · · · · · · · · ·	Lance			

Page 24 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Land Use	kBTU/yr					lb/	day							lb/c	day		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Government Office Building	1774.16	0.0191	0.1739	0.1461	1.0400e- 003		0.0132	0.0132		0.0132	0.0132	‡ ‡	208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.9653
Total		0.0191	0.1739	0.1461	1.0400e- 003		0.0132	0.0132		0.0132	0.0132	Ī	208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.9653

Mitigated

	NaturalGa s Use	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N20	CO2e
Land Use	kBTU/yr					lb/	day							lb/c	day		
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	•	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Government Office Building	1.77416	0.0191	0.1739	0.1461	1.0400e- 003		0.0132	0.0132	 !	0.0132	0.0132		208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.9653
Total		0.0191	0.1739	0.1461	1.0400e- 003		0.0132	0.0132		0.0132	0.0132		208.7249	208.7249	4.0000e- 003	3.8300e- 003	209.9653

6.0 Area Detail

6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 27 Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Mitigated	2.0590	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554
Unmitigated	2.0590	2.2000e- 004	0.0243	0.0000	: :	9.0000e- 005	9.0000e- 005	-	9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/	day							lb/c	lay		
Architectural Coating	0.4816					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.5752					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.2600e- 003	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554
Total	2.0590	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554

Page 26 of 27

Iouis lowry - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

6.2 Area by SubCategory

Mitigated

	ROG	NOx	co	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/	day							lb/c	lay		
Architectural Coating	0.4816					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.5752					0.0000	0.0000		0.0000	0.0000		ii	0.0000			0.0000
Landscaping	2.2600e- 003	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554
Total	2.0590	2.2000e- 004	0.0243	0.0000		9.0000e- 005	9.0000e- 005		9.0000e- 005	9.0000e- 005		0.0519	0.0519	1.4000e- 004		0.0554

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
TATAL MEN CONTRACTOR AND AND AND AND AND AND AND AND AND AND						R. St. Co., J. Co., St. Co., S

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Page 27 of 27

Date: 7/18/2019 2:44 PM

louis lowry - Santa Barbara County APCD Air District, Summer

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
		AND RESIDENCE OF THE PARTY OF T				

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation