City of Santa Barbara Police Station Project - Comparative Evaluation of Five Alternatives - August 2019

# Summary of Preliminary Environmental Review\*

## COTA COMMUTER PARKING LOT SITE ALTERNATIVE

**Project:** Remove existing parking lot; discontinue current land uses. Redevelop with 72,000 SF police station, 131,255 SF parking structure (252 station/employee spaces), up to 80 surface public spaces. Construction process up to 28 months, grading estimate up to 20,000 cubic yards of cut and export.

Cota Street Site: Location: 119 East Cota Street; Assessors Parcel Number 031-151-018; west of the intersection of Cota Street & Santa Barbara Street. Size: 1.61 Acres. Ownership: City of Santa Barbara. Existing Land Use: Paved City surface parking lot for commuters with permits weekdays, public parking evenings/weekends; Farmers Market Saturdays.

|                             | ENVIRONMENTAL IMPACT   | IMPACT SIGNIFICANCE LEVEL                          |
|-----------------------------|--|--|
| AIR QUALITY                 | Criteria Air Pollutants (ozone precursors,   | Less than Significant Impact                       |
|                             | particulates - mobile, stationary sources)   | Measures to minimize effects identified with desig |
|                             | Greenhouse Gas (Co2e - mobile, stationary  | Less than Significant Impact                       |
|                             | sources)   | Project design and CEQA review to refine measure   |
|                             |  | Incorporated in project to reduce effects.         |
| BIOLOGICAL<br>RESOURCES     | Mature Trees Lost (58 trees)   | Potentially Significant Impact                     |
|                             |  | Likely mitigable. Mitigation level determined      |
|                             |  | with project design and CEQA review.               |
| ENERGY                      | Energy Consumption (mobile, stationary sources)  | Less than Significant Impact                       |
| RESOURCES                   |  | Project design and CEQA review to refine impact    |
|                             |  | reduction measures to be incorporated.             |
| GEOPHYSICAL                 | Seismic, Geologic, Soil Conditions   | Less than Significant Impacts                      |
| CONDITIONS                  | (liquefaction, high groundwater, soil types)   | With standard engineering, regulatory measures.    |
| HAZARDS                     | Soil Contamination, Hazardous Materials  | Less than Significant Impacts                      |
|                             | Risk of Upset, Fire Hazard   | With standard regulatory provisions.               |
| HERITAGE<br>RESOURCES       | Archaeological Resources (sensitivity zone for subsurface resources from historic periods)   | Potentially Significant Impact                     |
|                             |  | Likely mitigable with standard measures to be      |
| ANALY COLUMNS OF            | Control of the contro | determined with CEQA review.                       |
|                             | Historic Resources   | Less than Significant Impact                       |
|                             | Tribal Cultural Resources  | Less than Significant Impact                       |
| HYDROLOGY,<br>WATER QUALITY | Flood Hazard (flood zone X minimal risk)   | Less than Significant Impact                       |
|                             | Drainage/Water Quality (Tier 3 Storm Water Man-  | Less than Significant Impacts With standard        |
|                             | agement; Construction Best Management Practices)   | measures determined with design.                   |
| LAND USE                    | Policy Consistency (plans, zoning)   | Less than Significant Impacts                      |
|                             | Growth-Inducing Effect   | Less than Significant Impact                       |
| NOISE                       | Long-Term Operations Noise   | Less than Significant Impact                       |
|                             | Temporary Construction Noise (residential,   | Potentially Significant Impact                     |
|                             | day care uses in proximity)  | Likely mitigable. Project design and CEQA          |
|                             | 100 mm - 100 | review to determine specific mitigation.           |
| OPEN SPACE,                 | Open Space/Visual Resources, Scenic  | Less than Significant Impacts                      |
| VISUAL                      | Views, Visual Compatibility, Lighting  | With Design Review approval.                       |
| PUBLIC FACILITIES           | Fire, Police, Schools, Parks Services  | Less than Significant Impacts                      |
| & SERVICES                  | (any increase in services demand)  |  |
| PUBLIC UTILITIES            | Water, Wastewater, Solid Waste Demand  | Less than Significant Impacts                      |
|                             |  | Construction waste evaluation with CEQA review.    |
| TRANSPORTATION              | Long-Term Operations - Traffic Congestion (peak-hour intersection traffic)   | Less Than Significant Impact                       |
|                             | Circulation, Emergency Access, Alternate   | Less than Significant Impacts                      |
|                             | Modes (pedestrian, bicycle, bus, rail)   |  |
|                             | Temporary Construction Traffic   | Less than Significant Impact                       |
|                             |  | With standard measures applied.                    |

<sup>\*</sup>Note: This is a preliminary environmental evaluation to help inform the public and City Council's initial choice of a preferred site alternative to undergo project design and the official CEQA environmental review process prior to City decisions on site selection and project approval.

## Santa Barbara Police Station Project

# Cota Commuter Parking Lot Site Alternative PRELIMINARY ENVIRONMENTAL REVIEW

August 2019

#### Site Alternative

119 East Cota Street (APN 031-151-018) is located west of the intersection of Cota Street and Santa Barbara Street. The site is a 1.61 acre City-owned property within the urbanized Downtown area. The site is fully paved, with ornamental trees and landscaping across the site. The existing land use is a City surface parking lot for commuters with permits during weekdays, and public parking during evenings and weekends. The site is also used as a Certified Farmers Market location on Saturdays. Surrounding land uses in the area include residences and small businesses along the Santa Barbara Street and Anacapa Street frontages of this block, and a pre-school and public park (Plaza de Vera Cruz) across Cota Street.

#### **Proposed Project Description**

The project would involve the removal of the existing surface parking lot and interior trees/landscaping, and discontinuation of existing land uses. The trees along with Western border of the property and as many trees as possible along the Northern border of the property would be pruned and sculpted vertically to retain them. The existing MTD bus stop shelter on Cota Street may have to be removed and /or relocated for the project. If so, the existing historic school plaque on the shelter would be incorporated into the project.

The existing Santa Barbara City Police operations are located at four separate sites (215 Figueroa Street police station, 222 East Anapamu Street police station annex, 1200 Anacapa Street dispatch, and 415 Sola Street animal control) and would be consolidated at the new project site.

The project would consist of a new up to 72,000 square foot Police Station building, a new 131,255 square foot secure parking structure to accommodate 252 parking spaces (128 for Police Department vehicles and 124 for employee vehicles), up to 80 public non-secured surface parking spaces, and up to 42 bicycle parking spaces. Both the Police Station building and the parking structure would include a basement and up to three aboveground stories, with an overall maximum height of approximately 60 feet.

The Police operations would remain the same as presently exist at the current locations and would include the Investigative/Internal Operations Division, Field Operations Division, Community Support Services Division, and Common Areas (public lobby, multi-purpose meeting rooms, staff break rooms, fitness room, and locker rooms). The public lobby area would be separated from the secure staff areas.

The site preparation and construction process is estimated to take 28 months, including three months for the earthwork phase and 25 months for the construction phase.

Earthwork is estimated to involve excavation up to seven feet in depth, involving approximately 21,000 cubic yards of cut and export from the site.

The project site, structures, and construction process would be designed to conform to applicable City and other agency regulations and policies, including measures for minimizing environmental effects.

### **AIR QUALITY**

Long-Term Mobile and Stationary Source Criteria Air Pollutant Emissions (Ozone Precursors and Particulates): Police station operations would generate incremental air pollution emissions associated daily vehicle traffic exhaust and building energy use, such as for typical heating and cooling equipment,

as well as an emergency generator that would require a permit from the Santa Barbara County Air Pollution Control District (SBCAPCD). Police station operations would not involve creation of nuisance odor impacts.

Based on the SBCAPCD screening table (2017), office projects of less than 180,000 SF would not be expected to generate mobile source air pollutants exceeding the City and District 25 lbs/day project-specific impact significance threshold for reactive organic gases (ROG) or nitrogen oxides (NOx) (precursors for smog) associated with mobile emissions, or for other criteria air pollutants subject to local, State, and federal standards, including particulate matter (PM). The project would also be within the scope of the land use and population growth assumptions of the Santa Barbara County Ozone Plan (2016), and therefore consistent with the regional air plan for the County and air basin. Project components would reduce air pollution emissions compared to existing police station operations, including consolidation of functions at one location and increased use of electric vehicles, which would reduce vehicle trip emissions, and a more energy efficient structure and inclusion of renewable energy components such as solar energy which would reduce stationary source emissions.

An initial analysis via CalEEMod (v. 2016.3.2) identifies total long-term and construction emissions (table below), showing that emissions would be below the 240 lbs/day project-specific impact significance threshold for any pollutant from combined mobile and stationary sources, and below the 25 lbs per day threshold for ROC or NOx from mobile emissions.

The estimate for building emissions used CalEEMod energy defaults for government office buildings and parking lot categories. However, because the building is expected to achieve Leadership in Energy and Environmental Design (LEED) Silver certification (in accordance with City policy for new City buildings), the emissions estimate is expected to be lower once the design is specified. In addition, mobile emissions were based on average fleet default characteristics for the site; these numbers may change based on specific trip rates and lengths from the selected site location. More specific emissions estimates will be identified once the project is designed.

Less than significant long-term project-specific impact and contribution to cumulative effects associated with criteria air pollutants.

|            | Construction + Operational<br>Emissions (lbs/day) | Mobile Emissions<br>(lbs/day) | Impact Significance<br>Thresholds (lbs/day) |
|------------|---|-------------------------------|---|
| ROG        | 53  |                               | 240   |
| NOx        | 102   |                               | 240   |
| PM10       | 38  |                               | 80  |
| Mobile ROG |   | 5.1                           | 25  |
| Mobile NOx |   | 17.3                          | 25  |

Short-Term Construction Emissions: The SBCAPCD and City do not have impact significance thresholds for short-term construction equipment emissions of criteria pollutants, which are considered cumulatively not significant for the air basin. A guideline used for identifying substantial project-specific short-term emissions is the generation of combined emissions from construction equipment exceeding 25 tons of any pollutant over a 12-month period (the guideline is based on APCD rules that require offsets for substantial emissions when associated with construction of a stationary source). Project construction equipment emissions would be minimized by California regulations for reducing diesel emissions (e.g., equipment registration; time limits for idling and use of auxiliary power units), and standard APCD measures for minimizing equipment emissions applied per City permitting procedures and contractor specifications (e.g., use of alternative-powered equipment; equipment maintenance; and use of catalytic converters).

Dust generation during project demolition and earthwork would generate particulates and could potentially create temporary nuisance dust effects to nearby sensitive land uses over the estimated three-month period for the demolition and grading phase of work. City Building Code provisions require implementation of APCD-recommended measures to control and minimize dust effects, which per SBCAPCD guidelines are considered to fully mitigate fugitive dust emission impacts (applicable measures may include sprinklering of work areas; treatment of exported and stockpiled soils; gravel pads at access points; treatment of graded areas; and dust control monitor).

An initial construction emissions analysis using CalEEMod, based on default five days/week work schedules, is shown in the table below. <u>Less than significant short-term construction air pollution and dust emissions</u>.

|           | Construction emissions (tons/yr) | Impact Significance Guideline (tons/yr)     |  |
|-----------|----------------------------------|---|--|
| ROG       | 1.115                            | 25 of any pollutant from combined emissions |  |
| со        | 3.03                             |   |  |
| NOx       | 4.16                             |   |  |
| PM10      | 0.7211                           |   |  |
| PM2.5     | 0.4374                           |   |  |
| SUM TOTAL | 9.46                             |   |  |

Greenhouse Gases (GHG): Project construction and long-term police operations would generate incremental amounts of carbon dioxide and other greenhouse gas emissions that contribute to accelerated climate change. Various project components would minimize greenhouse gas generation compared to the existing police station and operations. These include consolidation of operations at one location and increased electric vehicle use (associated vehicle trip/emissions reductions), more energy-efficient facility under green building code provisions, and use of renewable energy sources.

An initial CalEEMod analysis estimates project GHG generation, including amortized construction emissions, at 2,477 tons of carbon dioxide equivalents ( $CO_2e$ )/year. This is less than the SBCAPCD project-specific impact significance threshold of 10,000 tons  $CO_2e$ /year.

The project would be within the scope of the growth assumptions and analysis in the adopted City Climate Action Plan (2012) and associated Addendum to the General Plan Program environmental impact report, which found that total citywide greenhouse gas emissions and per capita vehicle emissions to the year 2030 would meet City and State GHG reduction targets and would not constitute a significant environmental impact. Project components pertaining to land use, vehicle use, and energy would be consistent with and implement applicable Climate Plan policies for reducing greenhouse gas generation. The project would be within the scope of the City Council adoption finding for the Climate Action Plan, which found that no significant greenhouse gas impacts would result from forecasted citywide General Plan buildout. Consistent with City policy, the project design will build in elements that minimize GHG emissions.

Less than significant project-specific effect and contribution to cumulative greenhouse gas generation affecting climate change.

#### **BIOLOGICAL RESOURCES**

The project site is largely paved and within an urbanized setting with vehicle parking lot use. The property currently has 58 mature trees, including both native (coast live oak, southern live oak), and ornamental/horticultural (Tipuana tipu, Mexican fan palm), along with some large shrubs such as giant bird of paradise and other landscaping plantings.

The onsite vegetation has some limited biological value as habitat for urban-adapted wildlife species, such as birds and squirrels. Bird species observed during the Dudek site visit (2019) include American crows, acorn woodpeckers, and yellow-rumped warblers, as were several old American crow nests.

The City Master Environmental Assessment (MEA) identifies the site with no important biological resources, including for upland habitats, coastal/creek/wetland habitats, special wildlife areas; or areas supporting listed or protected wildlife or vegetation species.

Long-Term Impact: Removal of existing trees is anticipated in order to accommodate redevelopment with the police station. The loss of up to 58 existing mature trees would represent a potentially significant long-term biological resources impact from loss of the biological value of the trees for local wildlife habitat, air quality and shade, water quality, as well as visual aesthetics. Until the project is designed, it is unclear whether the impact due to tree loss would be partially mitigated or fully mitigated by onsite and/or offsite replacement tree plantings. Potentially significant long-term biological resources impacts/ likely feasibly mitigable to less than significant level.

Short-Term Impact: Most wildlife species utilizing the site (e.g., birds, squirrels) will move away during construction. Potential construction-related impacts associated with nesting birds would be addressed with standard measures to avoid effects to nesting birds until the young have fledged (such as survey; nest protections; redirection of work). Potential effects to any nearby trees to be retained would be addressed with standard measures to provide temporary fencing as needed; avoid placing materials or vehicles over root zones; and proper treatment of any roots encountered with the project work. Potentially significant short-term biological resources impacts/mitigable to less than significant level with standard measures.

#### **ENERGY RESOURCES**

**Energy Consumption:** A preliminary estimate of energy consumption by the new police station facility operations from stationary sources (such as electricity and natural gas for space heating/cooling, data/communications, etc.) is 693,523 killowatt-hours/year. Additional energy consumption would occur from mobile vehicles associated with operations.

The project would be subject to California and City green building code provisions requiring energy efficiency. The project is proposed to include renewable energy components as part of building design (e.g., solar panels) which would reduce energy demand and consumption from the initial estimate. The consolidation of police operations from four locations to one location, and the increased use of electric vehicles in the fleet, would reduce energy associated with vehicle use. The project would be subject to the City policy that all new City buildings be designed to achieve Leadership in Energy and Environmental Design (LEED) Silver certification for energy efficiency. The City also adopted the Architecture 2030 challenge for the built environment to become carbon neutral by the year 2030, and adopted goals for 100% renewable energy for municipal facilities by 2030 and 100% renewable energy for the City's community electricity supply by 2030. The City has moved forward on a community choice energy program, a strategic energy plan, and is moving toward stronger policies and programs to implement carbon neutrality involving onsite inclusion of renewable energy onsite and offsets for increased energy use associated with GHG. A refined energy impact analysis of the police station project would be done based on project design. Project energy use would be further minimized with specific project design. Less than significant energy impact with respect to energy inefficiency or unnecessary energy use.

Consistency with Energy Plans: The City General Plan and City Climate Action Plan (which is associated with State climate policies that involve energy efficiency) and Strategic Energy Plan include policies directing increased energy efficiency and green building for new development for both City operations

and communitywide; implementing programs to improve energy efficiency of all City facilities; increasing use of renewable energy for City operations; and reduction of vehicle miles traveled in City operations and citywide. The police station project would be subject to these City policies and green building code provisions, and would further demonstrate compliance through the project design and CEQA environmental review process. Less than significant energy impact associated with conflicts or inconsistency with State and local energy plans.

#### GEOPHYSICAL CONDITIONS

**Seismicity:** All areas of Santa Barbara and the larger region are subject to earthquake ground shaking and applicable building code safety standards for engineering design. The MEA identifies that the site is not located within known hazard zones for earthquake faults, or tsunami or seiche (i.e., large earthquake-induced waves at the shoreline or within an enclosed water body).

The MEA identifies the site as potentially subject to moderate or high liquefaction (loss of shear strength of saturated soil during earthquake shaking). Liquefaction is a common condition feasibly addressed with standard engineering methods for site preparation and foundation design (such as through over excavation and recompaction, and/or use of foundation design tying to lower level bedrock), and which is required to be addressed to safety criteria per building code regulations. <u>Less than significant seismic impacts with standard measures</u>.

Geology and Soils: The MEA identifies the site as potentially subject to soil erosion, expansive soils, and shallow groundwater. These are all conditions that are feasibly addressed with standard engineering methods for site preparation and foundation design, and which are required to be addressed to safety criteria per building code regulations. Less than significant geology and soil impacts with standard measures.

Essential Facility: The project is an essential public facility that involves more stringent location and construction standards for seismic and other geophysical conditions as well as security. Initial assessment by City Public Works engineers and consultants is that the site is technically feasible to meet design standards for essential facilities. The redevelopment of the site would be subject to existing regulatory provisions for addressing geophysical conditions through engineering design per safety criteria, and the project would not exacerbate existing geophysical hazards. Less than significant geophysical impacts for essential facility with standard measures.

Short-Term Construction Impacts: Project earthwork and construction could be affected by geophysical conditions such as shallow groundwater and soil erosion, which would be feasibly addressed with required standard measures such as dewatering and erosion control measures as identified in building code regulations and the City Erosion and Sediment Control Guidelines. Less than significant short-term geophysical Impacts with standard measures.

## **HAZARDS**

Hazardous Materials: The State Geotracker and EnviroStor websites do not identify any known soil or groundwater contamination on the project site that could affect project development, occupants, or the surrounding area. Several prior cleanup sites are within 1000 feet of the project site. All sites are shown to be remediated and closed except for those at 110-116 E. Cota Street, which is located directly across Cota Street, and at 201 E. Haley Street. The open site at 110-116 E. Cota Street consists of soil contaminated with lead and total petroleum hydrocarbons. Remediation has not been completed. The open site at 201 E. Haley consists of soil and groundwater contamination associated with a dry cleaning facility and is currently undergoing remediation. Due to the remediation status, localized nature of the

incidents, and/or distances from the project site, these prior cases do not have the potential to affect the project development, occupants, or the surrounding area.

Limited quantities of chemicals would be used during Police Station operations for activities such as maintenance, cleaning, and landscaping. These chemicals are subject to existing regulations for use, storage, transport, and disposal, such that no public safety impact to surrounding land uses, employees, the public, or environment would result. Less than significant hazardous materials impacts.

**Public Safety:** No oil wells, major pipelines or transmission lines, or existing operations with substantial hazardous materials use are located in close proximity to the site, nor would the project involve siting such facilities. Within a few blocks of the site there are several facilities with Air Pollution District permits (e.g., back-up generators, auto body/paint shop), which do not involve public safety risk to the police station use. The project would not involve siting of sensitive land uses such as residential near land uses or facilities with substantial public safety risk of upset. <u>Less than significant public safety impacts</u>.

**Aircraft:** The site is not located close to an airport or within a designated runway safety or land use safety zone. The project does not propose inclusion of a helicopter pad. The project would not be subject to aviation hazards and has no potential to create such hazards. <u>Less than significant aviation hazard impact</u>.

**Fire Hazard:** The site location is not within a designated High Fire Hazard Zone. The project land use does not have the potential to exacerbate the existing level of fire hazard. Building code and fire code requirements addressing structural fire safety would be required. <u>Less than significant fire hazard impact.</u>

Short-Term Construction Impacts: Standard City construction best management practices are building code requirements and implemented through contractor specifications to protect against pollution from typical hazardous materials such as equipment fuels, and for fire-safe use of mechanical equipment. In the event of unanticipated discovery of hazardous materials during earthwork, State regulatory processes are followed, including notification of County Health Department regulators to establish any needed assessment or remediation, such that no significant effect to workers, the public, or environment would result. Less than significant construction-related hazard impacts with standard measures.

#### HERITAGE RESOURCES

Archaeological Resources: The City MEA identifies the site as within an area potentially sensitive for subsurface archaeological resources from the Spanish Colonial & Mexican (1782-1849), Hispanic-American Transition (1848-1870), American City (1870-1900), and Early 20<sup>th</sup> Century (1900-1925) historical periods. A number of Phase 1 archaeological investigations have been performed on surrounding parcels to the north, east, south, and west.

The project is expected to involve excavation up to seven feet deep for a basement component to the structure. This earthwork would reach depths below areas previously disturbed from current development on the site (prior school and current parking lot). This indicates the potential for encountering intact archaeological relics from historic periods, such as remnants of past adobe structures or trash pits. Based on the City MEA Guidelines provisions, an archaeological investigation of the site would be required in conjunction with environmental review of the project and prior to permit approval for the project. Per provisions of CEQA and City resource protection policies, any feasible measures identified as needed to avoid or minimize potentially significant effects on cultural resources (e.g., consultations; monitoring of earthwork; collection, documentation, analysis, and curation of important artifacts) would be applied as project requirements.

Standard requirements per the MEA Guidelines and Santa Barbara Municipal Code 22.12 provisions would also apply regarding unanticipated discovery of a resource during earthwork, including notification of

construction workers, suspending work pending resource assessment by an archaeologist, consultation with a Chumash representative, special procedures per regulations for discovery of potential human remains, and implementation of any feasible measures needed to protect resources and avoid significant effects. <u>Potentially significant archaeological resources impact, likely mitigable to less than significant level with standard measures</u>.

Historical Resources: The site is not located within City historic or design districts. The site and adjacent properties and existing above-ground structures are not identified or designated as historically important by City, State, or National historic registers. Several structures housing businesses and residences in the surrounding area and across the streets from the site are more than 50 years old and, if evaluated, could potentially be found to have historic value.

Based on consultation with the City Historian (Nicole Hernandez, 06-25-19), the property and existing parking lot facility does not have historical importance, and the project would not have the potential for historical resources impacts. Even in the event that any adjacent area structures are identified with historic value, the project would be separated by the existing roadway such that no substantial effect on the setting of a historic structure could result. Less than significant historic resources impact.

**Tribal Cultural Resources:** No known important tribal cultural resources involving religious, spiritual, or social significance exist at the site. As per procedures identified above for archaeological resources, in the event of unanticipated discovery of resources during earthwork, established procedures for assessment, tribal consultation, and measures for appropriate treatment of resources would be applied to avoid a significant impact. <u>Less than significant tribal cultural resources impact</u>.

### HYDROLOGY AND WATER QUALITY

Flood Hazard: The project site is designated on the Federal Emergency Management Agency (FEMA) Flood Map (2018) as Zone X (unshaded) for minimal flood risk. This is evidenced on the Federal Emergency Management Agency (FEMA) Flood Map number 06083C1387J, effective September 28, 2018. The project site is not located in a Special Flood Hazard Risk Zone. Applicable design provisions of Federal and State flood regulations and the City Floodplain Ordinance would be required to ensure no significant flood-related impact would result. The project would not exacerbate any existing flood hazard. Less than significant flood hazard impact.

Drainage and Water Quality: The project could result in changes to existing drainage patterns on the site. The project would be required to be designed to meet the Tier 3 storm water runoff requirements of the City's Storm Water Management Plan and Ordinance (SBMC 22.87), including for discharge rate, volume reduction, and water quality treatment. Specific approaches to meeting these requirements would be identified as part of project design and demonstrated as part of project CEQA review. Less than significant long-term drainage and water quality impact with application of ordinance requirements through project design.

Project construction would be subject to City Building Code provisions and Best Management Practices (BMP) Guidelines to control any erosion, siltation, or pollution effects from site runoff to ensure that no substantial effects to surface or groundwater would result. Examples of techniques to control erosion and sediment during construction include straw wattles, silt fences, and sediment filters/barriers, and depending on groundwater table, dewatering may be required to protect water quality. Specific approaches to meeting these requirements would be identified as part of the project design. Less than significant short-term drainage and water quality impacts.

#### LAND USE

The Cota Street site is located in the Central Business District. The General Plan land use designation for the property is Commercial Industrial/ Medium High Density Residential (15-27 du/ac). It is also in the Priority Housing Overlay (49-63 du/ac) area of the Average Unit-Size Density Incentive Program Map. The Commercial Industrial designation area is bounded by Ortega, Haley, Anacapa, and Quarantina streets. This designation allows a wide variety of uses including manufacturing, automotive repair, office, retail, and residential. Many of the historic uses in this area have provided essential services for the functioning of the City. City Hall is located within approximately three blocks. The Community Development Department and Public Works Department offices are within one block. A police station is consistent with the Commercial Industrial/ Medium High Density Residential land use designation of the area.

The project site zoning designation is M-C (Manufacturing Commercial) Zone. The M-C Zone is intended to accommodate a wide range of limited industrial, residential, retail service, office, and research and development uses. A "Public Facility" is an allowed use in the M-C zone. Public Facilities are described as "Facilities owned or operated by a governmental agency providing services such as clerical or public contact offices, police and fire protection including any indoor shooting range operated by and for a law enforcement agency, and emergency medical services".

As specified in Chapter 30.170 (Nonresidential Growth Management Program) of the Zoning Ordinance nonresidential floor area for City Government Buildings may be constructed, or converted from residential floor area, without requiring an allocation from the Community Benefit, Small Addition Floor Area, or Vacant Property categories. Development Plan Approval by the Planning Commission is required.

The maximum building height standard in the M-C zone is 45 feet; however, up to 60 feet in height may be allowed for projects that qualify as a Community Benefit Project per SBMC§ 30.140.100.B. The Planning Commission would consider the required building height findings for the police station project after conceptual design review but before the Development Application Review Team (DART) submittal and before the consideration of the land use approval by the Planning Commission.

Growth-Inducing Effect: The existing police service operations at four locations would be consolidated at the new facility and no substantial increase in service levels is proposed as part of the project. The project would not involve substantial population or employment growth or the associated creation of substantial housing demand. A limited number of temporary construction jobs would be involved with the project development. The project would be built in an urbanized area that is currently served by all required infrastructure. No substantial extension or expansion of utilities that could support additional growth beyond the project is involved. Less than significant growth-inducing impact.

**Consistency with Land Use Plans and Policies:** As stated above, a police station use is consistent with the General Plan land use designation of Commercial Industrial/ Medium High Residential and the M-C Zone. Some General Plan policies and implementation actions applicable to the project, which were adopted in part for the purpose of mitigating environmental impacts, are as follows:

Land Use Element Policy LG12.2 (Building Size, Bulk and Scale).

Fiscal Health Policy EF27 (City Services and Facilities).

Historic Resources Element Policy HR1. (Protect Historic and Archaeological Resources).

Environmental Resources Element Policy ER1 (Climate Change).

Environmental Resources Element Policy ER1.2 (Greenhouse Gas Emission)

Environmental Resources Element Policy ER5.1 (Energy Efficient Buildings).

Environmental Resources Element Policy ER11. (Native and Other Trees and Landscaping).

Conservation Element Policy 4.0 (Trees)

Conservation Element Policy 4.1 (Mature trees)

Circulation Element Policy C1. (Transportation Infrastructure Enhancement and Preservation).

Less than significant environmental impact associated with policy inconsistency.

#### MINERAL AND AGRICULTURAL RESOURCES

Mineral Resources: The site is paved and developed and contains no known mineral resources. No impact to important mineral resources would result. Less than significant mineral resources impact.

Agricultural Resources: The site is developed and contains no agricultural cultivation. The State Map of Agricultural Resources identifies the site as urban. No impact to important agricultural soil or farmland resources would result. The project would displace to another location the current use of the parking lot for a farmer's market one day per week. This does not constitute a significant environmental impact to important agricultural soil or cropland resources. Less than significant agricultural resources impact.

#### NOISE

The City Master Environmental Assessment (MEA) identifies the Cota Street site as being subject to average ambient noise levels of 60-65 decibels (dBA) Ldn or CNEL (weighted 24-hour scales). The primary background noise source affecting the site is from vehicular traffic.

The City General Plan identifies noise compatibility guidelines for siting of various land uses in areas with suitable average ambient noise levels, and the City Noise Ordinance (SBMC Chapter 9.16) governs operational and construction noise limits within the City.

The project is a professional services office building and is neither a noise-sensitive\* nor noise-generating land use. There are sensitive land uses near the site, including a pre-school facility with an outdoor play area (130 E. Cota St.) across Cota Street, various residential units between Anacapa and Garden Street, and a public park (Plaza de Vera Cruz) which is adjacent to the pre-school, located across Cota Street.

\*Noise-sensitive land uses are those involving extensive occupancy or exposure by potentially sensitive individuals, including residences; nursing homes, retirement homes and other community care facilities; schools; and large family day care facilities. Land uses not considered noise sensitive include retail, commercial services, and offices.

Noise Compatibility of Proposed Land Use: The noise compatibility standards of the City General Plan noise policies identify a normally acceptable maximum average exterior ambient noise level for a professional office building as 75 dBA CNEL or Ldn. The existing average ambient noise level at the Cota Street property is less than 75 dBA. The siting of the project at this location would not subject persons using the building to long-term average ambient noise levels in excess of the compatibility standard for the use; and the project would not conflict with City noise policies. The project building would be required to be constructed to meet an average interior noise level of 50 dBA or less, which is the maximum average interior noise level for a professional office building.

Long-Term Operations Noise: The current parking lot use at the property involves some vehicle and parking noise, largely masked to the surrounding area due to distance and background roadway noise. The police station use would similarly involve some vehicle and parking noise (332 parking spaces, primarily within a two-story parking structure and some surface parking), which would not represent a substantial net increase in noise to the surrounding area.

Stationary equipment associated with the building, such as for air conditioning, would be at sufficient distance from surrounding land uses and would be subject to City building code provisions such that no substantial noise effects to sensitive land uses would result.

Similar to other office land uses, noise associated with long-term police station operations would not involve substantial noise effects to surrounding noise-sensitive land uses. The canine kennel and the firearm training range activities would be located within the structure of the building and would not result in noise impacts to the surrounding area. No regular noise from sirens or loudspeakers would occur, however under rare circumstances officers may leave the station under siren. This would be similar to locations everywhere in the City which also experience periodic siren noise, which constitutes minor temporary nuisance noise. Less than significant long-term operational noise impact.

Short-Term Construction Noise: Short-term noise impacts are associated with substantial grading and construction activity in close proximity to noise-sensitive receptors for an extensive duration. Equipment noise levels can vary substantially through a construction period, and depend on the type of equipment, number of pieces operating, and equipment maintenance. Construction equipment may generate noise levels of more than 80 dB(A) at a distance of 50 feet, and the shorter impulsive noises from other construction equipment (such as pile drivers and drills) can be higher, up to and exceeding 100 dB(A). Noise during construction is generally intermittent and sporadic, and after completion of the initial demolition, grading and site preparation activities, tends to be quieter.

Noise from grading, construction equipment, and truck traffic would affect surrounding residential, preschool, and park uses during a construction period estimated at up to 28 months. Estimated phasing of the process includes three months demolition and grading for site preparation, nineteen months construction, and six months interior building finishing. Equipment and vehicle staging is expected to initially occur within adjacent road rights-of-way, and then onsite.

The pre-school is located approximately 100 feet from the site, residential units average approximately 350 feet from the site (the closest is approximately 150 feet), and the public park is approximately 150 feet from the site. Noise generally diminishes by six decibels for every doubling of the distance from the source, and may be further moderated if there are intervening structures or other noise. Construction equipment noise of 80 dBA Leq (noise level at the time occurring, not averaged over time) at fifty feet is estimated to be reduced to 74 dBA Leq at the property line of the pre-school, averaging 44 dBA Leq at the residential units (up to 68 dBA Leq at the closest residence), and 68 dBA Leq at the public park. These estimated noise effects would be moderated by factors including intervening traffic, structure walls, and interior noise such as air conditioning. A more detailed acoustical study would be conducted as part of CEQA environmental review of the project.

Temporary nuisance noise effects could be minimized with the implementation of standard measures for neighborhood noticing, limitations on construction days and hours, equipment shielding, and the installation of temporary sound control devices, such as blankets. Specific measures would be determined as part of the project design and proposed project application, and impact level further analyzed and documented as part of CEQA environmental review. <u>Potentially significant, short-term construction noise impact, likely mitigable to a less than significant level.</u>

## OPEN SPACE AND VISUAL RESOURCES

Open Space and Visual Resources: The Cota site is paved, and the MEA identifies the site as urban and not containing any important open space such as a unique visual resource, or shoreline or hillside resources. As a surface parking lot without a structure, the site does function to provide some visual openness within the built-out urban neighborhood, which would be replaced by a multiple–story

structure. Public scenic views of the hillsides are primarily attained in the urbanized downtown area of the City through the street corridors. The existing parking facility does not include a public gathering area, and does not represent an important public viewing location for scenic views. The project would constitute in-fill development of an already developed site in an urban downtown area. No substantial change affecting important open space, natural visual resources, or loss of scenic public views would result. Less than significant open space and visual resources impacts.

Visual Compatibility. The City has an established design review process and guidelines addressing visual compatibility of development projects. A police station will require some special design criteria for a secure facility. Initial assessment of the project indicates that the site size is adequate to meet basic onsite zoning standards for height, setbacks, and landscaping. The project would require approvals by the Architectural Board of Review including findings of visual compatibility with the neighborhood pursuant to adopted City design guidelines for the urban site. Less than significant onsite visual compatibility impacts.

Lighting. The existing parking lot has outdoor lighting standards, and surrounding streets have streetlights. A City ordinance governs outdoor lighting. The project would include outdoor lighting for safe access and security. City ordinance provisions require lighting to be hooded and directed to the ground which would avoid any substantial lighting or glare impacts to surrounding land uses, roadway travel, or habitats. Project lighting design would require design review board approval. The construction process may utilize some temporary localized lighting during some phases, which would not represent a substantial lighting effect to the surrounding area. Less than significant lighting impacts.

### PUBLIC FACILITIES AND SERVICES (Fire, Police, Schools, Parks)

The need for a new police station is based on space and seismic deficits of existing facilities, and the operational benefits expected from consolidating services currently at four locations.

The City General Plan program environmental impact report (2011) analysis concluded that fire, police, and parks service levels are adequate to serve the existing and forecasted future City population, with budget and program considerations addressed on an ongoing basis with City processes for assessing and approving budgets, and programs for facilities and services. School facilities and services are provided based on State programs and budgets.

The project does not involve an increase in the ongoing police service level. The police station would consolidate police operations and employees from four current downtown locations at the new police station facility, for improved safety, efficiency, and effectiveness, a beneficial public facility effect. The project would not be expected to generate a substantial increase in long-term employment or associated increased demand for housing or public services such as police and fire, parks, and schools. The site does not include a park, recreation facility, or trail, and the police station use at the site would not interfere with the adjacent park use, such that the project would not have an impact associated with loss or interference with a park or recreational facility. Less than significant public facilities and services impacts.

### PUBLIC UTILITIES (Water, Wastewater, Solid Waste)

The project site is within an urban area served by City water treatment and distribution services, wastewater collection and treatment services, and City-contracted solid waste and recycling pick-up services using the Santa Barbara County Tajiguas Landfill. The new police station facility would feasibly tie in to City water and wastewater service utility lines at the property, as well as telecommunications lines, and would receive solid waste and recycling pick-up services.

**Water:** Based on the City water demand factor for institutional/office land use, the new station would generate an estimated 1.22 acre-feet per year of annual water demand for indoor/outdoor water use (72,000 SF x 0.17 AFY/1000 SF).

The City and larger region has experienced a recent multiple-year drought, a condition that has occurred periodically in weather cycles over time. The City Long-Term Water Supply Plan identifies a long-term water supply for the City through a combination of sources including Lake Cachuma and Tecolote Tunnel; Gibraltar Reservoir, Devils Canyon and Mission Tunnel; groundwater; State Water Project allotment; desalination; recycled water, conservation, and efficiency improvements.

The project is part of the forecasted citywide growth to year 2030 evaluated in the Program EIR for the General Plan. The analysis concluded that a sufficient long-term water supply would support existing and forecasted growth.

More detailed analysis of the police station would be done as part of project design and CEQA environmental review to confirm adequacy of mains and distribution system in the vicinity of the project, and as needed to require any upgrades as part of the project. The project water use would constitute a <u>less than significant</u> water supply impact.

Wastewater: A requirement for development is adequate wastewater facilities and services. City wastewater facilities include collectors and mains and the El Estero Water Resource Center treatment plant facilities. The wastewater treatment plant has a design capacity of 11 million gallons per day (mgd) and can treat a maximum of 34 mgd. Currently the plant receives between 6 -8 mgd. For general planning purposes, wastewater generation is estimated at roughly 83% of water use for office and institutional land uses. The Police station would use approximately 1,088 gallons per day based on 1.22 AFY cited above. Thus, the additional wastewater flow from the police station building into the system would be would be approximately 903 gallons per day.

The police station project is within the citywide growth forecast analyzed in the certified Final Program EIR (2010) for the General Plan Update. The analysis concluded that City wastewater facilities would be adequate for existing development/population together with forecasted citywide growth to 2030.

More detailed analysis of the police station would be done as part of project design and CEQA environmental review to confirm adequacy of mains and collector system in the vicinity of the project, and as needed to require any localized upgrades as part of the project. The City's wastewater facilities would adequately serve the police station project. Estimated project wastewater generation can be accommodated by the City sewer system and sewage treatment plant, and would represent a <u>less than significant</u> impact.

**Solid Waste:** Long-term operational solid waste generation by the police station is estimated at up to 93.6 tons/year annually, based on the institutional/office waste generation rate (72,000 SF x .0013 tons/year). With recycling services in place, more than 50% of solid waste is expected to be recycled and would not utilize limited landfill disposal capacity, reducing the estimated impact to 46.8 tons/year or less. The project waste generation would not exceed the project-specific impact significance threshold (196 tons/year), and the project long-term solid waste impact would be <u>less than significant</u>.

The project would incrementally contribute to cumulative solid waste generation of the City and region. The project development is within the growth assumptions and citywide scope of analysis in the Program EIR for the City General Plan. The analysis concluded that there is sufficient waste management capacity and services to accommodate existing development/population and forecasted growth. The County of Santa Barbara, City, and other partners are currently engaged in establishing additional facilities, capacity,

and efficiency of area-wide recycling with a regional resource recovery facility, which is expected to extend the life of the Tajiguas Landfill.

Short-term construction-related solid waste associated with demolition of the existing parking lot and construction of the new facility could be substantial. Demolition and construction waste is required by City Ordinance to be taken for recycling, with a large percentage generally recycled (>70%). Estimated demolition/construction waste generation would be identified based on the project design and CEQA environmental review. The project short-term solid waste impact is <u>potentially significant/ likely could be reduced to a less than significant level</u>.

#### TRANSPORTATION

Transportation issues include traffic, access, circulation and safety. Vehicle, bicycle, and pedestrian, and mass transit modes of transportation are all considered, as well as emergency vehicle access. The City General Plan Circulation Element contains policies addressing circulation and traffic in the City, along with other transportation plans.

Project Specific Traffic: City Transportation staff performed a preliminary traffic analysis for the project. The project site is located in Area 1 of the adopted City of Santa Barbara Traffic Model (Traffic Model). Per the Traffic Model, the weekday AM peak hour vehicle trip generation rate is 0.56 trips per 1,000 square feet of floor area for the land use type of Police and Fire Services. The weekday PM peak hour vehicle trip generation rate is 0.67 trips per 1,000 square feet of floor area. Given the 72,000 square foot police station, it is anticipated that there would be 40.32 AM peak hour trips and 48.64 PM peak hour trips.

Trip generation is generally identified as a net change where existing trips generated at the site are subtracted from project trip estimates. However, the existing land use is a public parking lot, which is not considered a destination land use, and existing vehicle trips at the lot are instead associated with the land uses the public parking lot currently serves. As such, no trip credits associated with the existing use are subtracted from the project trip generation and there is no reduction in estimated trip generation for the project.

Estimated distribution of new forecasted trips to and from the site was identified. Project peak-hour trips are predominately police service activities versus employee commute trips because staff are primarily on 12-hour shifts. The trips were distributed to and from the project site based on police service location and demand. Approximately 50% of the trips were distributed among the Downtown, Eastside, and Riviera areas; 7% for East Beach and Coast Village Road area; 8% for Waterfront area; 10% Westside and Mesa areas; and 25% Upper State Street, Samarkand, San Roque areas and beyond.

An impacted roadway intersection is defined by Santa Barbara policy as operation at a vehicle traffic volume-to-intersection capacity ratio exceeding 77% during peak hours, which represents a high "C" level of service (LOS) within the A to F range of operating conditions. The 2011 General Plan EIR identified up to 27 intersections where significant traffic congestion either exists or is expected to occur by the year 2030 during peak travel times. A significant project-specific traffic effect would result if a project's net peak-hour traffic generation would constitute 1% or more of the intersection capacity at one of the identified 27 intersections. If a significant effect occurs, it could also be found inconsistent with City Policy.

Specific intersections of concern for the project include the following in the nearby area, since they are either currently impacted or forecasted to become impacted by 2030: Garden and Highway 101 NB

Ramps, Garden and Highway 101 SB Ramps, Garden and Gutierrez, Carrillo and Highway 101 NB Ramps and Carrillo and Highway 101 SB Ramps.

Forecasted project traffic trips were distributed based on the above approximate percentage demand areas to the intersection of concern. The number of new project trips distributed to these intersections are less than 16 trips to a significant turning movement, and would be less than 1% of intersection capacity during peak hour, and therefore represent a less than significant traffic impact. This initial traffic analysis indicates that the project at this location would likely not require a further traffic model assessment with the City Traffic Model as part of the CEQA environmental review.

### Less than significant long-term operations traffic impact.

Note: City Council-adopted Traffic Impact Significance Thresholds are used to evaluate whether a project has a significant impact under the current California Environmental Quality Act (CEQA) provisions. Legislation (Senate Bill 743, 2013) directs that local jurisdictions in California move away from Intersection Level of Service, a measure of traffic congestion, to Vehicle Miles Traveled as a criterion to evaluate whether a project results in a significant transportation impact. Cities are required to implement Senate Bill 743 by July 1, 2020. It is anticipated that in the City of Santa Barbara, Intersection Level of Service will still remain as a policy consistency issue and not as an impact under CEQA environmental review.

Short-Term Construction Traffic: The project would generate construction-related traffic that would occur over the 28-month construction period and would vary depending on the stage of construction. The duration of demolition and earthwork for site preparation is estimated at three months, construction for 19 months, and interior finishing for six months. Truck trips would be associated with export of demolition materials and cut soils, and transport of construction equipment, construction materials, and workers.

The Transportation Division's initial assessment is that, given traffic levels in the area and the duration of the construction process, short-term construction-related traffic would be a less than significant impact. Standard conditions of approval would be applied, including restrictions on the hours permitted for construction trips outside of peak traffic hours, approval of routes for construction traffic, and designation of specific construction staging and parking areas.

### Less than significant construction traffic impact with standard measures.

Cumulative Traffic: The project was also analyzed regarding its contribution to cumulative traffic effects. A considerable project contribution to cumulative traffic effects would result when a project's net peak-hour traffic together with other cumulative traffic from existing and reasonably foreseeable projects would cause an intersection to exceed 0.77 V/C; or when the project would contribute peak-hour traffic to an intersection already exceeding 0.77 V/C.

The program EIR for the 2011 General Plan provided a citywide cumulative traffic analysis to the year 2030 using this threshold, identifying numerous intersections with existing or forecasted significant traffic congestion impacts. In adopting the General Plan, the City Council made findings of overriding consideration that the benefits of the Plan overrode the significant traffic impacts, thereby deeming the cumulative traffic impacts as acceptable. This project is within the growth assumptions of the EIR analysis and it is considered to contribute to the significant cumulative effects identified in the Program EIR. Potentially considerable contribution to significant citywide cumulative traffic impacts, evaluated previously in Program EIR.

Bicycle/Pedestrian/Public Transit: Transit stops serving the City crosstown bus route exist along the project's property frontage and across the street. One block away is the bus route to Montecito and Carpinteria on Haley Street between Anacapa and Santa Barbara Streets. One block to the north at Santa Barbara and De La Guerra Streets is the Coastal Express bus stop that goes to Carpinteria and Ventura and the Clean Air Express that goes to Lompoc and Santa Maria. There is also a transit stop close by at Anacapa and Ortega Streets that goes to Santa Ynez. These transit stops are anticipated to provide adequate transit resources for the project demands.

Cota Street currently has an on-street bike lane that would need to be protected in place. There are existing sidewalks and parkways along the site's frontages along Cota and Anacapa Streets. The Pedestrian Master Plan requires local streets with a right of way 60 feet or greater to have a six foot wide sidewalk, four foot parkway or furnishing zone, six inch curb, and one foot, six inch frontage zone. The project would be conditioned to comply with the Pedestrian Master Plan.

The new project would not require substantial additional transit facilities, bike lanes or pedestrian facilities. <u>Less than significant project impacts associated with pedestrian, bicycle, and public transit facilities</u>.

Access/Circulation/Safety Hazards: The California Highway System Roadway Classification Map classifies Cota Street as a two-lane "Major Collector" street, and Anacapa as a one-way two-lane "Other Principal Arterial" street. Both streets are fully improved along the project frontage.

The project is not anticipated to necessitate any changes to the existing roadway alignment and lane configurations. The property frontages have one driveway curb cut each and the proposed project would not have any additional curb cuts. The driveway aprons would need to be upgraded to meet current ADA standards and the Pedestrian Master Plan.

To be in compliance with the City's Traffic Management Strategy, the project would have to be evaluated to ensure there is appropriate connection to the transportation system, and could require improvements to the design or its interface with the public right-of-way, in order to ensure safe access and minimize a project's disruption to the traffic flow of adjacent streets.

The project would be required to meet emergency and fire access criteria.

Proposed project impacts associated with vehicular access, circulation and evacuation related to access to and from the police station would be *less than significant*.

#### References

Project description materials

California Environmental Quality Act (CEQA), State CEQA Guidelines, and City of Santa Barbara CEQA Guidelines

California Department of Toxic Substances Control Envirostor web site

California Water Resources Control Board GeoTracker web site

California Water Resources Control Board NPDES general permit

Charter of the City of Santa Barbara

City of Santa Barbara Climate Action Plan and Program EIR Addendum (2012)

City of Santa Barbara Bicycle Master Plan (2016)

City of Santa Barbara Erosion and Sediment Control Guidelines (2012)

City of Santa Barbara General Plan

City of Santa Barbara General Plan Program Environmental Impact Report (2011) and Addenda

City of Santa Barbara Long-Term Water Supply Plan (2012) and Urban Water Plans

City of Santa Barbara Master Environmental Assessment (MEA) Maps and Guidelines

City of Santa Barbara Municipal Code and Zoning Ordinance

City of Santa Barbara Needs Assessment Validation for New Santa Barbara Police Station (Cearnal, McClaren, 2018)

City of Santa Barbara Pedestrian Master Plan (2006)

City of Santa Barbara Planning Division/ City Historian, personal communication (N. Hernandez, 06-25-2019)

City of Santa Barbara Police Station Needs Assessment Study (Leach Mounce Architects, 2012)

City of Santa Barbara Storm Water Management Plan, Ordinance, and Guidelines

City of Santa Barbara Public Works Department, personal communication (P. Maldonado, August 2019)

FEMA, Flood Zone Information Maps (2019)

Santa Barbara County Ozone Plan (Clean Air Plan) (Santa Barbara County Air Pollution Control District, 2016)

Santa Barbara County Solid Waste Thresholds (2008, reprinted 2015)

Scope and Content of Air Quality Sections of Environmental Documents (Santa Barbara County Air Pollution Control District, 2017)

## **City Staff Preparers**

Community Development Department, Planning Division (B. Shelton, K. Kennedy)

Public Works Department, Engineering Division (S. Iza, B. Hess, A. Spryka, R. Rajbanshi, Consultant T. Hughes, MEC) Public Works Department, Transportation Division (R. Dayton, J. Grant, C. Swanson, K. Mamulski)

#### **Attachments**

- 1 Aerial Photograph Project Location and Concept Layout
- 2 Master Environmental Assessment Maps
- 3 Historic Resources Map
- 4 Soil Contamination Information
- 5 CalEEMod Air Emissions Calculations





200 Feet



Reported on 07/23/2019 02:56 PM

Parcel Number:

031-151-018

**Project Address:** Case Number:

**Project Description:** 

Visual

Visual Unique:

N/A

Visual Hillside:

N/A

Visual Shoreline:

N/A

Biological

Airport Habitats:

N/A

Airport Restoration Areas:

N/A

Coastal Zone Resources: Creek and Wetland Habitats: N/A N/A

Special Wildlife Areas:

N/A

Upland Habitats - Vegetation:

Key Riparian Bird Habitat Areas:

N/A

Sensitive Species\_Points:

N/A

**Environmental Hazards** 

High Fire Hazard Areas:

N/A

Tsunami Runup:

N/A

FEMA Flood 2018:

X

250' Freeway Setback:

N/A

Shoreline Hazards:

N/A

Archaeological

Prehistoric Sites And

Watercourses:

N/A

Mission Archaeological:

N/A

Spanish Colonial & Mexican

(1782-1849):

SPANISH ARCHEOLOGY

Hispanic Archaeological:

1850

American City Archaeological:

AMP

Early 20th Century Archaeological: 20TH

Noise

Noise:

<60 DBA LDN, **60-65 DBA LDN** 



Reported on 07/23/2019 02:56 PM

Geological

Geologic Units:

ALLUVIUM AND COLLUVIUM (HOLOCENE AND UPPER PLEISTOCENE), OLDER ALLUVIAL DEPOSITS (UPPER AND MIDDLE PLEISTOCENE)

Radon Potential:

N/A

Relative Landslide Potential Areas:

**VERY LOW** 

Slope Failures Area:

N/A

Slope Movement Classification:

N/A

Soil Types:

MILPITAS-POSITAS FINE SANDY LOAMS, 2 TO 9 PERCENT SLOPES

Fault Hazard Zones (200 Ft

buffer):

N/A

Liquefaction Potential:

HIGH,

MODERATE

Expansive Soils:

HIGH

Erosion Potential:

MODERATE

Shallow Groundwater:


POTENTIALLY SHALLOW



## **Vicinity Map**




Visual: Visual Unique






### Visual: Visual Hillside



Visual: Visual Shoreline




## **Biological: Airport Habitats**




**Biological: Airport Restoration Areas** 



## **Biological: Coastal Zone Resources**



**Biological: Creek And Wetland Habitats** 




This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 6 of 20



# **Biological: Special Wildlife Areas**



**Biological: Upland Habitats** 



## **Biological: Key Riparian Bird Habitats**



**Biological: Sensitive Species** 




This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 8 of 20


## **Environmental Hazards: High Fire Hazard**




## **Environmental Hazards: Tsunami Runup**




## **Environmental Hazards: Flood Zones 2018**



Environmental Hazards: 250' Freeway Setback



#### **Environmental Hazards: Shoreline Hazards**



Archaeological: Prehistoric Sites And Watercourses



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 11 of 20



## Archaeological: Archaeological: Mission Complex & Waterworks (1786-1835)



Archaeological: Spanish Colonial & Mexican (1782-1849)




## Archaeological: Hispanic-American Transition Period (1848-1870)







## Archaeological: American Period (1870-1900)





## Archaeological: Early 20th Century (1900-1925)







### Noise



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 14 of 20



## Geological: Geologic Units



Geological: Radon Potential



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 15 of 20

## Geological: Landslide Potential



Geological: Slope Failures [USGS (2006), Urban (2004)]



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 16 of 20

## **Geological: Slope Movement Classification**



Geological: Soil Types



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 17 of 20

## **Geological: Fault Hazard Zones**




**Geological: Liquefaction Potential** 




This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND

Page 18 of 20

#### Geological: Expansive Soils




Geological: Erosion Potential



This service has been provided to allow a visual display of City information. Every effort has been made to ensure the accuracy of the map and data. The City of Santa Barbara assumes no responsibility arising from the use of this information. THE MAPS AND ASSOCIATED DATA ARE PROVIDED WITHOUT A WARRANTY OF ANY KIND


Page 19 of 20


#### **Geological: Shallow Groundwater Potential**




#### **END OF REPORT**









#### Page 1 of 32

Date: 7/18/2019 2:47 PM

#### cota + Iouis Iowry - Santa Barbara County APCD Air District, Annual

#### cota

#### Santa Barbara County APCD Air District, Annual

#### 1.0 Project Characteristics

#### 1.1 Land Usage

| Land Uses                      | Size   | Metric   | Lot Acreage | Floor Surface Area | Population |
|--------------------------------|--------|----------|-------------|--------------------|------------|
| Government Office Building     | 70.85  | 1000sqft | 1.63        | 70,850.00          | 252        |
| Enclosed Parking with Elevator | 166.50 | 1000sqft | 3.82        | 166,500.00         | 0          |

#### 1.2 Other Project Characteristics

| Urbanization    | Urban                     | Wind Speed (m/s) | 2.9 | Precipitation Freq (Days) | 37   |
|-----------------|---------------------------|------------------|-----|---------------------------|------|
| Climate Zone    | 8                         |                  |     | Operational Year          | 2022 |
| Utility Company | Southern California Ediso | on               |     |                           |      |

CO2 Intensity 702.44 CH4 Intensity 0.029 N2O Intensity 0.006 (Ib/MWhr) (Ib/MWhr) 0.006

1.3 User Entered Comments & Non-Default Data

Page 2 of 32

Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

Project Characteristics -

Land Use - Number of employees

Off-road Equipment - defaults

Demolition -

Construction Phase - No demolition on site Assumed site prep: grading is 1:2 Assumed Building Construction:Paving:Arch Coating is 10:1:1

Grading - Assume 4.39 acres prepped and graded Assume grading + site prep adds upto 20,000

Trips and VMT - Changed demolition No. trips worker (/day) to zero

On-road Fugitive Dust - Zeroed out demolition

Vehicle Trips - Use default

Page 3 of 32

cota

## - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

| Table Name           | Column Name             | Default Value | New Value  |  |
|----------------------|-------------------------|---------------|------------|--|
| tblConstructionPhase | NumDays                 | 20.00         | 0.00       |  |
| tblConstructionPhase | NumDays                 | 10.00         | 28.00      |  |
| tblConstructionPhase | NumDays                 | 20.00         | 56.00      |  |
| tblConstructionPhase | NumDays                 | 230.00        | 420.00     |  |
| tblConstructionPhase | NumDays                 | 20.00         | 42.00      |  |
| tblConstructionPhase | NumDays                 | 20.00         | 42.00      |  |
| tblConstructionPhase | PhaseEndDate            | 1/28/2020     | 12/31/2019 |  |
| tblConstructionPhase | PhaseEndDate            | 2/11/2020     | 3/6/2020   |  |
| tblConstructionPhase | PhaseEndDate            | 3/10/2020     | 4/29/2020  |  |
| tblConstructionPhase | PhaseEndDate            | 1/26/2021     | 10/19/2021 |  |
| tblConstructionPhase | PhaseEndDate            | 2/23/2021     | 3/25/2021  |  |
| tblConstructionPhase | PhaseEndDate            | 3/23/2021     | 4/22/2021  |  |
| tblGrading           | AcresOfGrading          | 28.00         | 4.39       |  |
| tblGrading           | AcresOfGrading          | 0.00          | 4.39       |  |
| tblGrading           | MaterialExported        | 0.00          | 10,000.00  |  |
| tblGrading           | MaterialExported        | 0.00          | 10,000.00  |  |
| tblLandUse           | Population              | 0.00          | 252.00     |  |
| tbiOnRoadDust        | AverageVehicleWeight    | 2.40          | 0.00       |  |
| tblOnRoadDust        | HaulingPercentPave      | 100.00        | 0.00       |  |
| tblOnRoadDust        | MaterialMoistureContent | 0.50          | 0.00       |  |
| tblOnRoadDust        | Material Silt Content   | 8.50          | 0.00       |  |
| tblOnRoadDust        | MeanVehicleSpeed        | 40.00         | 0.00       |  |
| tblOnRoadDust        | RoadSiltLoading         | 0.10          | 0.00       |  |
| tblOnRoadDust        | VendorPercentPave       | 100.00        | 0.00       |  |
| tblOnRoadDust        | WorkerPercentPave       | 100.00        | 0.00       |  |
| tblTripsAndVMT       | WorkerTripNumber        | 15.00         | 0.00       |  |

CalEEMod Version: CalEEMod.2016.3.2 Page 4 of 32 Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

## 2.0 Emissions Summary

#### 2.1 Overall Construction

**Unmitigated Construction** 

|         | ROG    | NOx    | 00     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Year    |        |        |        |                 | ton              | slyr            |               |                   |                  |             |          |           | МТ        | Ŋτ     |        |         |
| 2020    | 0.4083 | 4.1565 | 3.0348 | 6.5500e-<br>003 | 0.5321           | 0.1890          | 0.7211        | 0.2611            | 0.1764           | 0.4374      | 0.0000   | 592.2257  | 592.2257  | 0.1148 | 0.0000 | 595.096 |
| 2021    | 1.1519 | 2.5540 | 2.4329 | 4.8500e-<br>003 | 0.0877           | 0.1175          | 0.2053        | 0.0239            | 0.1104           | 0.1342      | 0.0000   | 432.7541  | 432.7541  | 0.0808 | 0.0000 | 434.774 |
| Maximum | 1.1519 | 4.1565 | 3.0348 | 6.5500e-<br>003 | 0.5321           | 0.1890          | 0.7211        | 0.2611            | 0.1764           | 0.4374      | 0.0000   | 592.2257  | 592.2257  | 0.1148 | 0.0000 | 595.096 |

#### **Mitigated Construction**

|         | ROG    | NOx    | 00     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Year    |        |        |        | New York        | ton              | slyr            |               |                   |                  |             |          |           | МТ        | lyr    |        |         |
| 2020    | 0.4083 | 4.1565 | 3.0348 | 6.5500e-<br>003 | 0.5321           | 0.1889          | 0.7211        | 0.2611            | 0.1764           | 0.4374      | 0.0000   | 592.2252  | 592.2252  | 0.1148 | 0.0000 | 595.095 |
| 2021    | 1.1519 | 2.5540 | 2.4329 | 4.8500e-<br>003 | 0.0877           | 0.1175          | 0.2053        | 0.0239            | 0.1104           | 0.1342      | 0.0000   | 432.7538  | 432.7538  | 0.0808 | 0.0000 | 434.774 |
| Maximum | 1.1519 | 4.1565 | 3.0348 | 6.5500e-<br>003 | 0.5321           | 0.1889          | 0.7211        | 0.2611            | 0.1764           | 0.4374      | 0.0000   | 592.2252  | 592.2252  | 0.1148 | 0.0000 | 595.095 |

Page 5 of 32

cota - Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

|                      | ROG  | NOx  | co   | SO2  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4  | N20  | C02e |
|----------------------|------|------|------|------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------|-----------|------|------|------|
| Percent<br>Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00             | 0.00            | 0.00          | 0.00              | 0.00             | 0.00           | 0.00     | 0.00     | 0.00      | 0.00 | 0.00 | 0.00 |

| Quarter | Start Date | End Date   | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---------|------------|------------|--|--|
| 1       | 1-1-2020   | 3-31-2020  | 1.5799                                       | 1.5799                                     |
| 2       | 4-1-2020   | 6-30-2020  | 1.2086                                       | 1.2086                                     |
| 3       | 7-1-2020   | 9-30-2020  | 0.8625                                       | 0.8625                                     |
| 4       | 10-1-2020  | 12-31-2020 | 0.8646                                       | 0.8646                                     |
| 5       | 1-1-2021   | 3-31-2021  | 1.6258                                       | 1.6258                                     |
| 6       | 4-1-2021   | 6-30-2021  | 1.1185                                       | 1.1185                                     |
| 7       | 7-1-2021   | 9-30-2021  | 0.7837                                       | 0.7837                                     |
|         |            | Highest    | 1.6258                                       | 1.6258                                     |

Page 6 of 32

Date: 7/18/2019 2:47 PM

cota

#### Santa Barbara County APCD Air District, Annual

## 2.2 Overall Operational Unmitigated Operational

|          | ROG             | NOx             | CO              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20             | CO2e           |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|-----------------|----------------|
| Category |                 |                 |                 |                 | tor              | ns/yr           |                 |                   |                  |                 |          |                 | МТ              | lyr             |                 |                |
| Area     | 0.3756          | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000          |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000          | 4.5200e<br>003 |
| Energy   | 3.4900e-<br>003 | 0.0317          | 0.0267          | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 661.2473        | 661.2473        | 0.0265          | 5.9900e-<br>003 | 663.694        |
| Mobile   | 0.9363          | 3.1574          | 8.2660          | 0.0189          | 1.6725           | 0.0194          | 1.6919          | 0.4492            | 0.0182           | 0.4674          | 0.0000   | 1,734.922<br>8  | 1,734.922<br>8  | 0.0960          | 0.0000          | 1,737.32       |
| Waste    | :               |                 |                 |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 13.6829  | 0.0000          | 13.6829         | 0.6785          | 0.0000          | 30.6453        |
| Water    | :               |                 |                 |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 4.9798   | 33.8864         | 38.8662         | 0.0185          | 0.0111          | 42.6431        |
| Total    | 1.3153          | 3.1892          | 8.2949          | 0.0190          | 1.6725           | 0.0218          | 1.6943          | 0.4492            | 0.0206           | 0.4698          | 18.6627  | 2,430.060       | 2,448.723<br>5  | 0.8196          | 0.0171          | 2,474.31       |

Page 7 of 32

Date: 7/18/2019 2:47 PM

cota -

Santa Barbara County APCD Air District, Annual

# 2.2 Overall Operational

#### Mitigated Operational

|          | ROG             | NOx             | co              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20             | CO2e            |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Category |                 |                 | Zing.           |                 | tor              | ns/yr           |                 |                   |                  |                 |          |                 | МТ              | /yr             |                 |                 |
| Area     | 0.3756          | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000          |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000          | 4.5200e-<br>003 |
| Energy   | 3.4900e-<br>003 | 0.0317          | 0.0267          | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 661.2473        | 661.2473        | 0.0265          | 5.9900e-<br>003 | 663.6947        |
| Mobile   | 0.9363          | 3.1574          | 8.2660          | 0.0189          | 1.6725           | 0.0194          | 1.6919          | 0.4492            | 0.0182           | 0.4674          | 0.0000   | 1,734.922<br>8  | 1,734.922<br>8  | 0.0960          | 0.0000          | 1,737.32        |
| Waste    | :               |                 |                 |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 13.6829  | 0.0000          | 13.6829         | 0.6785          | 0.0000          | 30.6453         |
| Water    | :               |                 |                 |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 4.9798   | 33.8864         | 38.8662         | 0.0185          | 0.0111          | 42.6431         |
| Total    | 1.3153          | 3.1892          | 8.2949          | 0.0190          | 1.6725           | 0.0218          | 1.6943          | 0.4492            | 0.0206           | 0.4698          | 18.6627  | 2,430.060       | 2,448.723<br>5  | 0.8196          | 0.0171          | 2,474.31        |

|                      | ROG  | NOx  | co   | S02  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4  | N20  | C02e |
|----------------------|------|------|------|------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------|-----------|------|------|------|
| Percent<br>Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00             | 0.00            | 0.00          | 0.00              | 0.00             | 0.00           | 0.00     | 0.00     | 0.00      | 0.00 | 0.00 | 0.00 |

## 3.0 Construction Detail

Construction Phase

Page 8 of 32

cota

- Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

| Phase<br>Number | Phase Name            | Phase Type            | Start Date | End Date   | Num Days<br>Week | Num Days | Phase Description |
|-----------------|-----------------------|-----------------------|------------|------------|------------------|----------|-------------------|
| 1               | Demolition            | Demolition            | 1/1/2020   | 12/31/2019 | 5                | 0        |                   |
| 2               | Site Preparation      | Site Preparation      | 1/29/2020  | 3/6/2020   | 5                | 28       |                   |
| 3               | Grading               | Grading               | 2/12/2020  | 4/29/2020  | 5                | 56       |                   |
| 4               | Building Construction | Building Construction | 3/11/2020  | 10/19/2021 | 5                | 420      |                   |
| 5               | Paving                | Paving                | 1/27/2021  | 3/25/2021  | 5                | 42       |                   |
| 6               | Architectural Coating | Architectural Coating | 2/24/2021  | 4/22/2021  | 5                | 42:      |                   |

Acres of Grading (Site Preparation Phase): 4.39

Acres of Grading (Grading Phase): 4.39

Acres of Paving: 3.82

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 106,275; Non-Residential Outdoor: 35,425; Striped Parking Area: 9,990 (Architectural Coating – sqft)

OffRoad Equipment

Page 9 of 32

Date: 7/18/2019 2:47 PM

- Santa Barbara County APCD Air District, Annual

| Phase Name            | Offroad Equipment Type    | Amount | Usage Hours | Horse Power | Load Factor |
|-----------------------|---------------------------|--------|-------------|-------------|-------------|
| Demolition            | Concrete/Industrial Saws  | 1      | 8.00        | 81          | 0.73        |
| Demolition            | Excavators                | 3      | 8.00        | 158         | 0.38        |
| Demolition            | Rubber Tired Dozers       | 2      | 8.00        | 247         | 0.40        |
| Site Preparation      | Rubber Tired Dozers       | 3      | 8.00        | 247         | 0.40        |
| Site Preparation      | Tractors/Loaders/Backhoes | 4      | 8.00        | 97          | 0.37        |
| Grading               | Excavators                | 1      | 8.00        | 158         | 0.38        |
| Grading               | Graders                   | 1      | 8.00        | 187         | 0.41        |
| Grading               | Rubber Tired Dozers       | 1      | 8.00        | 247         | 0.40        |
| Grading               | Tractors/Loaders/Backhoes | 3      | 8.00        | 97          | 0.37        |
| Building Construction | Cranes                    | 1      | 7.00        | 231         | 0.29        |
| Building Construction | Forklifts                 | 3      | 8.00        | 89          | 0.20        |
| Building Construction | Generator Sets            | 1      | 8.00        | 84          | 0.74        |
| Building Construction | Tractors/Loaders/Backhoes | 3      | 7.00        | 97          | 0.37        |
| Building Construction | Welders                   | 1      | 8.00        | 46          | 0.45        |
| Paving                | Pavers                    | 2      | 8.00        | 130         | 0.42        |
| Paving                | Paving Equipment          | 2      | 8.00        | 132         | 0.36        |
| Paving                | Rollers                   | 2      | 8.00        | 80          | 0.38        |
| Architectural Coating | Air Compressors           | 1      | 6.00        | 78          | 0.48        |

cota

Trips and VMT

CalEEMod Version: CalEEMod.2016.3.2 Page 10 of 32 Date: 7/18/2019 2:47 PM

cota : - Santa Barbara County APCD Air District, Annual

| Phase Name            | Offroad Equipment<br>Count | Worker Trip<br>Number | Vendor Trip<br>Number | Hauling Trip<br>Number | Worker Trip<br>Length | Vendor Trip<br>Length | Hauling Trip<br>Length | Worker Vehicle<br>Class | Vendor<br>Vehicle Class | Hauling<br>Vehicle Class |
|-----------------------|----------------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------------|
| Demolition            | 6                          | 0.00                  | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Site Preparation      | 7                          | 18.00                 | 0.00                  | 989.00                 | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Grading               | 6                          | 15.00                 | 0.00                  | 989.00                 | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Building Construction | 9                          | 93.00                 | 39.00                 | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Paving                | 6                          | 15.00                 | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Architectural Coating | 1                          | 19.00                 | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |

## 3.1 Mitigation Measures Construction

## 3.3 Site Preparation - 2020

**Unmitigated Construction On-Site** 

|               | ROG    | NOx    | 00     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | islyr           |               |                   |                  |             |          |           | МТ        | lyr    |        |         |
| Fugitive Dust |        |        |        |                 | 0.2553           | 0.0000          | 0.2553        | 0.1393            | 0.0000           | 0.1393      | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0571 | 0.5938 | 0.3012 | 5.3000e-<br>004 |                  | 0.0308          | 0.0308        | <del> </del>      | 0.0283           | 0.0283      | 0.0000   | 46.8030   | 46.8030   | 0.0151 | 0.0000 | 47.1814 |
| Total         | 0.0571 | 0.5938 | 0.3012 | 5.3000e-<br>004 | 0.2553           | 0.0308          | 0.2860        | 0.1393            | 0.0283           | 0.1676      | 0.0000   | 46.8030   | 46.8030   | 0.0151 | 0.0000 | 47.1814 |

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 32 Date: 7/18/2019 2:47 PM

cota

#### - Santa Barbara County APCD Air District, Annual

## 3.3 Site Preparation - 2020 Unmitigated Construction Off-Site

|          | ROG             | NOx             | со              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | ton              | is/yr           |                 |                   |                  |                 |          |           | МТ        | lyr             |        |         |
| Hauling  | 4.0600e-<br>003 | 0.1514          | 0.0441          | 3.8000e-<br>004 | 8.4300e-<br>003  | 6.1000e-<br>004 | 9.0400e-<br>003 | 2.3100e-<br>003   | 5.9000e-<br>004  | 2.9000e-<br>003 | 0.0000   | 38.7040   | 38.7040   | 3.5500e-<br>003 | 0.0000 | 38.7928 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 8.1000e-<br>004 | 6.8000e-<br>004 | 5.9800e-<br>003 | 1.0000e-<br>005 | 1.5600e-<br>003  | 1.0000e-<br>005 | 1.5700e-<br>003 | 4.1000e-<br>004   | 1.0000e-<br>005  | 4.2000e-<br>004 | 0.0000   | 1.2712    | 1.2712    | 4.0000e-<br>005 | 0.0000 | 1.2723  |
| Total    | 4.8700e-<br>003 | 0.1520          | 0.0500          | 3.9000e-<br>004 | 9.9900e-<br>003  | 6.2000e-<br>004 | 0.0106          | 2.7200e-<br>003   | 6.0000e-<br>004  | 3.3200e-<br>003 | 0.0000   | 39.9752   | 39.9752   | 3.5900e-<br>003 | 0.0000 | 40.0651 |

#### Mitigated Construction On-Site

|               | ROG    | NOx    | 00     | 802             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | slyr            |               |                   |                  |             |          |           | MT        | Ìγτ    |        |         |
| Fugitive Dust |        |        |        |                 | 0.2553           | 0.0000          | 0.2553        | 0.1393            | 0.0000           | 0.1393      | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0571 | 0.5938 | 0.3012 | 5.3000e-<br>004 |                  | 0.0308          | 0.0308        | <u> </u>          | 0.0283           | 0.0283      | 0.0000   | 46.8029   | 46.8029   | 0.0151 | 0.0000 | 47.1813 |
| Total         | 0.0571 | 0.5938 | 0.3012 | 5.3000e-<br>004 | 0.2553           | 0.0308          | 0.2860        | 0.1393            | 0.0283           | 0.1676      | 0.0000   | 46.8029   | 46.8029   | 0.0151 | 0.0000 | 47.1813 |

Page 12 of 32

Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

## 3.3 Site Preparation - 2020 Mitigated Construction Off-Site

|          | ROG             | NOx             | co              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2 5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | tor              | is/yr           |                 |                   |                  |                 |          |           | МТ        | Тут             |        |         |
| Hauling  | 4.0600e-<br>003 | 0.1514          | 0.0441          | 3.8000e-<br>004 | 8.4300e-<br>003  | 6.1000e-<br>004 | 9.0400e-<br>003 | 2.3100e-<br>003   | 5.9000e-<br>004  | 2.9000e-<br>003 | 0.0000   | 38.7040   | 38.7040   | 3.5500e-<br>003 | 0.0000 | 38.7928 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 8.1000e-<br>004 | 6.8000e-<br>004 | 5.9800e-<br>003 | 1.0000e-<br>005 | 1.5600e-<br>003  | 1.0000e-<br>005 | 1.5700e-<br>003 | 4.1000e-<br>004   | 1.0000e-<br>005  | 4.2000e-<br>004 | 0.0000   | 1.2712    | 1.2712    | 4.0000e-<br>005 | 0.0000 | 1.2723  |
| Total    | 4.8700e-<br>003 | 0.1520          | 0.0500          | 3.9000e-<br>004 | 9.9900e-<br>003  | 6.2000e-<br>004 | 0.0106          | 2.7200e-<br>003   | 6.0000e-<br>004  | 3.3200e-<br>003 | 0.0000   | 39.9752   | 39.9752   | 3.5900e-<br>003 | 0.0000 | 40.0651 |

## 3.4 Grading - 2020

**Unmitigated Construction On-Site** 

|               | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | slyr            |               |                   | Les Ville        |             |          |           | МТ        | /уг    |        |         |
| Fugitive Dust |        |        |        |                 | 0.1710           | 0.0000          | 0.1710        | 0.0929            | 0.0000           | 0.0929      | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0680 | 0.7388 | 0.4495 | 8.3000e-<br>004 |                  | 0.0357          | 0.0357        | <del>:</del>      | 0.0328           | 0.0328      | 0.0000   | 72.9645   | 72.9645   | 0.0236 | 0.0000 | 73.5545 |
| Total         | 0.0680 | 0.7388 | 0.4495 | 8.3000e-<br>004 | 0.1710           | 0.0357          | 0.2066        | 0.0929            | 0.0328           | 0.1257      | 0.0000   | 72.9645   | 72.9645   | 0.0236 | 0.0000 | 73.5545 |

CalEEMod Version: CalEEMod.2016.3.2 Page 13 of 32 Date: 7/18/2019 2:47 PM

cota - Santa Barbara County APCD Air District, Annual

3.4 Grading - 2020 Unmitigated Construction Off-Site

|          | ROG             | NOx             | co              | 802             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e   |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |                 |                 | tor              | is/yr           |                 |                   |                  |                 |          |           | МТ        | lyr             |        |        |
| Hauling  | 4.0600e-<br>003 | 0.1514          | 0.0441          | 3.8000e-<br>004 | 8.4300e-<br>003  | 6.1000e-<br>004 | 9.0400e-<br>003 | 2.3100e-<br>003   | 5.9000e-<br>004  | 2.9000e-<br>003 | 0.0000   | 38.7040   | 38.7040   | 3.5500e-<br>003 | 0.0000 | 38.792 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 1.3500e-<br>003 | 1.1400e-<br>003 | 9.9700e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6100e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1186    | 2.1186    | 7.0000e-<br>005 | 0.0000 | 2.120  |
| Total    | 5.4100e-<br>003 | 0.1525          | 0.0540          | 4.0000e-<br>004 | 0.0110           | 6.3000e-<br>004 | 0.0117          | 3.0000e-<br>003   | 6.1000e-<br>004  | 3.6000e-<br>003 | 0.0000   | 40.8227   | 40.8227   | 3.6200e-<br>003 | 0.0000 | 40.913 |

#### Mitigated Construction On-Site

|               | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|---------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category      |        |        |        |                 | ton              | is/yr           |               |                   |                  |             |          |           | МТ        | Ууг    |        |         |
| Fugitive Dust |        |        |        |                 | 0.1710           | 0.0000          | 0.1710        | 0.0929            | 0.0000           | 0.0929      | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Off-Road      | 0.0680 | 0.7388 | 0.4495 | 8.3000e-<br>004 |                  | 0.0357          | 0.0357        |                   | 0.0328           | 0.0328      | 0.0000   | 72.9644   | 72.9644   | 0.0236 | 0.0000 | 73.554  |
| Total         | 0.0680 | 0.7388 | 0.4495 | 8.3000e-<br>004 | 0.1710           | 0.0357          | 0.2066        | 0.0929            | 0.0328           | 0.1257      | 0.0000   | 72.9644   | 72.9644   | 0.0236 | 0.0000 | 73.5544 |

Page 14 of 32

Date: 7/18/2019 2:47 PM

cota

Santa Barbara County APCD Air District, Annual

3.4 Grading - 2020 Mitigated Construction Off-Site

|          | ROG             | NOx             | со              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e    |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|---------|
| Category |                 |                 |                 |                 | tor              | is/yr           |                 |                   |                  |                 |          |           | МТ        | Луг             |        |         |
| Hauling  | 4.0600e-<br>003 | 0.1514          | 0.0441          | 3.8000e-<br>004 | 8.4300e-<br>003  | 6.1000e-<br>004 | 9.0400e-<br>003 | 2.3100e-<br>003   | 5.9000e-<br>004  | 2.9000e-<br>003 | 0.0000   | 38.7040   | 38.7040   | 3.5500e-<br>003 | 0.0000 | 38.7928 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000  |
| Worker   | 1.3500e-<br>003 | 1.1400e-<br>003 | 9.9700e-<br>003 | 2.0000e-<br>005 | 2.5900e-<br>003  | 2.0000e-<br>005 | 2.6100e-<br>003 | 6.9000e-<br>004   | 2.0000e-<br>005  | 7.0000e-<br>004 | 0.0000   | 2.1186    | 2.1186    | 7.0000e-<br>005 | 0.0000 | 2.1205  |
| Total    | 5.4100e-<br>003 | 0.1525          | 0.0540          | 4.0000e-<br>004 | 0.0110           | 6.3000e-<br>004 | 0.0117          | 3.0000e-<br>003   | 6.1000e-<br>004  | 3.6000e-<br>003 | 0.0000   | 40.8227   | 40.8227   | 3.6200e-<br>003 | 0.0000 | 40.9133 |

## 3.5 Building Construction - 2020

**Unmitigated Construction On-Site** 

|          | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |             |          |           | MT        | /уг    |        |         |
| Off-Road | 0.2247 | 2.0337 | 1.7859 | 2.8500e-<br>003 |                  | 0.1184          | 0.1184        |                   | 0.1113           | 0.1113      | 0.0000   | 245.5066  | 245.5066  | 0.0599 | 0.0000 | 247.004 |
| Total    | 0.2247 | 2.0337 | 1.7859 | 2.8500e-<br>003 |                  | 0.1184          | 0.1184        | İ                 | 0.1113           | 0.1113      | 0.0000   | 245.5066  | 245.5066  | 0.0599 | 0.0000 | 247.004 |

Page 15 of 32

Date: 7/18/2019 2:47 PM

cota

#### - Santa Barbara County APCD Air District, Annual

## 3.5 Building Construction - 2020 Unmitigated Construction Off-Site

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | tor              | ns/yr           |               |                   |                  |                 |          |           | МТ        | lyr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0166 | 0.4588 | 0.1602 | 9.8000e-<br>004 | 0.0240           | 2.4700e-<br>003 | 0.0265        | 6.9400e-<br>003   | 2.3600e-<br>003  | 9.3000e-<br>003 | 0.0000   | 96.4263   | 96.4263   | 7.2800e-<br>003 | 0.0000 | 96.6084  |
| Worker   | 0.0317 | 0.0267 | 0.2339 | 5.5000e-<br>004 | 0.0609           | 4.0000e-<br>004 | 0.0613        | 0.0162            | 3.7000e-<br>004  | 0.0166          | 0.0000   | 49.7275   | 49.7275   | 1.7000e-<br>003 | 0.0000 | 49.7699  |
| Total    | 0.0483 | 0.4856 | 0.3941 | 1.5300e-<br>003 | 0.0849           | 2.8700e-<br>003 | 0.0878        | 0.0231            | 2.7300e-<br>003  | 0.0259          | 0.0000   | 146.1538  | 146.1538  | 8.9800e-<br>003 | 0.0000 | 146.3782 |

#### Mitigated Construction On-Site

|          | ROG    | NOx    | 00     | 902             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category |        |        |        |                 | ton              | rs/yr           |               |                   |                  |             |          |           | МТ        | /yr    |        |         |
| Off-Road | 0.2247 | 2.0337 | 1.7859 | 2.8500e-<br>003 |                  | 0.1184          | 0.1184        |                   | 0.1113           | 0.1113      | 0.0000   | 245.5063  | 245.5063  | 0.0599 | 0.0000 | 247.003 |
| Total    | 0.2247 | 2.0337 | 1.7859 | 2.8500e-<br>003 |                  | 0.1184          | 0.1184        |                   | 0.1113           | 0.1113      | 0.0000   | 245.5063  | 245.5063  | 0.0599 | 0.0000 | 247.003 |

Page 16 of 32

Date: 7/18/2019 2:47 PM

cota

#### - Santa Barbara County APCD Air District, Annual

## 3.5 Building Construction - 2020 Mitigated Construction Off-Site

|          | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | tor              | ns/yr           |               |                   |                  |                 |          |           | МТ        | Уут             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0166 | 0.4588 | 0.1602 | 9.8000e-<br>004 | 0.0240           | 2.4700e-<br>003 | 0.0265        | 6.9400e-<br>003   | 2.3600e-<br>003  | 9.3000e-<br>003 | 0.0000   | 96.4263   | 96.4263   | 7.2800e-<br>003 | 0.0000 | 96.6084  |
| Worker   | 0.0317 | 0.0267 | 0.2339 | 5.5000e-<br>004 | 0.0609           | 4,0000e-<br>004 | 0.0613        | 0.0162            | 3.7000e-<br>004  | 0.0166          | 0.0000   | 49.7275   | 49.7275   | 1.7000e-<br>003 | 0.0000 | 49.7699  |
| Total    | 0.0483 | 0.4856 | 0.3941 | 1.5300e-<br>003 | 0.0849           | 2.8700e-<br>003 | 0.0878        | 0.0231            | 2.7300e-<br>003  | 0.0259          | 0.0000   | 146.1538  | 146.1538  | 8.9800e-<br>003 | 0.0000 | 146.3782 |

#### 3.5 Building Construction - 2021

**Unmitigated Construction On-Site** 

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|---------|
| Category |        |        |        |                 | ton              | slyr            |               |                   |                  |             |          |           | MT        | /yr    |        |         |
| Off-Road | 0.1977 | 1.8129 | 1.7238 | 2.8000e-<br>003 |                  | 0.0997          | 0.0997        |                   | 0.0937           | 0.0937      | 0.0000   | 240.9028  | 240.9028  | 0.0581 | 0.0000 | 242.355 |
| Total    | 0.1977 | 1.8129 | 1.7238 | 2.8000e-<br>003 |                  | 0.0997          | 0.0997        | i                 | 0.0937           | 0.0937      | 0.0000   | 240.9028  | 240.9028  | 0.0581 | 0.0000 | 242.355 |

Page 17 of 32

Date: 7/18/2019 2:47 PM

cota

, - Santa Barbara County APCD Air District, Annual

## 3.5 Building Construction - 2021 Unmitigated Construction Off-Site

|          | ROG    | NOx    | СО     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | tor              | ns/yr           |               | D. W.             |                  |                 |          |           | МТ        | /yr             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0135 | 0.4126 | 0.1401 | 9.5000e-<br>004 | 0.0236           | 1.2200e-<br>003 | 0.0248        | 6.8000e-<br>003   | 1.1700e-<br>003  | 7.9800e-<br>003 | 0.0000   | 93.8285   | 93.8285   | 7.1400e-<br>003 | 0.0000 | 94.0070  |
| Worker   | 0.0288 | 0.0234 | 0.2077 | 5.2000e-<br>004 | 0.0597           | 3.8000e-<br>004 | 0.0601        | 0.0159            | 3.5000e-<br>004  | 0.0162          | 0.0000   | 47.1324   | 47.1324   | 1.4700e-<br>003 | 0.0000 | 47.1692  |
| Total    | 0.0423 | 0.4360 | 0.3478 | 1.4700e-<br>003 | 0.0833           | 1.6000e-<br>003 | 0.0849        | 0.0227            | 1.5200e-<br>003  | 0.0242          | 0.0000   | 140.9608  | 140.9608  | 8.6100e-<br>003 | 0.0000 | 141.1762 |

## Mitigated Construction On-Site

|          | ROG    | NOx    | 00     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|---------|-----------|-----------|--------|--------|----------|
| Category |        |        |        |                 | ton              | s/yr            |               |                   |                  |             |         |           | МТ        | Тут    |        |          |
| Off-Road | 0.1977 | 1.8129 | 1.7238 | 2.8000e-<br>003 |                  | 0.0997          | 0.0997        |                   | 0.0937           | 0.0937      | 0.0000  | 240.9025  | 240.9025  | 0.0581 | 0.0000 | 242.3555 |
| Total    | 0.1977 | 1.8129 | 1.7238 | 2.8000e-<br>003 |                  | 0.0997          | 0.0997        |                   | 0.0937           | 0.0937      | 0.0000  | 240.9025  | 240.9025  | 0.0581 | 0.0000 | 242.355  |

CalEEMod Version: CalEEMod.2016.3.2 Page 18 of 32 Date: 7/18/2019 2:47 PM

cota

#### - Santa Barbara County APCD Air District, Annual

## 3.5 Building Construction - 2021 Mitigated Construction Off-Site

|          | ROG    | NOx    | со     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|----------|
| Category |        |        |        |                 | tor              | ns/yr           |               |                   |                  |                 |          |           | МТ        | Тут             |        |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000   |
| Vendor   | 0.0135 | 0.4126 | 0.1401 | 9.5000e-<br>004 | 0.0236           | 1.2200e-<br>003 | 0.0248        | 6.8000e-<br>003   | 1.1700e-<br>003  | 7.9800e-<br>003 | 0.0000   | 93.8285   | 93.8285   | 7.1400e-<br>003 | 0.0000 | 94.0070  |
| Worker   | 0.0288 | 0.0234 | 0.2077 | 5.2000e-<br>004 | 0.0597           | 3.8000e-<br>004 | 0.0601        | 0.0159            | 3.5000e-<br>004  | 0.0162          | 0.0000   | 47.1324   | 47.1324   | 1.4700e-<br>003 | 0.0000 | 47.1692  |
| Total    | 0.0423 | 0.4360 | 0.3478 | 1.4700e-<br>003 | 0.0833           | 1.6000e-<br>003 | 0.0849        | 0.0227            | 1.5200e-<br>003  | 0.0242          | 0.0000   | 140.9608  | 140.9608  | 8.6100e-<br>003 | 0.0000 | 141.1762 |

## 3.6 Paving - 2021

**Unmitigated Construction On-Site** 

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4    | N20    | CO2e   |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------|-----------|--------|--------|--------|
| Category |        |        |        |                 | ton              | is/yr           |               |                   |                  |             |          |          | МТ        | ут     |        |        |
| Off-Road | 0.0264 | 0.2713 | 0.3077 | 4.8000e-<br>004 |                  | 0.0142          | 0.0142        |                   | 0.0131           | 0.0131      | 0.0000   | 42.0493  | 42.0493   | 0.0136 | 0.0000 | 42.389 |
| Paving   | 0.0000 |        |        | <del></del>     |                  | 0.0000          | 0.0000        | <del></del>       | 0.0000           | 0.0000      | 0.0000   | 0.0000   | 0.0000    | 0.0000 | 0.0000 | 0.000  |
| Total    | 0.0264 | 0.2713 | 0.3077 | 4.8000e-<br>004 | İ                | 0.0142          | 0.0142        | İ                 | 0.0131           | 0.0131      | 0.0000   | 42.0493  | 42.0493   | 0.0136 | 0.0000 | 42.389 |

Page 19 of 32

Date: 7/18/2019 2:47 PM

cota

· Santa Barbara County APCD Air District, Annual

3.6 Paving - 2021 Unmitigated Construction Off-Site

|          | ROG             | NOx             | co              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e   |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |                 |                 | ton              | slyr            |                 |                   |                  |                 |          |           | МТ        | lyr             |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 9.4000e-<br>004 | 7.6000e-<br>004 | 6.7600e-<br>003 | 2.0000e-<br>005 | 1.9500e-<br>003  | 1.0000e-<br>005 | 1.9600e-<br>003 | 5.2000e-<br>004   | 1.0000e-<br>005  | 5.3000e-<br>004 | 0.0000   | 1.5350    | 1.5350    | 5.0000e-<br>005 | 0.0000 | 1.5362 |
| Total    | 9.4000e-<br>004 | 7.6000e-<br>004 | 6.7600e-<br>003 | 2.0000e-<br>005 | 1.9500e-<br>003  | 1.0000e-<br>005 | 1.9600e-<br>003 | 5.2000e-<br>004   | 1.0000e-<br>005  | 5.3000e-<br>004 | 0.0000   | 1.5350    | 1.5350    | 5.0000e-<br>005 | 0.0000 | 1.5362 |

#### Mitigated Construction On-Site

|          | ROG    | NOx    | 00     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5                                | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e   |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|--|------------------|-------------|----------|-----------|-----------|--------|--------|--------|
| Category |        |        |        |                 | ton              | s/yr            |               |  |                  |             |          |           | МТ        | /yr    |        |        |
| Off-Road | 0.0264 | 0.2713 | 0.3077 | 4.8000e-<br>004 |                  | 0.0142          | 0.0142        |  | 0.0131           | 0.0131      | 0.0000   | 42.0493   | 42.0493   | 0.0136 | 0.0000 | 42.389 |
| Paving   | 0.0000 |        | -      |                 |                  | 0.0000          | 0.0000        | <del>                                     </del> | 0.0000           | 0.0000      | 0.0000   | 0.0000    | 0.0000    | 0.0000 | 0.0000 | 0.000  |
| Total    | 0.0264 | 0.2713 | 0.3077 | 4.8000e-<br>004 |                  | 0.0142          | 0.0142        | İ  | 0.0131           | 0.0131      | 0.0000   | 42.0493   | 42.0493   | 0.0136 | 0.0000 | 42.385 |

Page 20 of 32

Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

3.6 Paving - 2021 Mitigated Construction Off-Site

|          | ROG             | NOx             | co              | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | C02e   |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category |                 |                 |                 |                 | ton              | slyr            | , William       |                   |                  |                 |          |           | МТ        | lyr             |        |        |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Worker   | 9.4000e-<br>004 | 7.6000e-<br>004 | 6.7600e-<br>003 | 2.0000e-<br>005 | 1.9500e-<br>003  | 1.0000e-<br>005 | 1.9600e-<br>003 | 5.2000e-<br>004   | 1.0000e-<br>005  | 5.3000e-<br>004 | 0.0000   | 1.5350    | 1.5350    | 5.0000e-<br>005 | 0.0000 | 1.5362 |
| Total    | 9.4000e-<br>004 | 7.6000e-<br>004 | 6.7600e-<br>003 | 2.0000e-<br>005 | 1.9500e-<br>003  | 1.0000e-<br>005 | 1.9600e-<br>003 | 5.2000e-<br>004   | 1.0000e-<br>005  | 5.3000e-<br>004 | 0.0000   | 1.5350    | 1.5350    | 5.0000e-<br>005 | 0.0000 | 1.5362 |

## 3.7 Architectural Coating - 2021

**Unmitigated Construction On-Site** 

|                 | ROG             | NOx    | co     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e   |
|-----------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category        |                 |        |        |                 | ton              | is/yr           |                 |                   |                  |                 |          |           | МТ        | Тут             |        |        |
| Archit. Coating | 0.8789          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Off-Road        | 4.6000e-<br>003 | 0.0321 | 0.0382 | 6.0000e-<br>005 |                  | 1.9800e-<br>003 | 1,9800e-<br>003 |                   | 1.9800e-<br>003  | 1.9800e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.7000e-<br>004 | 0.0000 | 5.3710 |
| Total           | 0.8835          | 0.0321 | 0.0382 | 6.0000e-<br>005 |                  | 1.9800e-<br>003 | 1.9800e-<br>003 |                   | 1.9800e-<br>003  | 1.9800e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.7000e-<br>004 | 0.0000 | 5.3710 |

CalEEMod Version: CalEEMod.2016.3.2 Page 21 of 32 Date: 7/18/2019 2:47 PM

cota

, Santa Barbara County APCD Air District, Annual

# 3.7 Architectural Coating - 2021 <u>Unmitigated Construction Off-Site</u>

|          | ROG             | NOx             | 00              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e  |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|-------|
| Category |                 |                 |                 |                 | ton              | s/yr            |                 |                   |                  |                 |          |           | МТ        | /yr             |        |       |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.000 |
| Worker   | 1.1900e-<br>003 | 9.6000e-<br>004 | 8.5700e-<br>003 | 2.0000e-<br>005 | 2.4600e-<br>003  | 2.0000e-<br>005 | 2.4800e-<br>003 | 6.5000e-<br>004   | 1.0000e-<br>005  | 6.7000e-<br>004 | 0.0000   | 1.9444    | 1.9444    | 6.0000e-<br>005 | 0.0000 | 1.945 |
| Total    | 1.1900e-<br>003 | 9.6000e-<br>004 | 8.5700e-<br>003 | 2.0000e-<br>005 | 2.4600e-<br>003  | 2.0000e-<br>005 | 2.4800e-<br>003 | 6.5000e-<br>004   | 1.0000e-<br>005  | 6.7000e-<br>004 | 0.0000   | 1.9444    | 1.9444    | 6.0000e-<br>005 | 0.0000 | 1.945 |

## Mitigated Construction On-Site

|                 | ROG             | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total  | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e   |
|-----------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|--------|
| Category        |                 |        |        |                 | tor              | ns/yr           |                 |                   |                  |                 |          |           | МТ        | /yr             |        |        |
| Archit. Coating | 0.8789          |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.0000 |
| Off-Road        | 4.6000e-<br>003 | 0.0321 | 0.0382 | 6.0000e-<br>005 |                  | 1.9800e-<br>003 | 1.9800e-<br>003 |                   | 1.9800e-<br>003  | 1.9800e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.7000e-<br>004 | 0.0000 | 5.371  |
| Total           | 0.8835          | 0.0321 | 0.0382 | 6.0000e-<br>005 |                  | 1.9800e-<br>003 | 1.9800e-<br>003 |                   | 1.9800e-<br>003  | 1.9800e-<br>003 | 0.0000   | 5.3618    | 5.3618    | 3.7000e-<br>004 | 0.0000 | 5.371  |

Page 22 of 32

Date: 7/18/2019 2:47 PM

cota

Santa Barbara County APCD Air District, Annual

## 3.7 Architectural Coating - 2021 Mitigated Construction Off-Site

|          | ROG             | NOx             | co              | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20    | CO2e  |
|----------|-----------------|-----------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|--------|-------|
| Category |                 |                 |                 |                 | tor              | 1s/yr           |                 | 10,16             |                  |                 |          |           | МТ        | /уг             |        |       |
| Hauling  | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.000 |
| Vendor   | 0.0000          | 0.0000          | 0.0000          | 0.0000          | 0.0000           | 0.0000          | 0.0000          | 0.0000            | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000 | 0.000 |
| Worker   | 1.1900e-<br>003 | 9.6000e-<br>004 | 8.5700e-<br>003 | 2.0000e-<br>005 | 2.4600e-<br>003  | 2.0000e-<br>005 | 2.4800e-<br>003 | 6.5000e-<br>004   | 1.0000e-<br>005  | 6.7000e-<br>004 | 0.0000   | 1.9444    | 1.9444    | 6.0000e-<br>005 | 0.0000 | 1.945 |
| Total    | 1.1900e-<br>003 | 9.6000e-<br>004 | 8.5700e-<br>003 | 2.0000e-<br>005 | 2.4600e-<br>003  | 2.0000e-<br>005 | 2.4800e-<br>003 | 6.5000e-<br>004   | 1.0000e-<br>005  | 6.7000e-<br>004 | 0.0000   | 1.9444    | 1.9444    | 6.0000e-<br>005 | 0.0000 | 1.945 |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

Page 23 of 32

Date: 7/18/2019 2:47 PM

cota

## - Santa Barbara County APCD Air District, Annual

|           | ROG    | NOx    | co     | 802    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20    | CO2e     |
|-----------|--------|--------|--------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|--------|----------|
| Category  |        |        |        |        | ton              | is/yr           |               |                   |                  |             |          |           | MT        | уг     |        |          |
|           |        |        |        |        |                  |                 |               |                   |                  |             |          |           |           |        |        |          |
| Mitigated | 0.9363 | 3.1574 | 8.2660 | 0.0189 | 1.6725           | 0.0194          | 1.6919        | 0.4492            | 0.0182           | 0.4674      | 0.0000   | 1,734.922 | 1,734.922 | 0.0960 | 0.0000 | 1,737.32 |

## 4.2 Trip Summary Information

|                                | Ave      | rage Daily Trip F | Rate   | Unmitigated | Mitigated  |
|--------------------------------|----------|-------------------|--------|-------------|------------|
| Land Use                       | Weekday  | Saturday          | Sunday | Annual VMT  | Annual VMT |
| Enclosed Parking with Elevator | 0.00     | 0.00              | 0.00   |             |            |
| Government Office Building     | 4,883.69 | 0.00              | 0.00   | 4,408,834   | 4,408,834  |
| Total                          | 4,883.69 | 0.00              | 0.00   | 4,408,834   | 4,408,834  |

## 4.3 Trip Type Information

|                                |            | Miles      |             |            | Trip %     |             |         | Trip Purpose | %       |
|--------------------------------|------------|------------|-------------|------------|------------|-------------|---------|--------------|---------|
| Land Use                       | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted     | Pass-by |
| Enclosed Parking with Elevator |            | 5.50       | 6.40        | 0.00       | 0.00       | 0.00        | 0       | 0            | 0       |
| Government Office Building     |            | 5.50       | 6.40        | 33.00      | 62.00      | 5.00        | 50      | 34           | 16      |

#### 4.4 Fleet Mix

| Land Use                       | LDA      | LDT1     | LDT2     | MDV      | LHD1     | LHD2     | MHD      | HHD      | OBUS     | UBUS     | MCY      | SBUS     | MH       |
|--------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Government Office Building     | 0.563532 | 0.028682 | 0.205515 | 0.123285 | 0.020921 | 0.005572 | 0.017481 | 0.019425 | 0.002786 | 0.002265 | 0.006886 | 0.002647 | 0.001003 |
| Enclosed Parking with Elevator | 0.563532 | 0.028682 | 0.205515 | 0.123285 | 0.020921 | 0.005572 | 0.017481 | 0.019425 | 0.002786 | 0.002265 | 0.006886 | 0.002647 | 0.001003 |

Page 24 of 32

Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

## 5.0 Energy Detail

Historical Energy Use: N

# 5.1 Mitigation Measures Energy

|   | ROG             | NOx    | co     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20             | CO2e     |
|---|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Category                                |                 |        |        |                 | ton              | ns/yr           |                 |                   |                  |                 |          |           | МТ        | /yr             |                 |          |
| Electricity                             |                 |        |        |                 |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 626.6906  | 626.6906  | 0.0259          | 5.3500e-<br>003 | 628.9326 |
| Mitigated<br>Electricity<br>Unmitigated |                 |        |        |                 |                  | 0.0000          | 0.0000          | <del> </del>      | 0.0000           | 0.0000          | 0.0000   | 626.6906  | 626.6906  | 0.0259          | 5.3500e-<br>003 | 628.932  |
| NaturalGas<br>Mitigated                 | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 | <del></del>      | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.762   |
| NaturalGas<br>Unmitigated               | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 | <del>:</del>     | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.762   |

Page 25 of 32

Date: 7/18/2019 2:47 PM

cota

, - Santa Barbara County APCD Air District, Annual

## 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

|                                | NaturalGa<br>s Use | ROG             | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20             | C02e    |
|--------------------------------|--------------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----------------|---------|
| Land Use                       | kBTUlyr            |                 |        |        |                 | tor              | is/yr           |                 |                   |                  |                 |          |           | МТ        | уг              |                 |         |
| Enclosed Parking with Elevator | 0                  | 0.0000          | 0.0000 | 0.0000 | 0.0000          |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000  |
| Government<br>Office Building  | 647569             | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.7621 |
| Total                          |                    | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.7621 |

## Mitigated

|                                | NaturalGa<br>s Use | ROG             | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20             | CO2e    |
|--------------------------------|--------------------|-----------------|--------|--------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----------------|---------|
| Land Use                       | k8TU/yr            |                 |        |        |                 | tor              | is/yr           |                 |                   |                  |                 |          |           | МТ        | Тут             |                 |         |
| Enclosed Parking with Elevator | 0                  | 0.0000          | 0.0000 | 0.0000 | 0.0000          |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000  |
| Government<br>Office Building  | 647569             | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.7621 |
| Total                          |                    | 3.4900e-<br>003 | 0.0317 | 0.0267 | 1.9000e-<br>004 |                  | 2.4100e-<br>003 | 2.4100e-<br>003 |                   | 2.4100e-<br>003  | 2.4100e-<br>003 | 0.0000   | 34.5568   | 34.5568   | 6.6000e-<br>004 | 6.3000e-<br>004 | 34.7621 |

Date: 7/18/2019 2:47 PM

cota -

/ - Santa Barbara County APCD Air District, Annual

## 5.3 Energy by Land Use - Electricity Unmitigated

|                                   | Electricity<br>Use | Total CO2 | CH4    | N20             | CO2e     |
|-----------------------------------|--------------------|-----------|--------|-----------------|----------|
| Land Use                          | kWh/yr             |           | М      | T/yr            |          |
| Enclosed Parking<br>with Elevator | 975690             | 310.8757  | 0.0128 | 2.6600e-<br>003 | 311.9879 |
| Government<br>Office Building     | 991192             | 315,8149  | 0.0130 | 2.7000e-<br>003 | 316.9447 |
| Total                             |                    | 626.6906  | 0.0259 | 5.3600e-<br>003 | 628.9326 |

#### Mitigated

|                                   | Electricity<br>Use | Total CO2 | CH4    | N20             | C02e     |
|-----------------------------------|--------------------|-----------|--------|-----------------|----------|
| Land Use                          | kWh/yr             |           | М      | T/yr            |          |
| Enclosed Parking<br>with Elevator | 975690             | 310.8757  | 0.0128 | 2.6600e-<br>003 | 311.9879 |
| Government<br>Office Building     | 991192             | 315.8149  | 0.0130 | 2.7000e-<br>003 | 316.9447 |
| Total                             |                    | 626.6906  | 0.0259 | 5.3600e-<br>003 | 628.9326 |

#### 6.0 Area Detail

#### 6.1 Mitigation Measures Area

Page 27 of 32

Date: 7/18/2019 2:47 PM

cota ·

## - Santa Barbara County APCD Air District, Annual

|           | ROG     | NOx             | co              | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N2O    | CO2e           |
|-----------|---------|-----------------|-----------------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|--------|----------------|
| Category  |         |                 |                 |        | tor              | slyr            |                 |                   |                  |                 |          |                 | МТ              | lyr             |        |                |
|           | CREATES |                 |                 |        |                  |                 |                 |                   |                  |                 |          |                 |                 |                 |        |                |
| Mitigated | 0.3756  | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000 |                  | 1,0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000 | 4.5200e<br>003 |

## 6.2 Area by SubCategory

#### Unmitigated

|                          | ROG             | NOx             | CO              | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20    | CO2e           |
|--------------------------|-----------------|-----------------|-----------------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|--------|----------------|
| SubCategory              |                 |                 |                 |        | tor              | ns/yr           |                 |                   |                  |                 |          |                 | МТ              | lyr             |        |                |
| Architectural<br>Coating | 0.0879          |                 |                 |        |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000         |
| Consumer<br>Products     | 0.2875          |                 |                 |        |                  | 0.0000          | 0.0000          | <u> </u>          | 0.0000           | 0.0000          | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000         |
| Landscaping              | 2.0000e-<br>004 | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000 |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000 | 4.5200e<br>003 |
| Total                    | 0.3756          | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000 |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000 | 4.5200e<br>003 |

Page 28 of 32

Date: 7/18/2019 2:47 PM

cota

Santa Barbara County APCD Air District, Annual

## 6.2 Area by SubCategory Mitigated

|                          | ROG             | NOx             | co              | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20    | CO2e            |
|--------------------------|-----------------|-----------------|-----------------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|--------|-----------------|
| SubCategory              |                 |                 |                 |        | tor              | rs/yr           |                 |                   |                  |                 |          |                 | МТ              | lyr             |        |                 |
| Architectural<br>Coating | 0.0879          |                 |                 |        |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Consumer<br>Products     | 0.2875          | :               |                 |        |                  | 0.0000          | 0.0000          | [                 | 0.0000           | 0.0000          | 0.0000   | 0.0000          | 0.0000          | 0.0000          | 0.0000 | 0.0000          |
| Landscaping              | 2.0000e-<br>004 | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000 |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000 | 4.5200e<br>003  |
| Total                    | 0.3756          | 2.0000e-<br>005 | 2.1800e-<br>003 | 0.0000 |                  | 1.0000e-<br>005 | 1.0000e-<br>005 |                   | 1.0000e-<br>005  | 1.0000e-<br>005 | 0.0000   | 4.2400e-<br>003 | 4.2400e-<br>003 | 1.0000e-<br>005 | 0.0000 | 4.5200e-<br>003 |

#### 7.0 Water Detail

## 7.1 Mitigation Measures Water

Page 29 of 32

Date: 7/18/2019 2:47 PM

cota -

- Santa Barbara County APCD Air District, Annual

|             | Total CO2 | CH4    | N20    | CO2e    |  |  |  |  |  |
|-------------|-----------|--------|--------|---------|--|--|--|--|--|
| Category    | MTlyr     |        |        |         |  |  |  |  |  |
| Mitigated   | 38.8662   | 0.0185 | 0.0111 | 42.6431 |  |  |  |  |  |
| Unmitigated | 38.8662   | 0.0185 | 0.0111 | 42.6431 |  |  |  |  |  |
|             | : :       |        |        |         |  |  |  |  |  |

## 7.2 Water by Land Use Unmitigated

|                                   | Indoor/Out<br>door Use | Total CO2 | CH4    | N20    | CO2e    |  |  |
|-----------------------------------|------------------------|-----------|--------|--------|---------|--|--|
| Land Use                          | Mgal                   | MT/yr     |        |        |         |  |  |
| Enclosed Parking<br>with Elevator | 0/0                    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |  |  |
| Government<br>Office Building     | 14.075 /<br>8.62664    | 38.8662   | 0.0185 | 0.0111 | 42.6431 |  |  |
| Total                             |                        | 38.8662   | 0.0185 | 0.0111 | 42.6431 |  |  |

cota -

Page 30 of 32

- Santa Barbara County APCD Air District, Annual

Date: 7/18/2019 2:47 PM

7.2 Water by Land Use

Mitigated

|                                   | Indoor/Out<br>door Use | Total CO2 | CH4    | N20    | CO2e    |
|-----------------------------------|------------------------|-----------|--------|--------|---------|
| Land Use                          | Mgal                   |           | М      | Т/уг   |         |
| Enclosed Parking<br>with Elevator | 0/0                    | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Government<br>Office Building     | 14.075 /<br>8.62664    | 38.8662   | 0.0185 | 0.0111 | 42.6431 |
| Total                             |                        | 38.8662   | 0.0185 | 0.0111 | 42.6431 |

#### 8.0 Waste Detail

# 8.1 Mitigation Measures Waste

Category/Year

|             | Total CO2 | CH4    | N20    | C02e    |  |  |  |  |  |
|-------------|-----------|--------|--------|---------|--|--|--|--|--|
|             |           | MT/yr  |        |         |  |  |  |  |  |
| Mitigated   | 13.6829   | 0.6785 | 0.0000 | 30.6453 |  |  |  |  |  |
| Unmitigated | 13.6829   | 0.6785 | 0.0000 | 30.6453 |  |  |  |  |  |

Page 31 of 32

Date: 7/18/2019 2:47 PM

cota

- Santa Barbara County APCD Air District, Annual

# 8.2 Waste by Land Use

Unmitigated

| Waste<br>Disposed | Total CO2        | CH4                                | N20   | CO2e  |
|-------------------|------------------|------------------------------------|---|---|
| tons              |                  | МТ                                 | Пут   |   |
| 0                 | 0.0000           | 0.0000                             | 0.0000  | 0.0000  |
| 65.89             | 13.6829          | 0.6785                             | 0.0000  | 30.6453   |
|                   | 13.6829          | 0.6785                             | 0.0000  | 30.6453   |
|                   | Disposed<br>tons | Disposed tons 0.0000 65.89 13.6829 | Disposed tons M1  0 0.0000 0.0000  65.89 13.6829 0.6785 | Disposed MT/yr  0 0.0000 0.0000 0.0000  65.89 13.6829 0.6785 0.0000 |

## Mitigated

|                                   | Waste<br>Disposed | Total CO2 | CH4    | N2O    | CO2e    |
|-----------------------------------|-------------------|-----------|--------|--------|---------|
| Land Use                          | tons              |           | MT     | lyr    |         |
| Enclosed Parking<br>with Elevator | 0                 | 0.0000    | 0.0000 | 0.0000 | 0.0000  |
| Government<br>Office Building     | 65.89             | 13.6829   | 0.6785 | 0.0000 | 30.6453 |
| Total                             |                   | 13.6829   | 0.6785 | 0.0000 | 30.6453 |
| Total                             |                   | 13.6829   | 0.6785 | 0.0000 | 30.64   |

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year   | Horse Power | Load Factor     | Fuel Type          |
|----------------|--------|-----------|---|-------------|-----------------|--------------------|
|                |        |           | AND DESCRIPTION OF THE PERSON |             | LEGATING COMMON | STOCK THE PARTY OF |

Page 32 of 32

Date: 7/18/2019 2:47 PM

cota -

- Santa Barbara County APCD Air District, Annual

# 10.0 Stationary Equipment

# Fire Pumps and Emergency Generators

|  |        |           |            |             | The second livery with the second livery | Prod Trans |
|--|--------|-----------|------------|-------------|--|------------|
| Equipment Type   | Number | Hours/Day | Hours/Year | Horse Power | Load Factor                              | Fuel Type  |
| Control of the second s |        |           |            |             |  |            |

#### **Boilers**

|                |        |                |                 |               | Fred Trees |
|----------------|--------|----------------|-----------------|---------------|------------|
| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type  |

## **User Defined Equipment**

| Number |
|--------|
| ı      |

## 11.0 Vegetation

Page 1 of 27

Date: 7/18/2019 2:44 PM

cota

, - Santa Barbara County APCD Air District, Summer

# cota + Iouis Iowry Santa Barbara County APCD Air District, Summer

## 1.0 Project Characteristics

## 1.1 Land Usage

| Land Uses                      | Size   | Metric   | Lot Acreage | Floor Surface Area | Population |
|--------------------------------|--------|----------|-------------|--------------------|------------|
| Government Office Building     | 70.85  | 1000sqft | 1.63        | 70,850.00          | 252        |
| Enclosed Parking with Elevator | 166.50 | 1000sqft | 3.82        | 166,500.00         | 0          |

#### 1.2 Other Project Characteristics

| Urbanization               | Urban             | Wind Speed (m/s)           | 2.9   | Precipitation Freq (Days)  | 37    |
|----------------------------|-------------------|----------------------------|-------|----------------------------|-------|
| Climate Zone               | 8                 |                            |       | Operational Year           | 2022  |
| Utility Company            | Southern Californ | ia Edison                  |       |                            |       |
| CO2 Intensity<br>(lb/MWhr) | 702.44            | CH4 Intensity<br>(lb/MWhr) | 0.029 | N2O Intensity<br>(lb/MWhr) | 0.006 |

## 1.3 User Entered Comments & Non-Default Data

Page 2 of 27

- Santa Barbara County APCD Air District, Summer

Project Characteristics -

Land Use - Number of employees

Off-road Equipment - defaults

Demolition -

Construction Phase - No demolition on site Assumed site prep: grading is 1:2 Assumed Building Construction:Paving:Arch Coating is 10:1:1

Grading - Assume 4.39 acres prepped and graded Assume grading + site prep adds upto 20,000

Trips and VMT - Changed demolition No. trips worker (/day) to zero

cota -

On-road Fugitive Dust - Zeroed out demolition

Vehicle Trips - Use default

Date: 7/18/2019 2:44 PM

Page 3 of 27

- Santa Barbara County APCD Air District, Summer cota

| Table Name           | Column Name                 | Default Value | New Value  |
|----------------------|-----------------------------|---------------|------------|
| tblConstructionPhase | NumDays                     | 20.00         | 0.00       |
| tblConstructionPhase | NumDays                     | 10.00         | 28.00      |
| tblConstructionPhase | NumDays                     | 20.00         | 56.00      |
| tblConstructionPhase | NumDays                     | 230.00        | 420.00     |
| tblConstructionPhase | NumDays                     | 20.00         | 42.00      |
| tblConstructionPhase | NumDays                     | 20.00         | 42.00      |
| tblConstructionPhase | PhaseEndDate                | 1/28/2020     | 12/31/2019 |
| tblConstructionPhase | PhaseEndDate                | 2/11/2020     | 3/6/2020   |
| tblConstructionPhase | PhaseEndDate                | 3/10/2020     | 4/29/2020  |
| tblConstructionPhase | PhaseEndDate                | 1/26/2021     | 10/19/2021 |
| tblConstructionPhase | PhaseEndDate                | 2/23/2021     | 3/25/2021  |
| tblConstructionPhase | PhaseEndDate                | 3/23/2021     | 4/22/2021  |
| tblGrading           | AcresOfGrading              | 28.00         | 4.39       |
| tblGrading           | AcresOfGrading              | 0.00          | 4.39       |
| tblGrading           | MaterialExported            | 0.00          | 10,000.00  |
| tblGrading           | MaterialExported            | 0.00          | 10,000.00  |
| tblLandUse           | Population                  | 0.00          | 252.00     |
| tblOnRoadDust        | AverageVehicleWeight        | 2.40          | 0.00       |
| tblOnRoadDust        | HaulingPercentPave          | 100.00        | 0.00       |
| tblOnRoadDust        | Material Moisture Content . | 0.50          | 0.00       |
| tblOnRoadDust        | MaterialSiltContent         | 8.50          | 0.00       |
| tblOnRoadDust        | MeanVehicleSpeed            | 40.00         | 0.00       |
| tbiOnRoadDust        | RoadSiltLoading             | 0.10          | 0.00       |
| tblOnRoadDust        | VendorPercentPave •         | 100.00        | 0.00       |
| tblOnRoadDust        | WorkerPercentPave           | 100.00        | 0.00       |
| tblTripsAndVMT       | WorkerTripNumber            | 15.00         | 0.00       |

Date: 7/18/2019 2:44 PM

Page 4 of 27

Date: 7/18/2019 2:44 PM

cota

' - Santa Barbara County APCD Air District, Summer

## 2.0 Emissions Summary

## 2.1 Overall Construction (Maximum Daily Emission)

#### **Unmitigated Construction**

|         | ROG     | NOx     | co      | \$02   | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4    | N20    | C02e            |
|---------|---------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------------|-----------------|--------|--------|-----------------|
| Year    |         |         |         |        | Ы                | day             |               |                   |                  |             |          |                 | lb/d            | lay    |        |                 |
| 2020    | 7.0389  | 84.7426 | 42.9691 | 0.1108 | 25.4666          | 3.5372          | 29.0038       | 13.5749           | 3.2566           | 16.8316     | 0.0000   | 11,342.274      | 11,342.274<br>5 | 2.5429 | 0.0000 | 11,405.84       |
| 2021    | 45.7198 | 36.0751 | 37.0241 | 0.0689 | 1.0330           | 1.7469          | 2.7799        | 0.2792            | 1.6345           | 1.9137      | 0.0000   | 6,743.882       | 6,743.882<br>0  | 1.4447 | 0.0000 | 6,780.00        |
| Maximum | 45.7198 | 84.7426 | 42.9691 | 0.1108 | 25.4666          | 3.5372          | 29.0038       | 13.5749           | 3.2566           | 16.8316     | 0.0000   | 11,342.27<br>45 | 11,342.27<br>45 | 2.5429 | 0.0000 | 11,405.84<br>76 |

## Mitigated Construction

|         | ROG     | NOx     | CO      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4    | N20    | CO2e          |
|---------|---------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------------|-----------------|--------|--------|---------------|
| Year    |         |         |         |        | Ible             | day             |               |                   |                  |             |          |                 | lb/d            | lay    |        |               |
| 2020    | 7.0389  | 84.7426 | 42.9691 | 0.1108 | 25.4666          | 3.5372          | 29.0038       | 13.5749           | 3.2566           | 16.8316     | 0.0000   | 11,342.274      | 11,342.274<br>5 | 2.5429 | 0.0000 | 11,405.8      |
| 2021    | 45.7198 | 36.0751 | 37.0241 | 0.0689 | 1.0330           | 1.7469          | 2.7799        | 0.2792            | 1.6345           | 1.9137      | 0.0000   | 6,743.882<br>0  | 6,743.882<br>0  | 1.4447 | 0.0000 | 6,780.00<br>5 |
| Maximum | 45.7198 | 84.7426 | 42.9691 | 0.1108 | 25.4666          | 3.5372          | 29.0038       | 13.5749           | 3.2566           | 16.8316     | 0.0000   | 11,342.27<br>45 | 11,342.27<br>45 | 2.5429 | 0.0000 | 11,405.8      |

Page 5 of 27

Date: 7/18/2019 2:44 PM

cota + .

## / - Santa Barbara County APCD Air District, Summer

|                      | ROG  | NOx  | со   | SO2  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4  | N20  | CO2e |
|----------------------|------|------|------|------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------|-----------|------|------|------|
| Percent<br>Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00             | 0.00            | 0.00          | 0.00              | 0.00             | 0.00           | 0.00     | 0.00     | 0.00      | 0.00 | 0.00 | 0.00 |

Page 6 of 27

Date: 7/18/2019 2:44 PM

cota

## - Santa Barbara County APCD Air District, Summer

## 2.2 Overall Operational Unmitigated Operational

|          | ROG    | NOx             | co      | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20             | CO2e           |
|----------|--------|-----------------|---------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|-----------------|----------------|
| Category |        |                 |         |                 | lb/              | day             |                 |                   |                  |                 |          |                 | lb/d            | lay             |                 |                |
| Area     | 2.0590 | 2.2000e-<br>004 | 0.0243  | 0.0000          |                  | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519          | 0.0519          | 1.4000e-<br>004 |                 | 0.0554         |
| Energy   | 0.0191 | 0.1739          | 0.1461  | 1.0400e-<br>003 |                  | 0.0132          | 0.0132          |                   | 0.0132           | 0.0132          |          | 208.7249        | 208.7249        | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.965        |
| Mobile   | 7,4529 | 23.5541         | 60.3900 | 0.1478          | 13.1497          | 0.1481          | 13.2979         | 3.5253            | 0.1387           | 3.6640          |          | 15,004.67<br>59 | 15,004.67<br>59 | 0.7959          | 7.4             | 15,024.5<br>43 |
| Total    | 9.5311 | 23.7283         | 60.5604 | 0.1488          | 13.1497          | 0.1615          | 13.3112         | 3.5253            | 0.1521           | 3.6773          |          | 15,213.45<br>27 | 15,213.45<br>27 | 0.8001          | 3.8300e-<br>003 | 15,234.5<br>50 |

## **Mitigated Operational**

|          | ROG    | NOx             | co      | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2       | Total CO2       | CH4             | N20             | CO2e            |
|----------|--------|-----------------|---------|-----------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Category |        |                 |         |                 | Ы                | day             |                 |                   |                  |                 |          |                 | lb/c            | lay             |                 |                 |
| Area     | 2.0590 | 2.2000e-<br>004 | 0.0243  | 0.0000          |                  | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519          | 0.0519          | 1.4000e-<br>004 |                 | 0.0554          |
| Energy   | 0.0191 | 0.1739          | 0.1461  | 1.0400e-<br>003 |                  | 0.0132          | 0.0132          |                   | 0.0132           | 0.0132          |          | 208.7249        | 208.7249        | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.9653        |
| Mobile   | 7.4529 | 23.5541         | 60.3900 | 0.1478          | 13.1497          | 0.1481          | 13.2979         | 3.5253            | 0.1387           | 3.6640          |          | 15,004.67<br>59 | 15,004.67<br>59 | 0.7959          |                 | 15,024.57<br>43 |
| Total    | 9.5311 | 23.7283         | 60.5604 | 0.1488          | 13.1497          | 0.1615          | 13.3112         | 3.5253            | 0.1521           | 3.6773          |          | 15,213.45<br>27 | 15,213.45<br>27 | 0.8001          | 3.8300e-<br>003 | 15,234.59<br>50 |

cota

Page 7 of 27

- Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

|                      | ROG  | NOx  | co   | SO2  | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio-CO2 | NBio-CO2 | Total CO2 | CH4  | N20  | CO2e |
|----------------------|------|------|------|------|------------------|-----------------|---------------|-------------------|------------------|----------------|---------|----------|-----------|------|------|------|
| Percent<br>Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00             | 0.00            | 0.00          | 0.00              | 0.00             | 0.00           | 0.00    | 0.00     | 0.00      | 0.00 | 0.00 | 0.00 |

#### 3.0 Construction Detail

#### **Construction Phase**

| Phase<br>Number | Phase Name            | Phase Type            | Start Date | End Date   | Num Days<br>Week | Num Days | Phase Description |
|-----------------|-----------------------|-----------------------|------------|------------|------------------|----------|-------------------|
| 1               | Demolition            | Demolition            | 1/1/2020   | 12/31/2019 | 5                | 0        |                   |
| 2               | Site Preparation      | Site Preparation      | 1/29/2020  | 3/6/2020   | 5                | 28       |                   |
| 3               | Grading               | Grading               | 2/12/2020  | 4/29/2020  | 5                | 56       | ••••••            |
| 4               | Building Construction | Building Construction | 3/11/2020  | 10/19/2021 | 5                | 420      |                   |
| 5               | Paving                | Paving                | 1/27/2021  | 3/25/2021  | 5                | 42       |                   |
| 5               | Architectural Coating | Architectural Coating | 2/24/2021  | 4/22/2021  | : 5              | 42       |                   |

Acres of Grading (Site Preparation Phase): 4.39

Acres of Grading (Grading Phase): 4.39

Acres of Paving: 3.82

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 106,275; Non-Residential Outdoor: 35,425; Striped Parking Area: 9,990 (Architectural Coating – sqft)

OffRoad Equipment

cota + ... - Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

| Phase Name            | Offroad Equipment Type    | Amount         | Usage Hours | Horse Power | Load Factor |
|-----------------------|---------------------------|----------------|-------------|-------------|-------------|
| Demolition            | Concrete/Industrial Saws  | 1              | 8.00        | 81          | 0.73        |
| Demolition            | Excavators                | 3              | 8.00        | 158         | 0.38        |
|                       | Rubber Tired Dozers       | 2              | 8.00        | 247         | 0.40        |
| Demolition            |                           |                | 8.00        | 247         | 0.4         |
| Site Preparation      | Rubber Tired Dozers       | 3              |             |             |             |
| Site Preparation      | Tractors/Loaders/Backhoes | 4              | 8.00        | 97:         | 0.3         |
| Grading               | Excavators                | 1              | 8.00        | 158         | 0.3         |
| Grading               | Graders                   | 1              | 8.00        | 187         | 0.4         |
| Grading               | Rubber Tired Dozers       | 1              | 8.00        | 247         | 0.4         |
| Grading               | Tractors/Loaders/Backhoes | 3              | 8.00        | 97          | 0.3         |
| Building Construction | Cranes                    | 1              | 7.00        | 231         | 0.2         |
| Building Construction | Forklifts                 | 3              | 8.00        | 89          | 0.2         |
| Building Construction | Generator Sets            | ļ <sub>1</sub> | 8.00        | 84;         | 0.7         |
|                       | Tractors/Loaders/Backhoes | ·3             | 7.00        | 97          | 0.3         |
| Building Construction | ·Welders                  | ļ              | 8.00        | 46          | 0.4         |
| Building Construction |                           | ļ              | 8.00        | 130         | 0.4         |
| Paving                | Pavers                    | ļ              | 8.00        | 132         | 0.:         |
| Paving                | Paving Equipment          |                | 1           |             |             |
| Paving                | Rollers                   | 1              | 8.00        | 80          | 0.:         |
| Architectural Coating | ·Air Compressors          | :              | 1: 6.00     | 78          | 0.          |

Trips and VMT

CalEEMod Version: CalEEMod.2016.3.2 Page 9 of 27

cote Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

| Phase Name            | Offroad Equipment<br>Count | Worker Trip<br>Number | Vendor Trip<br>Number | Hauling Trip<br>Number | Worker Trip<br>Length | Vendor Trip<br>Length | Hauling Trip<br>Length | Worker Vehicle<br>Class | Vendor<br>Vehicle Class | Hauling<br>Vehicle Class |
|-----------------------|----------------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|------------------------|-------------------------|-------------------------|--------------------------|
| Demolition            | 6                          | 0.00                  | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Site Preparation      | 7                          | 18.00                 | 0.00                  | 989.00                 | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Grading               | 6                          | 15.00                 | 0.00                  | 989.00                 | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Building Construction | 9                          | 93.00                 | 39.00                 | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Paving                | 6                          | 15.00                 | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |
| Architectural Coating | 1                          | 19.00                 | 0.00                  | 0.00                   | 8.30                  | 6.40                  | 20.00                  | LD_Mix                  | HDT_Mix                 | HHDT                     |

## 3.1 Mitigation Measures Construction

# 3.3 Site Preparation - 2020

|               | ROG    | NOx     | co      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O         | CO2e     |
|---------------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|--------|-------------|----------|
| Category      |        |         |         |        | Ib/              | day             |               |                   |                  |             |          |                | lp/c           | lay    |             |          |
| Fugitive Dust |        |         |         |        | 18.2325          | 0.0000          | 18.2325       | 9.9486            | 0.0000           | 9.9486      |          |                | 0.0000         |        |             | 0.0000   |
| Off-Road      | 4.0765 | 42.4173 | 21.5136 | 0.0380 |                  | 2.1974          | 2.1974        |                   | 2.0216           | 2.0216      |          | 3,685.101<br>6 | 3,685.101<br>6 | 1.1918 | <del></del> | 3,714.89 |
| Total         | 4.0765 | 42.4173 | 21.5136 | 0.0380 | 18.2325          | 2.1974          | 20.4299       | 9.9486            | 2.0216           | 11.9703     |          | 3,685.101      | 3,685.101<br>6 | 1.1918 |             | 3,714.89 |

Page 10 of 27

cota

· Santa Barbara County APCD Air District, Summer

Date: 7/18/2019 2:44 PM

3.3 Site Preparation - 2020 Unmitigated Construction Off-Site

|          | ROG    | NOx     | co     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4             | N20 | CO2e      |
|----------|--------|---------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|-----------------|-----|-----------|
| Category |        |         |        |                 | lb/              | day             |               |                   |                  |             |          |                | lb/c           | lay             |     |           |
| Hauling  | 0.2870 | 10.5729 | 3.0861 | 0.0275          | 0.6136           | 0.0434          | 0.6570        | 0.1679            | 0.0415           | 0.2094      |          | 3,064.737<br>5 | 3,064.737<br>5 | 0.2772          |     | 3,071.667 |
| Vendor   | 0.0000 | 0.0000  | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000         | 0.0000         | 0.0000          |     | 0.0000    |
| Worker   | 0.0563 | 0.0436  | 0.4218 | 1.0300e-<br>003 | 0.1137           | 7.2000e-<br>004 | 0.1144        | 0.0302            | 6.7000e-<br>004  | 0.0308      |          | 102.3172       | 102.3172       | 3.4200e-<br>003 |     | 102.4028  |
| Total    | 0.3433 | 10.6165 | 3.5079 | 0.0285          | 0.7273           | 0.0441          | 0.7714        | 0.1980            | 0.0422           | 0.2402      |          | 3,167.054      | 3,167.054      | 0.2806          |     | 3,174.070 |

|               | ROG    | NOx     | 00      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e          |
|---------------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|--------|-----|---------------|
| Category      |        |         |         |        | IbA              | day             |               |                   |                  |             |          |                | lb/d           | lay    |     |               |
| Fugitive Dust |        |         |         |        | 18.2325          | 0.0000          | 18.2325       | 9.9486            | 0.0000           | 9.9486      |          |                | 0.0000         |        |     | 0.0000        |
| Off-Road      | 4.0765 | 42.4173 | 21.5136 | 0.0380 |                  | 2.1974          | 2.1974        |                   | 2.0216           | 2.0216      | 0.0000   | 3,685.101<br>6 | 3,685.101<br>6 | 1.1918 |     | 3,714.89<br>5 |
| Total         | 4.0765 | 42.4173 | 21.5136 | 0.0380 | 18.2325          | 2.1974          | 20.4299       | 9.9486            | 2.0216           | 11.9703     | 0.0000   | 3,685.101      | 3,685.101      | 1.1918 |     | 3,714.897     |

CalEEMod Version: CalEEMod.2016.3.2 Page 11 of 27 Date: 7/18/2019 2:44 PM

cota , - Santa Barbara County APCD Air District, Summer

3.3 Site Preparation - 2020 Mitigated Construction Off-Site

|          | ROG    | NOx     | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4             | N20 | CO2e      |
|----------|--------|---------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|-----------------|-----|-----------|
| Category |        |         |        |                 | 16/              | day             |               |                   |                  |             |          |                | Ib/o           | iay             |     |           |
| Hauling  | 0.2870 | 10.5729 | 3.0861 | 0.0275          | 0.6136           | 0.0434          | 0.6570        | 0.1679            | 0.0415           | 0.2094      |          | 3,064.737<br>5 | 3,064.737<br>5 | 0.2772          |     | 3,071.667 |
| Vendor   | 0.0000 | 0.0000  | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000         | 0.0000         | 0.0000          |     | 0.0000    |
| Worker   | 0.0563 | 0.0436  | 0.4218 | 1.0300e-<br>003 | 0.1137           | 7.2000e-<br>004 | 0.1144        | 0.0302            | 6.7000e-<br>004  | 0.0308      |          | 102.3172       | 102.3172       | 3.4200e-<br>003 |     | 102.4028  |
| Total    | 0.3433 | 10.6165 | 3.5079 | 0.0285          | 0.7273           | 0.0441          | 0.7714        | 0.1980            | 0.0422           | 0.2402      |          | 3,167.054      | 3,167.054      | 0.2806          |     | 3,174.070 |

# 3.4 Grading - 2020

| 是 17 等性       | ROG    | NOx     | 00      | S02    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2      | CH4    | N20         | CO2e      |
|---------------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|----------------|--------|-------------|-----------|
| Category      |        |         |         |        | lb/              | day             |               |                   |                  |             |          |           | lb/c           | lay    |             |           |
| Fugitive Dust |        |         |         |        | 6.1052           | 0.0000          | 6.1052        | 3.3192            | 0.0000           | 3.3192      |          |           | 0.0000         |        |             | 0.0000    |
| Off-Road      | 2.4288 | 26.3859 | 16.0530 | 0.0297 |                  | 1.2734          | 1.2734        | <del> </del>      | 1.1716           | 1.1716      |          | 2,872.485 | 2,872.485<br>1 | 0.9290 | <del></del> | 2,895.710 |
| Total         | 2.4288 | 26.3859 | 16.0530 | 0.0297 | 6.1052           | 1.2734          | 7.3787        | 3.3192            | 1.1716           | 4.4908      |          | 2,872.485 | 2,872.485      | 0.9290 |             | 2,895.710 |

CalEEMod Version: CalEEMod.2016.3.2 Page 12 of 27 Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

3.4 Grading - 2020 Unmitigated Construction Off-Site

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2      | CH4             | N2O | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|----------------|-----------------|-----|----------|
| Category |        |        | 200    |                 | lb/              | day             |               |                   |                  |             |          |           | IbAd           | lay             |     |          |
| Hauling  | 0.1435 | 5.2865 | 1.5431 | 0.0138          | 0.3068           | 0.0217          | 0.3285        | 0.0839            | 0.0207           | 0.1047      |          | 1,532.368 | 1,532.368<br>7 | 0.1386          |     | 1,535.83 |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000    | 0.0000         | 0.0000          |     | 0.0000   |
| Worker   | 0.0469 | 0.0364 | 0.3515 | 8.6000e-<br>004 | 0.0947           | 6.0000e-<br>004 | 0.0953        | 0.0251            | 5.6000e-<br>004  | 0.0257      |          | 85.2644   | 85.2644        | 2.8500e-<br>003 |     | 85.335   |
| Total    | 0.1904 | 5.3228 | 1.8946 | 0.0146          | 0.4016           | 0.0223          | 0.4238        | 0.1091            | 0.0213           | 0.1304      |          | 1,617.633 | 1,617.633      | 0.1415          |     | 1,621.1  |

|               | ROG      | NOx     | co      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N2O | CO2e    |
|---------------|----------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|--------|-----|---------|
| Category      |          |         |         |        | 16/              | day             |               |                   |                  |             |          |                | lb/d           | ay     |     |         |
| Fugitive Dust | 2014-000 |         |         |        | 6.1052           | 0.0000          | 6.1052        | 3.3192            | 0.0000           | 3.3192      |          |                | 0.0000         |        |     | 0.0000  |
| Off-Road      | 2.4288   | 26.3859 | 16.0530 | 0.0297 |                  | 1.2734          | 1.2734        | <del></del>       | 1.1716           | 1.1716      | 0.0000   | 2,872.485<br>1 | 2,872.485<br>1 | 0.9290 |     | 2,895.7 |
| Total         | 2.4288   | 26.3859 | 16.0530 | 0.0297 | 6.1052           | 1.2734          | 7.3787        | 3.3192            | 1.1716           | 4.4908      | 0.0000   | 2,872.485      | 2,872.485<br>1 | 0.9290 |     | 2,895.7 |

Page 13 of 27

Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

3.4 Grading - 2020 Mitigated Construction Off-Site

|          | ROG    | NOx    | CO     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4             | N20 | C02e      |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|-----------------|-----|-----------|
| Category |        |        |        |                 | ь                | /day            |               |                   |                  |             |          |                | lb/c           | lay             |     |           |
| Hauling  | 0.1435 | 5.2865 | 1.5431 | 0.0138          | 0.3068           | 0.0217          | 0.3285        | 0.0839            | 0.0207           | 0.1047      |          | 1,532.368<br>7 | 1,532.368<br>7 | 0.1386          |     | 1,535.833 |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000         | 0.0000         | 0.0000          |     | 0.0000    |
| Worker   | 0.0469 | 0.0364 | 0.3515 | 8.6000e-<br>004 | 0.0947           | 6.0000e-<br>004 | 0.0953        | 0.0251            | 5.6000e-<br>004  | 0.0257      |          | 85.2644        | 85.2644        | 2.8500e-<br>003 |     | 85.3357   |
| Total    | 0.1904 | 5.3228 | 1.8946 | 0.0146          | 0.4016           | 0.0223          | 0.4238        | 0.1091            | 0.0213           | 0.1304      |          | 1,617.633      | 1,617.633      | 0.1415          |     | 1,621.169 |

## 3.5 Building Construction - 2020

|          | ROG    | NOx     | 00      | S02    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5                                | Exhaust<br>PM2.5 | PM2 5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20 | CO2e     |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|--|------------------|-------------|----------|-----------|-----------|--------|-----|----------|
| Category |        |         |         |        | lb/              | day             |               |  |                  |             |          |           | lb/d      | iay    |     |          |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 |                  | 1.1171          | 1.1171        |  | 1.0503           | 1.0503      |          | 2,553.063 | 2,553.063 | 0.6229 |     | 2,568.63 |
| Total    | 2.1198 | 19.1860 | 16.8485 | 0.0269 | i                | 1.1171          | 1.1171        | <del>                                     </del> | 1.0503           | 1.0503      |          | 2,553.063 | 2,553.063 | 0.6229 | _   | 2,568.63 |

Page 14 of 27

Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

# 3.5 Building Construction - 2020 Unmitigated Construction Off-Site

|          | ROG    | NOx    | co     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|----------------|----------------|--------|-----|---------|
| Category |        |        |        |                 | lb/              | day             |               |                   |                  |                |          |                | lb/d           | ay     |     |         |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000         |          | 0.0000         | 0.0000         | 0.0000 |     | 0.000   |
| Vendor   | 0.1529 | 4.2738 | 1.4386 | 9.3200e-<br>003 | 0.2310           | 0.0230          | 0.2540        | 0.0665            | 0.0220           | 0.0885         | <b></b>  | 1,012.685<br>3 | 1,012.685<br>3 | 0.0742 |     | 1,014.5 |
| Worker   | 0.2907 | 0.2254 | 2.1793 | 5.3100e-<br>003 | 0.5873           | 3.7400e-<br>003 | 0.5911        | 0.1558            | 3.4500e-<br>003  | 0.1593         | 1        | 528.6390       | 528.6390       | 0.0177 |     | 529.08  |
| Total    | 0.4436 | 4,4991 | 3.6179 | 0.0146          | 0.8183           | 0.0268          | 0.8450        | 0.2223            | 0.0255           | 0.2477         |          | 1,541.324      | 1,541.324      | 0.0918 |     | 1,543.6 |

|          | ROG    | NOx     | 00      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2 | NBio- CO2 | Total CO2 | CH4    | N20 | CO2e    |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|---------|-----------|-----------|--------|-----|---------|
| Category |        |         |         |        | lb/              | day             |               |                   |                  |             |         |           | lb/d      | ay     |     |         |
| Off-Road | 2.1198 | 19.1860 | 16.8485 | 0.0269 | 100,010,000      | 1.1171          | 1.1171        |                   | 1.0503           | 1.0503      | 0.0000  | 2,553.063 | 2,553.063 | 0.6229 |     | 2,568.6 |
|          | _      | - 4     |         |        |                  |                 |               |                   | i                | 1           |         | 2,553.063 | -         | 0.6229 |     | 2,568.6 |

CalEEMod Version: CalEEMod.2016.3.2 Page 15 of 27 Date: 7/18/2019 2:44 PM

cota , - Santa Barbara County APCD Air District, Summer

## 3.5 Building Construction - 2020 Mitigated Construction Off-Site

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2                                | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|---|----------------|----------------|--------|-----|----------|
| Category |        |        |        |                 | lb/              | day             |               |                   |                  |             |   |                | lb/d           | lay    |     |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      | 000000000000000000000000000000000000000 | 0.0000         | 0.0000         | 0.0000 |     | 0.0000   |
| Vendor   | 0.1529 | 4.2738 | 1.4386 | 9.3200e-<br>003 | 0.2310           | 0.0230          | 0.2540        | 0.0665            | 0.0220           | 0.0885      |   | 1,012.685<br>3 | 1,012.685<br>3 | 0.0742 |     | 1,014.53 |
| Worker   | 0.2907 | 0.2254 | 2.1793 | 5.3100e-<br>003 | 0.5873           | 3.7400e-<br>003 | 0.5911        | 0.1558            | 3.4500e-<br>003  | 0.1593      |   | 528.6390       | 528.6390       | 0.0177 |     | 529.081  |
| Total    | 0.4436 | 4.4991 | 3.6179 | 0.0146          | 0.8183           | 0.0268          | 0.8450        | 0.2223            | 0.0255           | 0.2477      |   | 1,541.324<br>3 | 1,541.324<br>3 | 0.0918 |     | 1,543.62 |

# 3.5 Building Construction - 2021

|          | ROG    | NOx     | CO      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2 | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e     |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|---------|----------------|----------------|--------|-----|----------|
| Category |        |         |         |        | 16/              | day             |               |                   |                  |             |         |                | lb/c           | iay    |     |          |
| Off-Road | 1.9009 | 17.4321 | 16.5752 | 0.0269 |                  | 0.9586          | 0.9586        |                   | 0.9013           | 0.9013      |         | 2,553.363<br>9 | 2,553.363<br>9 | 0.6160 |     | 2,568.76 |
| Total    | 1.9009 | 17.4321 | 16.5752 | 0.0269 | i –              | 0.9586          | 0.9586        |                   | 0.9013           | 0.9013      |         | 2,553.363      | 2,553.363      | 0.6160 |     | 2,568.76 |

Page 16 of 27

Date: 7/18/2019 2:44 PM

cota

· Santa Barbara County APCD Air District, Summer

# 3.5 Building Construction - 2021 <u>Unmitigated Construction Off-Site</u>

|          | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e     |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|--------|-----|----------|
| Category |        |        |        |                 | lbi              | day             |               |                   |                  | 200         |          |                | lb/d           | ay     |     |          |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000         | 0.0000         | 0.0000 |     | 0.0000   |
| Vendor   | 0.1263 | 3.9229 | 1.2811 | 9.2200e-<br>003 | 0.2310           | 0.0115          | 0.2425        | 0.0665            | 0.0110           | 0.0775      |          | 1,004.471<br>7 | 1,004.471<br>7 | 0.0741 |     | 1,006.32 |
| Worker   | 0.2695 | 0.2007 | 1.9749 | 5.1300e-<br>003 | 0.5873           | 3.6200e-<br>003 | 0.5910        | 0.1558            | 3.3400e-<br>003  | 0.1592      |          | 510.6853       | 510.6853       | 0.0157 |     | 511.077  |
| Total    | 0.3957 | 4.1237 | 3.2561 | 0.0144          | 0.8183           | 0.0152          | 0.8334        | 0.2223            | 0.0144           | 0.2366      |          | 1,515.157      | 1,515.157<br>0 | 0.0898 |     | 1,517.40 |

| 0.00     | ROG    | NOx     | CO      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2 | NBio- CO2 | Total CO2 | CH4    | N20 | CO2e    |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|---------|-----------|-----------|--------|-----|---------|
| Category |        |         |         |        | lb/s             | day             |               |                   |                  |             |         |           | IP/q      | ay     |     |         |
|          | 1,9009 | 17.4321 | 16.5752 | 0.0269 |                  | 0.9586          | 0.9586        |                   | 0.9013           | 0.9013      | 0.0000  | 2,553.363 | 2,553.363 | 0.6160 |     | 2,568.7 |
| Off-Road |        | 1       |         |        | 0.00             |                 |               | 9                 |                  | X           |         |           |           |        |     |         |

Page 17 of 27

Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

## 3.5 Building Construction - 2021 Mitigated Construction Off-Site

|          | ROG    | NOx    | co     | 802             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2      | Total CO2      | CH4    | N20 | CO2e         |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------------|----------------|--------|-----|--------------|
| Category |        |        |        | 10              | Ib/              | day             |               |                   |                  |             |          |                | lb/d           | lay    |     |              |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000         | 0.0000         | 0.0000 |     | 0.0000       |
| Vendor   | 0.1263 | 3.9229 | 1.2811 | 9.2200e-<br>003 | 0.2310           | 0.0115          | 0.2425        | 0.0665            | 0.0110           | 0.0775      |          | 1,004.471<br>7 | 1,004.471<br>7 | 0.0741 |     | 1,006.3<br>7 |
| Worker   | 0.2695 | 0.2007 | 1.9749 | 5.1300e-<br>003 | 0.5873           | 3.6200e-<br>003 | 0.5910        | 0.1558            | 3.3400e-<br>003  | 0.1592      |          | 510.6853       | 510.6853       | 0.0157 |     | 511.07       |
| Total    | 0.3957 | 4.1237 | 3.2561 | 0.0144          | 0.8183           | 0.0152          | 0.8334        | 0.2223            | 0.0144           | 0.2366      |          | 1,515.157      | 1,515.157      | 0.0898 |     | 1,517.4      |

## 3.6 Paving - 2021

|          | ROG    | NOx     | co      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2 | NBio- CO2 | Total CO2      | CH4    | N20 | CO2e     |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|---------|-----------|----------------|--------|-----|----------|
| Category |        |         |         |        | 16/              | day             |               |                   |                  |             |         |           | lb/c           | lay    |     |          |
| Off-Road | 1.2556 | 12.9191 | 14.6532 | 0.0228 |                  | 0.6777          | 0.6777        |                   | 0.6235           | 0.6235      |         | 2,207.210 | 2,207.210<br>9 | 0.7139 |     | 2,225.05 |
| Paving   | 0.0000 |         |         |        | <del> </del>     | 0.0000          | 0.0000        | <del>:</del>      | 0.0000           | 0.0000      |         |           | 0.0000         |        |     | 0.000    |
| Total    | 1.2556 | 12.9191 | 14.6532 | 0.0228 | <del> </del>     | 0.6777          | 0.6777        | İ                 | 0.6235           | 0.6235      |         | 2,207.210 | 2,207.210      | 0.7139 |     | 2,225.0  |

Page 18 of 27

Date: 7/18/2019 2:44 PM

cota

## - Santa Barbara County APCD Air District, Summer

3.6 Paving - 2021 Unmitigated Construction Off-Site

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4             | N20 | CO2e   |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------|-----------|-----------------|-----|--------|
| Category |        |        |        |                 | lb/              | day             |               |                   |                  |             |          |          | lb/d      | lay             |     |        |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000   | 0.0000    | 0.0000          |     | 0.0000 |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000   | 0.0000    | 0.0000          |     | 0.000  |
| Worker   | 0.0435 | 0.0324 | 0.3185 | 8.3000e-<br>004 | 0.0947           | 5.8000e-<br>004 | 0.0953        | 0.0251            | 5.4000e-<br>004  | 0.0257      |          | 82.3686  | 82.3686   | 2.5300e-<br>003 |     | 82.431 |
| Total    | 0.0435 | 0.0324 | 0.3185 | 8.3000e-<br>004 | 0.0947           | 5.8000e-<br>004 | 0.0953        | 0.0251            | 5.4000e-<br>004  | 0.0257      |          | 82.3686  | 82.3686   | 2.5300e-<br>003 |     | 82.43  |

|          | ROG    | NOx     | CO      | SO2    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2      | CH4    | N20 | CO2e     |
|----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|----------------|--------|-----|----------|
| Category |        |         |         |        | lb/              | day             |               |                   |                  |             |          |           | lb/d           | ay     |     |          |
| Off-Road | 1.2556 | 12.9191 | 14.6532 | 0.0228 |                  | 0.6777          | 0.6777        |                   | 0.6235           | 0.6235      | 0.0000   | 2,207.210 | 2,207.210<br>9 | 0.7139 |     | 2,225.05 |
| Paving   | 0.0000 |         |         |        | <del></del>      | 0.0000          | 0.0000        | <del> </del>      | 0.0000           | 0.0000      |          |           | 0.0000         |        |     | 0.0000   |
| Total    | 1.2556 | 12.9191 | 14.6532 | 0.0228 | †                | 0.6777          | 0.6777        | <u> </u>          | 0.6235           | 0.6235      | 0.0000   | 2,207.210 | 2,207.210      | 0.7139 |     | 2,225.05 |

CalEEMod Version: CalEEMod.2016.3.2 Page 19 of 27 Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

3.6 Paving - 2021 Mitigated Construction Off-Site

|          | ROG    | NOx    | СО     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20 | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|-----------------|-----|---------|
| Category |        |        |        |                 | Ь                | day             |               |                   |                  |             |          |           | lb/c      | lay             |     |         |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000    | 0.0000    | 0.0000          |     | 0.0000  |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000    | 0.0000    | 0.0000          |     | 0.0000  |
| Worker   | 0.0435 | 0.0324 | 0.3185 | 8.3000e-<br>004 | 0.0947           | 5.8000e-<br>004 | 0.0953        | 0.0251            | 5.4000e-<br>004  | 0.0257      |          | 82.3686   | 82.3686   | 2.5300e-<br>003 |     | 82.4319 |
| Total    | 0.0435 | 0.0324 | 0.3185 | 8.3000e-<br>004 | 0.0947           | 5.8000e-<br>004 | 0.0953        | 0.0251            | 5.4000e-<br>004  | 0.0257      |          | 82.3686   | 82.3686   | 2.5300e-<br>003 |     | 82.4319 |

## 3.7 Architectural Coating - 2021

|                 | ROG     | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4    | N20 | CO2e     |
|-----------------|---------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|--------|-----|----------|
| Category        |         |        |        |                 | ь                | day             |               |                   |                  |             |          |           | lb/s      | day    |     |          |
| Archit. Coating | 41.8502 |        |        |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000      |          |           | 0.0000    |        |     | 0.0000   |
| Off-Road        | 0.2189  | 1.5268 | 1.8176 | 2.9700e-<br>003 |                  | 0.0941          | 0.0941        |                   | 0.0941           | 0.0941      |          | 281.4481  | 281.4481  | 0.0193 |     | 281.930  |
| Total           | 42.0691 | 1.5268 | 1.8176 | 2.9700e-<br>003 |                  | 0.0941          | 0.0941        |                   | 0.0941           | 0.0941      |          | 281.4481  | 281.4481  | 0.0193 |     | 281.9309 |

Page 20 of 27

Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

# 3.7 Architectural Coating - 2021 <u>Unmitigated Construction Off-Site</u>

|          | ROG    | NOx    | co     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4             | N20 | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------|-----------|-----------------|-----|---------|
| Category |        |        |        |                 | lb/              | day             |               |                   |                  |             |          |          | lb/d      | lay             |     |         |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000   | 0.0000    | 0.0000          |     | 0.0000  |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000   | 0.0000    | 0.0000          |     | 0.0000  |
| Worker   | 0.0551 | 0.0410 | 0.4035 | 1.0500e-<br>003 | 0.1200           | 7.4000e-<br>004 | 0.1207        | 0.0318            | 6.8000e-<br>004  | 0.0325      |          | 104.3336 | 104.3336  | 3.2100e-<br>003 |     | 104.413 |
| Total    | 0.0551 | 0.0410 | 0.4035 | 1.0500e-<br>003 | 0.1200           | 7.4000e-<br>004 | 0.1207        | 0.0318            | 6.8000e-<br>004  | 0.0325      |          | 104.3336 | 104.3336  | 3.2100e-<br>003 |     | 104.413 |

|                 | ROG     | NOx    | со     | S02             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4    | N20 | CO2e    |
|-----------------|---------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|----------|-----------|--------|-----|---------|
| Category        |         |        |        |                 | lb               | day             |               |                   |                  |             |          |          | lb/d      | ay     |     |         |
| Archit. Coating | 41.8502 |        | :      |                 |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000      |          |          | 0.0000    |        |     | 0.0000  |
| Off-Road        | 0.2189  | 1.5268 | 1.8176 | 2.9700e-<br>003 | <u> </u>         | 0.0941          | 0.0941        | :                 | 0.0941           | 0.0941      | 0.0000   | 281.4481 | 281.4481  | 0.0193 |     | 281.930 |
| Total           | 42.0691 | 1.5268 | 1.8176 | 2.9700e-<br>003 | <del>-</del>     | 0.0941          | 0.0941        | i –               | 0.0941           | 0.0941      | 0.0000   | 281.4481 | 281.4481  | 0.0193 |     | 281.930 |

Page 21 of 27

Date: 7/18/2019 2:44 PM

cota

· Santa Barbara County APCD Air District, Summer

## 3.7 Architectural Coating - 2021 Mitigated Construction Off-Site

|          | ROG    | NOx    | 00     | SO2             | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20 | CO2e    |
|----------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|-----------------|-----|---------|
| Category |        |        |        |                 | Ibi              | day             |               |                   |                  |             | 0.07.7   |           | lb/d      | lay             |     |         |
| Hauling  | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000    | 0.0000    | 0.0000          |     | 0.0000  |
| Vendor   | 0.0000 | 0.0000 | 0.0000 | 0.0000          | 0.0000           | 0.0000          | 0.0000        | 0.0000            | 0.0000           | 0.0000      |          | 0.0000    | 0.0000    | 0.0000          |     | 0.0000  |
| Worker   | 0.0551 | 0.0410 | 0.4035 | 1.0500e-<br>003 | 0.1200           | 7.4000e-<br>004 | 0.1207        | 0.0318            | 6.8000e-<br>004  | 0.0325      |          | 104.3336  | 104.3336  | 3.2100e-<br>003 |     | 104.413 |
| Total    | 0.0551 | 0.0410 | 0.4035 | 1.0500e-<br>003 | 0.1200           | 7.4000e-<br>004 | 0.1207        | 0.0318            | 6.8000e-<br>004  | 0.0325      |          | 104.3336  | 104.3336  | 3.2100e-<br>003 |     | 104.413 |

## 4.0 Operational Detail - Mobile

## 4.1 Mitigation Measures Mobile

CalEEMod Version: CalEEMod.2016.3.2 Page 22 of 27 Date: 7/18/2019 2:44 PM

cota

- Santa Barbara County APCD Air District, Summer

|           | ROG    | NOx     | CO      | 502    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2       | Total CO2       | CH4    | N20 | CO2e           |
|-----------|--------|---------|---------|--------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------------|-----------------|--------|-----|----------------|
| Category  |        |         |         |        | 16/              | day             |               |                   |                  |             |          |                 | lb/d            | ary    |     |                |
|           | 7.4529 | 23.5541 | 60.3900 | 0.1478 | 13.1497          | 0.1481          | 13.2979       | 3.5253            | 0.1387           | 3.6640      | -        | 15,004.67<br>59 | 15,004.67<br>59 | 0.7959 |     | 15,024.5<br>43 |
| Mitigated |        |         |         |        |                  |                 |               |                   | 1                |             |          |                 |                 |        | ÷   | 15,024         |

# 4.2 Trip Summary Information

|                                | Ave      | erage Daily Trip F | Rate   | Unmitigated | Mitigated  |
|--------------------------------|----------|--------------------|--------|-------------|------------|
| Land Use                       | Weekday  | Saturday           | Sunday | Annual VMT  | Annual VMT |
| Enclosed Parking with Elevator | 0.00     | 0.00               | 0.00   |             |            |
| Government Office Building     | 4,883.69 | 0.00               | 0.00   | 4,408,834   | 4,408,834  |
| Total                          | 4,883.69 | 0.00               | 0.00   | 4,408,834   | 4,408,834  |

# 4.3 Trip Type Information

|  | LEES IN VESTI | Miles      |             | SUMM       | Trip %     |             |         | Trip Purpose | %       |
|--|---------------|------------|-------------|------------|------------|-------------|---------|--------------|---------|
| Land Use   | H-W or C-W    | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted     | Pass-by |
|  |               | 5.50       | 6.40        | 0.00       | 0.00       | 0.00        | 0       | 0 :          | 0       |
| Enclosed Parking with Elevator<br>Government Office Building |               | 5.50       | 6.40        | 33.00      | 62.00      | 5.00        | 50      | 34           | 16      |

#### 4.4 Fleet Mix

| 104 I    | LOT4                        | IDT2              | MDV I                      | LHD1                                | LHD2   | MHD   | HHD  | OBUS  | UBUS   | MCY   | SBUS  | MH   |
|----------|-----------------------------|-------------------|----------------------------|-------------------------------------|--|---|--|---|--|---|---|--|
| LDA      | LUTT                        | LUIZ              | MIDY                       | LI IU                               |  |   |  |   | 0.000000   | 0.000000  | 0.002647  | 0.00100  |
| 0.563532 | 0.028682                    | 0.205515          | 0.123285                   | 0.020921                            | 0.005572                                     | 0.017481  | 0.019425   | 0.002/861   | 0.002200   | 0.000000  | 0.002047  |  |
| 0.563532 | 0.028682                    | 0.205515          | 0.123285                   | 0.020921                            | 0.005572                                     | 0.017481  | 0.019425   | 0.002786  | 0.002265   | 0.006886  | 0.002647  | 0.00100  |
|          | LDA<br>0.563532<br>0.563532 | 0.563532 0.028682 | 0.563532 0.028682 0.205515 | 0.563532 0.028682 0.205515 0.123285 | 0.563532 0.028682 0.205515 0.123285 0.020921 | 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 | 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 | 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 0.019425 | 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 0.019425 0.002786 | 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 0.019425 0.002786 0.002265 | LDA LDT1 LD12 MDV LHD1 LHD2 MDV LHD2 MDV LHD1 LHD2 MDV | LDA LDT1 LDT2 MDV LHD1 LHD2 MHD HHD OBUS UBUS MCY SBUS 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 0.019425 0.002786 0.002265 0.006886 0.002647 0.563532 0.028682 0.205515 0.123285 0.020921 0.005572 0.017481 0.019425 0.002786 0.002265 0.006886 0.002647 |

CalEEMod Version: CalEEMod.2016.3.2 Page 23 of 27 Date: 7/18/2019 2:44 PM

cota

/ - Santa Barbara County APCD Air District, Summer

# 5.0 Energy Detail

Historical Energy Use: N

# 5.1 Mitigation Measures Energy

|            | ROG    | NOx    | CO     | SO2      | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total | Bio-CO2    | NBio- CO2 | Total CO2 | CH4 | N20 | CO2e    |
|------------|--------|--------|--------|----------|------------------|-----------------|---------------|-------------------|------------------|-------------|------------|-----------|-----------|-----|-----|---------|
| Category   |        |        |        |          | lb/              | day             |               |                   |                  |             |            |           | lb/d      | lay |     |         |
| NaturalGas | 0.0191 | 0.1739 | 0.1461 | 1.0400e- |                  | 0.0132          | 0.0132        |                   | 0.0132           | 0.0132      | BOCK STATE | 208.7249  | 208.7249  |     |     | 209.965 |
| Mitigated  |        |        |        | 003      |                  |                 |               |                   |                  |             |            |           |           | 003 | 003 |         |

Page 24 of 27

Date: 7/18/2019 2:44 PM

cota

#### - Santa Barbara County APCD Air District, Summer

# 5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

|                                   | NaturalGa<br>s Use | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5<br>Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20             | CO2e     |
|-----------------------------------|--------------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|----------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Land Use                          | kBTUlyr            |        |        |        |                 | ь                | day             |               |                   |                  |                |          |           | lb/d      | lay             |                 |          |
| Enclosed Parking<br>with Elevator | 0                  | 0.0000 | 0.0000 | 0.0000 | 0.0000          |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000         |          | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Government<br>Office Building     | 1774.16            | 0.0191 | 0.1739 | 0.1461 | 1.0400e-<br>003 |                  | 0.0132          | 0.0132        |                   | 0.0132           | 0.0132         |          | 208.7249  | 208.7249  | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.9653 |
| Total                             |                    | 0.0191 | 0.1739 | 0.1461 | 1.0400e-<br>003 |                  | 0.0132          | 0.0132        |                   | 0.0132           | 0.0132         |          | 208.7249  | 208.7249  | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.9653 |

## Mitigated

|                                   | NaturalGa<br>s Use | ROG    | NOx    | co     | \$02            | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2 5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20             | CO2e     |
|-----------------------------------|--------------------|--------|--------|--------|-----------------|------------------|-----------------|---------------|-------------------|------------------|-------------|----------|-----------|-----------|-----------------|-----------------|----------|
| Land Use                          | kBTU/yr            |        |        |        |                 | lb/              | day             |               |                   |                  |             |          |           | lb/c      | iay             |                 |          |
| Enclosed Parking<br>with Elevator | 0                  | 0.0000 | 0.0000 | 0.0000 | 0.0000          |                  | 0.0000          | 0.0000        |                   | 0.0000           | 0.0000      |          | 0.0000    | 0.0000    | 0.0000          | 0.0000          | 0.0000   |
| Government<br>Office Building     | 1.77416            | 0.0191 | 0.1739 | 0.1461 | 1.0400e-<br>003 |                  | 0.0132          | 0.0132        |                   | 0.0132           | 0.0132      |          | 208.7249  | 208.7249  | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.9653 |
| Total                             | Ϊ                  | 0.0191 | 0.1739 | 0.1461 | 1.0400e-<br>003 |                  | 0.0132          | 0.0132        |                   | 0.0132           | 0.0132      |          | 208.7249  | 208.7249  | 4.0000e-<br>003 | 3.8300e-<br>003 | 209.9653 |

## 6.0 Area Detail

# 6.1 Mitigation Measures Area

CalEEMod Version: CalEEMod.2016.3.2 Page 25 of 27 Date: 7/18/2019 2:44 PM

cota - Santa Barbara County APCD Air District, Summer

|             | ROG    | NOx             | co     | S02    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2 5 | PM2.5<br>Total  | Bio- CO2 | NBio-CO2 | Total CO2 | CH4             | N20 | CO2e   |
|-------------|--------|-----------------|--------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|----------|-----------|-----------------|-----|--------|
| Category    |        |                 |        |        | b                | day             |                 |                   |                  |                 |          |          | lb/d      | iay             |     |        |
| Mitigated   | 2.0590 | 2.2000e-<br>004 | 0.0243 | 0.0000 |                  | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519   | 0.0519    | 1.4000e-<br>004 |     | 0.0554 |
| Unmitigated | 2.0590 | 2.2000e-        | 0.0243 | 0.0000 | Ť                | 9.0000e-<br>005 | 9.0000e-<br>005 | Ī                 | 9.0000e-<br>005  | 9.0000e-<br>005 | :        | 0.0519   | 0.0519    | 1.4000e-<br>004 |     | 0.055  |

# 6.2 Area by SubCategory Unmitigated

|                          | ROG             | NOx             | co     | \$02   | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20 | CO2e   |
|--------------------------|-----------------|-----------------|--------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----|--------|
| SubCategory              |                 |                 |        |        | Ы                | day             |                 |                   |                  |                 |          |           | lb/s      | iay             |     |        |
| Architectural<br>Coating | 0.4816          |                 |        |        |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          |          |           | 0.0000    |                 |     | 0.0000 |
| Consumer<br>Products     | 1.5752          |                 |        |        |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          |          |           | 0.0000    |                 |     | 0.000  |
| Landscaping              | 2.2600e-<br>003 | 2.2000e-<br>004 | 0.0243 | 0.0000 |                  | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519    | 0.0519    | 1.4000e-<br>004 |     | 0.055  |
| Total                    | 2.0590          | 2.2000e-<br>004 | 0.0243 | 0.0000 |                  | 9.0000e-<br>005 | 9,0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519    | 0.0519    | 1.4000e-<br>004 | 5   | 0.055  |

Page 26 of 27

Date: 7/18/2019 2:44 PM

cota

· Santa Barbara County APCD Air District, Summer

#### 6.2 Area by SubCategory

#### Mitigated

|                          | ROG             | NOx             | co     | S02    | Fugitive<br>PM10 | Exhaust<br>PM10 | PM10<br>Total   | Fugitive<br>PM2.5 | Exhaust<br>PM2.5 | PM2.5 Total     | Bio- CO2 | NBio- CO2 | Total CO2 | CH4             | N20 | CO2e   |
|--------------------------|-----------------|-----------------|--------|--------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|----------|-----------|-----------|-----------------|-----|--------|
| SubCategory              | lb/day          |                 |        |        |                  |                 |                 | lb/day            |                  |                 |          |           |           |                 |     |        |
| Architectural<br>Coating | 0.4816          |                 |        |        |                  | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          |          |           | 0.0000    |                 |     | 0.0000 |
| Consumer<br>Products     | 1.5752          |                 |        |        | <u> </u>         | 0.0000          | 0.0000          |                   | 0.0000           | 0.0000          |          |           | 0.0000    |                 |     | 0.0000 |
| Landscaping              | 2.2600e-<br>003 | 2.2000e-<br>004 | 0.0243 | 0.0000 |                  | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519    | 0.0519    | 1,4000e-<br>004 |     | 0.0554 |
| Total                    | 2.0590          | 2.2000e-<br>004 | 0.0243 | 0.0000 | İ                | 9.0000e-<br>005 | 9.0000e-<br>005 |                   | 9.0000e-<br>005  | 9.0000e-<br>005 |          | 0.0519    | 0.0519    | 1.4000e-<br>004 |     | 0.0554 |

## 7.0 Water Detail

#### 7.1 Mitigation Measures Water

#### 8.0 Waste Detail

## 8.1 Mitigation Measures Waste

## 9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |  |
|----------------|--------|-----------|-----------|-------------|-------------|-----------|--|
| Equipment Type |        |           |           |             |             |           |  |

## 10.0 Stationary Equipment

#### Fire Pumps and Emergency Generators

Page 27 of 27

Date: 7/18/2019 2:44 PM

cota

/ - Santa Barbara County APCD Air District, Summer

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|
|----------------|--------|-----------|------------|-------------|-------------|-----------|

#### **Boilers**

| Boiler Rating | Fuel Type     |
|---------------|---------------|
| 1             | Boiler Rating |

## **User Defined Equipment**

| Equipment Type | Number |
|----------------|--------|
|                |        |

# 11.0 Vegetation