

July 2022

Date: 6/7/2022

Requested by: Joseph Van Thyne jvanthyne@gmail.com

Address: 3716 Fortunato Way, Santa Barbara, CA 93105

Location of Tree: 1315 Ensenada St., Santa Barbara, CA 93103

Tree Species: *Liquidambar styraciflua*, **Common Name:** American Sweetgum

Requested Reason for Removal: Root structure is affecting the main water line and water meter box. Plumber strongly suggested we remove the tree and roots to avoid the water line being severed.

Current designated Street Tree: *Prunus cerasifera 'Atropurpurea,'* Purple Leaf Cherry Plum (1977 Master Plan)

Advisory Committee Recommendation: Approve Removal: Deny Removal:

Staff Recommendation: Approve Removal: Deny Removal: N/A

Date Posted: 7/13/2022

Comments: The Committee recommends (3/0) that the Commission deny the removal.

PHOTO INVENTORY



Tree Removal Application

APPLICANT/OWNER DETAILS

<input type="text" value="van thyne"/>	<input type="text" value="joseph"/>	
YOUR LAST NAME	YOUR FIRST NAME	
<input type="text"/>		
OWNER'S FULL NAME (IF YOU ARE NOT THE OWNER)		
<input type="text" value="3716 fortunato way"/>		
YOUR MAILING ADDRESS		
<input type="text" value="sb"/>	<input type="text" value="ca"/>	<input type="text" value="93105"/>
CITY	STATE	ZIP CODE
<input type="text" value="805-451-7314"/>	<input type="text" value="jvanthyne@gmail.com"/>	
DAYTIME PHONE	EMAIL ADDRESS	

TREE INFORMATION

TYPE OF TREE: **SETBACK TREE(S)** **STREET TREE(S)**

<input type="text" value="1"/>	<input type="text" value="1315 ensenada street- parkway"/>
NUMBER OF TREES	LOCATION OF TREE(S) – please be sure to indicate the property address where the trees are located

SPECIES OF TREE(S), IF KNOWN

REASONS FOR REMOVAL (TELL US WHY YOU WANT TO REMOVE THE TREE[S]). PLEASE INCLUDE:

- Whether or not the removal application is associated with new development or redevelopment of property
- Status of development application, including whether the project is scheduled for review by the Single Family Design Board, Architectural Board of Review, or Historic Landmarks Commission
- Whether or not the tree is a designated Specimen or Historic Tree or located on a property with a designated Historic Landmark

If you feel you need more space to outline the goals of your request, please feel free to attach a supplemental letter when you submit this form.

We are requesting to remove a large liquid amber that was planted prior to our ownership in the parkway. The root structure is impacting the main water line and water meter box. We've had the line repaired once and the plumber strongly suggested we remove the tree and roots to avoid the water line being severed.

WILL YOU REPLACE THE TREE(S)? YES NO

IF YES, WHAT WILL YOU REPLACE THE TREE(S) WITH?

We have extensively landscaped the parkway. We feel planting any other tree(s) in that area would be impact the existing water line and meters.

eSigned via SeamlessDocs.com
joseph van thyme
Key: ba7815c891f5f094d6327c0c93ba2e2



